

## X. Statistical Tables

### A. State Data Tables Overview

The following tables show cancer incidence and mortality data for Oregonians. The cancer incidence rates represent invasive cancers only, *in situ* cases are excluded with the exception of urinary bladder cancers. The counts will differ from the cancer incidence counts reported as *All Cases Totals* in the *Selected Sites* section. All rates are age-adjusted to the year 2000 U.S. (18 age groups) standard and per 100,000 population.

The incidence and mortality tables are broken down by site, year, and sex. The all sexes category includes cancer cases of males, females, transsexuals, and other; therefore, all sexes may exceed the total of male and female alone. APC is the average, current, five-year annual percent change and may differ slightly from the historical (six-year) trends reported in the *Executive Summary* and *Selected Sites* sections. Any current trend with an asterisk (\*) is statistically stable. These current trends differ from the historical trends reported in other parts of this report.

Rates based on small numbers of events for a given period of time or for a rare cancer must be viewed with caution. A small number of events results in considerable random variation in the rate estimates, thus limiting their usefulness. If the number of cancer events (new cases or deaths) is 10 or fewer, the calculated rate is considered unstable. In the tables, such a rate is not shown and is replaced by a carat (^).

**Table 1: Cancer Incidence Rates and Current Five-Year Trends by Site, Year, and Sex**

Table 1:		All Sexes		Male		Female	
Years 1997 - 2001	Year	Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend
<b>ALL SITES</b>	<b>Total</b>	<b>83,448</b>	<b>485.7</b>	<b>42,312</b>	<b>550.5</b>	<b>41,130</b>	<b>441.5</b>
	APC (Trend)		+0.4		+0.9		+0.0
	1997	15,619	471.8	7,807	525.4	7,812	436.6
	1998	16,377	485.0	8,342	549.6	8,035	438.9
	1999	17,387	506.2	8,879	577.1	8,506	457.0
	2000	16,898	480.9	8,550	546.8	8,346	436.0
	<b>2001</b>	<b>17,167</b>	<b>484.1</b>	<b>8,734</b>	<b>552.2</b>	<b>8,431</b>	<b>439.0</b>
	<b>BONES AND JOINTS</b>	<b>Total</b>	<b>154</b>	<b>0.9</b>	<b>83</b>	<b>1.0</b>	<b>71</b>
APC (Trend)			-1.4		-1.3		-4.9
1997		30	0.9	10	^	20	1.2
1998		31	0.9	23	1.4	8	^
1999		32	0.9	17	1.1	15	0.8
2000		29	0.8	18	1.0	11	0.6
<b>2001</b>		<b>32</b>	<b>0.9</b>	<b>15</b>	<b>0.9</b>	<b>17</b>	<b>1.0</b>
<b>BRAIN AND CNS</b>		<b>Total</b>	<b>1,211</b>	<b>7.1</b>	<b>703</b>	<b>8.7</b>	<b>508</b>
	APC (Trend)		-1.1		-0.8		-1.5
	1997	242	7.4	135	8.8	107	6.3
	1998	243	7.3	144	9.1	99	5.6
	1999	223	6.6	135	8.4	88	5.0
	2000	258	7.4	151	9.1	107	5.7
	<b>2001</b>	<b>245</b>	<b>7.0</b>	<b>138</b>	<b>8.4</b>	<b>107</b>	<b>5.8</b>
	Brain	<b>Total</b>	<b>1,144</b>	<b>6.7</b>	<b>667</b>	<b>8.3</b>	<b>477</b>
APC (Trend)			-0.5		-0.4		-0.3
1997		224	6.9	127	8.2	97	5.7
1998		229	6.9	136	8.6	93	5.2
1999		216	6.4	131	8.1	85	4.8
2000		238	6.8	139	8.4	99	5.3
<b>2001</b>		<b>237</b>	<b>6.7</b>	<b>134</b>	<b>8.2</b>	<b>103</b>	<b>5.6</b>
<b>BREAST</b>		<b>Total</b>	<b>13,594</b>	<b>79.0</b>	<b>77</b>	<b>1.0</b>	<b>13,517</b>
	APC (Trend)		-0.4		+4.3		-0.3
	1997	2,596	78.6	15	1.0	2,581	146.0
	1998	2,643	78.2	9	^	2,634	146.1
	1999	2,856	83.3	21	1.4	2,835	155.1
	2000	2,722	77.1	16	1.1	2,706	143.1
	<b>2001</b>	<b>2,777</b>	<b>77.9</b>	<b>16</b>	<b>1.0</b>	<b>2,761</b>	<b>145.2</b>

**Table 1: Cancer Incidence Rates and Current Five-Year Trends by Site, Year, and Sex**

Table 1:		All Sexes		Male		Female	
Years 1997 - 2001	Primary Site	Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend
	<b>DIGESTIVE SYSTEM</b>	<b>14,228</b>	<b>82.3</b>	<b>7,510</b>	<b>98.8</b>	<b>6,718</b>	<b>69.0</b>
	APC (Trend)		+0.5		+1.5		-0.4
	1997	2,595	77.9	1,343	91.5	1,252	67.2
	1998	2,827	83.2	1,527	101.6	1,300	67.8
	1999	2,982	86.1	1,510	99.2	1,472	75.2
	2000	2,986	84.4	1,594	102.8	1,392	69.6
	<b>2001</b>	<b>2,838</b>	<b>79.6</b>	<b>1,536</b>	<b>98.6</b>	<b>1,302</b>	<b>64.9</b>
	<b>Esophagus</b>	<b>884</b>	<b>5.1</b>	<b>658</b>	<b>8.6</b>	<b>226</b>	<b>2.3</b>
	APC (Trend)		*+7.3		*+6.3		+11.0
	1997	151	4.5	113	7.5	38	2.1
	1998	157	4.6	126	8.3	31	1.6
	1999	168	4.9	122	8.0	46	2.4
	2000	204	5.8	146	9.4	58	2.9
	<b>2001</b>	<b>204</b>	<b>5.7</b>	<b>151</b>	<b>9.6</b>	<b>53</b>	<b>2.6</b>
	<b>Colorectal</b>	<b>8,706</b>	<b>50.3</b>	<b>4400</b>	<b>58.2</b>	<b>4,306</b>	<b>44.1</b>
	APC (Trend)		-0.1		+1.0		-0.9
	1997	1,612	48.4	807	55.4	805	43.0
	1998	1,722	50.7	889	59.3	833	43.4
	1999	1,852	53.4	882	58.3	970	49.5
	2000	1,808	51.2	931	60.5	877	43.7
	<b>2001</b>	<b>1,713</b>	<b>47.9</b>	<b>892</b>	<b>57.6</b>	<b>821</b>	<b>40.8</b>
	<b>Gallbladder</b>	<b>152</b>	<b>0.9</b>	<b>40</b>	<b>0.5</b>	<b>112</b>	<b>1.1</b>
	APC (Trend)		+9.3		+2.5		+12.1
	1997	27	0.8	10	^	17	0.9
	1998	21	0.6	6	^	15	0.8
	1999	32	0.9	5	^	27	1.3
	2000	34	1.0	9	^	25	1.2
	<b>2001</b>	<b>38</b>	<b>1.1</b>	<b>10</b>	<b>^</b>	<b>28</b>	<b>1.4</b>
	<b>Liver and Intra-hepatic Bile Duct</b>	<b>644</b>	<b>3.7</b>	<b>421</b>	<b>5.3</b>	<b>223</b>	<b>2.4</b>
	APC (Trend)		+3.6		+4.1		+1.8
	1997	104	3.1	63	4.2	41	2.3
	1998	120	3.5	83	5.3	37	2.0
	1999	146	4.2	93	5.9	53	2.8
	2000	149	4.2	105	6.5	44	2.2
	<b>2001</b>	<b>125</b>	<b>3.5</b>	<b>77</b>	<b>4.7</b>	<b>48</b>	<b>2.5</b>

**Table 1: Cancer Incidence Rates and Current Five-Year Trends by Site, Year, and Sex**

Table 1:		All Sexes		Male		Female	
Years 1997 - 2001	Primary Site	Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend
<i>Liver</i>	<b>Total</b>	<b>534</b>	<b>3.1</b>	<b>365</b>	<b>4.6</b>	<b>169</b>	<b>1.8</b>
	APC (Trend)		+3.1		+4.5		+0.2
	1997	84	2.5	54	3.6	30	1.7
	1998	102	3.0	72	4.6	30	1.6
	1999	126	3.6	80	5.0	46	2.4
	2000	117	3.3	90	5.5	27	1.4
	<b>2001</b>	<b>105</b>	<b>2.9</b>	<b>69</b>	<b>4.2</b>	<b>36</b>	<b>1.9</b>
	<b>Pancreas</b>	<b>Total</b>	<b>1,787</b>	<b>10.3</b>	<b>861</b>	<b>11.4</b>	<b>926</b>
	APC (Trend)		+0.8		+5.3		-2.9
	1997	314	9.4	138	9.3	176	9.3
	1998	364	10.7	167	11.3	197	10.3
	1999	402	11.6	195	12.6	207	10.5
	2000	336	9.5	170	11.1	166	8.3
	<b>2001</b>	<b>371</b>	<b>10.4</b>	<b>191</b>	<b>12.4</b>	<b>180</b>	<b>8.9</b>
<b>Small Intestine</b>	<b>Total</b>	<b>254</b>	<b>1.5</b>	<b>147</b>	<b>1.9</b>	<b>107</b>	<b>1.1</b>
	APC (Trend)		+1.7		-1.4		+7.2
	1997	44	1.3	27	1.9	17	0.9
	1998	53	1.6	33	2.2	20	1.1
	1999	50	1.5	28	1.8	22	1.1
	2000	55	1.6	28	1.8	27	1.4
	<b>2001</b>	<b>52</b>	<b>1.5</b>	<b>31</b>	<b>1.9</b>	<b>21</b>	<b>1.1</b>
	<b>Stomach</b>	<b>Total</b>	<b>1,033</b>	<b>6.0</b>	<b>685</b>	<b>9.1</b>	<b>348</b>
APC (Trend)			-3.8		-6.0		-1.0
1997		203	6.1	129	8.8	74	4.0
1998		227	6.7	167	11.2	60	3.1
1999		195	5.6	134	8.9	61	3.1
2000		231	6.5	141	9.0	90	4.4
<b>2001</b>		<b>177</b>	<b>5.0</b>	<b>114</b>	<b>7.3</b>	<b>63</b>	<b>3.1</b>
<b>ENDOCRINE SYSTEM</b>		<b>Total</b>	<b>1,171</b>	<b>6.9</b>	<b>343</b>	<b>4.2</b>	<b>828</b>
	APC (Trend)		+3.1		-2.5		*+5.8
	1997	202	6.2	64	4.1	138	8.4
	1998	232	7.0	73	4.5	159	9.4
	1999	234	7.0	73	4.5	161	9.4
	2000	249	7.2	68	4.0	181	10.3
	<b>2001</b>	<b>254</b>	<b>7.2</b>	<b>65</b>	<b>3.8</b>	<b>189</b>	<b>10.7</b>

**Table 1: Cancer Incidence Rates and Current Five-Year Trends by Site, Year, and Sex**

Table 1:		All Sexes		Male		Female	
Years 1997 - 2001	Primary Site	Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend
	<b>Thyroid</b>	<b>1,084</b>	<b>6.4</b>	<b>301</b>	<b>3.6</b>	<b>783</b>	<b>9.1</b>
	APC (Trend)		*+4.8		-1.0		*+7.4
	1997	182	5.6	54	3.5	128	7.8
	1998	213	6.4	65	4.0	148	8.8
	1999	212	6.3	64	3.9	148	8.7
	2000	231	6.6	57	3.4	174	9.9
	<b>2001</b>	<b>246</b>	<b>7.0</b>	<b>61</b>	<b>3.6</b>	<b>185</b>	<b>10.4</b>
	<b>EYE AND ORBIT</b>	<b>173</b>	<b>1.0</b>	<b>94</b>	<b>1.2</b>	<b>79</b>	<b>0.9</b>
	APC (Trend)		*-9.3		-6.5		-10.5
	1997	41	1.2	21	1.4	20	1.1
	1998	36	1.1	17	1.1	19	1.1
	1999	33	1.0	24	1.5	9	^
	2000	36	1.0	15	0.9	21	1.1
	<b>2001</b>	<b>27</b>	<b>0.8</b>	<b>17</b>	<b>1.0</b>	<b>10</b>	<b>^</b>
	<b>GENITAL SYSTEM</b>	<b>4,894</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>4,892</b>	<b>53.5</b>
	APC (Trend)		n/a		n/a		-2.7
	<b>Female</b>						
	1997	1,022	n/a	n/a	n/a	1,022	58.0
	1998	935	n/a	n/a	n/a	935	52.1
	1999	986	n/a	n/a	n/a	985	53.9
	2000	1,016	n/a	n/a	n/a	1,015	54.0
	<b>2001</b>	<b>935</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>935</b>	<b>49.7</b>
	<b>Cervical</b>	<b>741</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>741</b>	<b>8.6</b>
	APC (Trend)		n/a		n/a		*-3.4
	1997	156	n/a	n/a	n/a	156	9.3
	1998	146	n/a	n/a	n/a	146	8.6
	1999	149	n/a	n/a	n/a	149	8.7
	2000	148	n/a	n/a	n/a	148	8.3
	<b>2001</b>	<b>142</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>142</b>	<b>8.0</b>
	<b>Uterine</b>	<b>2,284</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>2,283</b>	<b>24.8</b>
	APC (Trend)		n/a		n/a		-2.8
	1997	488	n/a	n/a	n/a	488	27.5
	1998	429	n/a	n/a	n/a	429	23.6
	1999	459	n/a	n/a	n/a	459	24.7
	2000	467	n/a	n/a	n/a	466	24.7
	<b>2001</b>	<b>441</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>441</b>	<b>23.4</b>

**Table 1: Cancer Incidence Rates and Current Five-Year Trends by Site, Year, and Sex**

Table 1:		All Sexes		Male		Female		
Years 1997 - 2001	Primary Site	Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend	
<b>Ovary</b>	<b>Total</b>	<b>1,499</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>1,499</b>	<b>16.3</b>	
	APC (Trend)		n/a		n/a		-2.7	
	1997	306	n/a	n/a	n/a	306	17.3	
	1998	291	n/a	n/a	n/a	291	16.2	
	1999	305	n/a	n/a	n/a	305	16.7	
	2000	310	n/a	n/a	n/a	310	16.4	
	<b>2001</b>	<b>287</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>287</b>	<b>15.0</b>	
	<b>GENITAL SYSTEM</b>	<b>Total</b>	<b>13,375</b>	<b>n/a</b>	<b>13,375</b>	<b>173.4</b>	<b>n/a</b>	<b>n/a</b>
APC (Trend)			n/a		+2.4		n/a	
<b>Male</b>		1997	2,372	n/a	2,372	159.0	n/a	n/a
1998		2,524	n/a	2,524	166.0	n/a	n/a	
1999		2,946	n/a	2,946	191.2	n/a	n/a	
2000		2,725	n/a	2,725	173.5	n/a	n/a	
<b>2001</b>		<b>2,808</b>	<b>n/a</b>	<b>2,808</b>	<b>176.3</b>	<b>n/a</b>	<b>n/a</b>	
<b>Prostate</b>		<b>Total</b>	<b>12,693</b>	<b>n/a</b>	<b>12,693</b>	<b>165.2</b>	<b>n/a</b>	<b>n/a</b>
	APC (Trend)		n/a		+2.5		n/a	
	1997	2,229	n/a	2,229	150.0	n/a	n/a	
	1998	2,402	n/a	2,402	158.3	n/a	n/a	
	1999	2,818	n/a	2,818	183.3	n/a	n/a	
	2000	2,587	n/a	2,587	165.5	n/a	n/a	
	<b>2001</b>	<b>2,657</b>	<b>n/a</b>	<b>2,657</b>	<b>167.6</b>	<b>n/a</b>	<b>n/a</b>	
	<b>Testis</b>	<b>Total</b>	<b>615</b>	<b>n/a</b>	<b>615</b>	<b>7.4</b>	<b>n/a</b>	<b>n/a</b>
APC (Trend)			n/a		-1.1		n/a	
1997		128	n/a	128	7.9	n/a	n/a	
1998		114	n/a	114	7.1	n/a	n/a	
1999		119	n/a	119	7.3	n/a	n/a	
2000		120	n/a	120	6.9	n/a	n/a	
<b>2001</b>		<b>134</b>	<b>n/a</b>	<b>134</b>	<b>7.6</b>	<b>n/a</b>	<b>n/a</b>	
<b>KAPOSI SARCOMA</b>		<b>Total</b>	<b>56</b>	<b>0.3</b>	<b>51</b>	<b>0.6</b>	<b>5</b>	<b>^</b>
	APC (Trend)		-12.9		-10.1		^	
	1997	14	0.4	13	0.8	1	^	
	1998	14	0.4	11	0.7	3	^	
	1999	8	^	8	^	0	^	
	2000	13	0.4	12	0.7	1	^	
	<b>2001</b>	<b>7</b>	<b>^</b>	<b>7</b>	<b>^</b>	<b>0</b>	<b>^</b>	

**Table 1: Cancer Incidence Rates and Current Five-Year Trends by Site, Year, and Sex**

Table 1:		All Sexes		Male		Female	
Years 1997 - 2001 Primary Site	Year	Invasive Cancer Counts	Rate/ Current Trend	Invasive Cancer Counts	Rate/ Current Trend	Invasive Cancer Counts	Rate/ Current Trend
<b>LEUKEMIAS</b>	<b>Total</b>	<b>1,945</b>	<b>11.4</b>	<b>1,103</b>	<b>14.4</b>	<b>841</b>	<b>9.0</b>
	APC (Trend)		+3.8		+1.9		+7.7
	1997	325	9.9	201	13.5	124	6.8
	1998	383	11.5	218	14.3	165	9.1
	1999	423	12.4	243	15.8	180	9.5
	2000	381	10.9	198	12.8	182	9.4
	<b>2001</b>	<b>433</b>	<b>12.3</b>	<b>243</b>	<b>15.5</b>	<b>190</b>	<b>10.0</b>
<b>LYMPHOMAS</b>	<b>Total</b>	<b>3,767</b>	<b>22.0</b>	<b>1,992</b>	<b>25.5</b>	<b>1,775</b>	<b>19.1</b>
	APC (Trend)		+0.1		+1.3		-1.0
	1997	717	21.7	361	23.8	356	19.9
	1998	727	21.6	391	25.4	336	18.2
	1999	779	22.8	415	26.8	364	19.7
	2000	782	22.3	422	26.7	360	18.8
	<b>2001</b>	<b>762</b>	<b>21.5</b>	<b>403</b>	<b>24.9</b>	<b>359</b>	<b>18.7</b>
<b>Hodgkin Disease</b>	<b>Total</b>	<b>441</b>	<b>2.6</b>	<b>241</b>	<b>2.9</b>	<b>200</b>	<b>2.4</b>
	APC (Trend)		-7.0		-2.8		-12.2
	1997	94	2.9	41	2.6	53	3.3
	1998	90	2.8	55	3.4	35	2.1
	1999	96	2.9	51	3.1	45	2.7
	2000	88	2.5	54	3.2	34	1.9
	<b>2001</b>	<b>73</b>	<b>2.1</b>	<b>40</b>	<b>2.3</b>	<b>33</b>	<b>1.9</b>
<b>Non-Hodgkin Lymphoma</b>	<b>Total</b>	<b>3,326</b>	<b>19.3</b>	<b>1,751</b>	<b>22.6</b>	<b>1,575</b>	<b>16.7</b>
	APC (Trend)		+1.1		+1.9		+0.7
	1997	623	18.8	320	21.2	303	16.6
	1998	637	18.8	336	22.0	301	16.1
	1999	683	19.9	364	23.7	319	17.0
	2000	694	19.8	368	23.5	326	16.9
	<b>2001</b>	<b>689</b>	<b>19.4</b>	<b>363</b>	<b>22.6</b>	<b>326</b>	<b>16.8</b>
<b>MESOTHELIOMA</b>	<b>Total</b>	<b>217</b>	<b>1.3</b>	<b>177</b>	<b>2.4</b>	<b>40</b>	<b>0.4</b>
	APC (Trend)		-2.3		-3.8		+1.6
	1997	42	1.3	35	2.4	7	0.4
	1998	40	1.2	32	2.2	8	0.5
	1999	53	1.5	45	2.9	8	0.4
	2000	45	1.3	36	2.4	9	0.4
	<b>2001</b>	<b>37</b>	<b>1.1</b>	<b>29</b>	<b>1.9</b>	<b>8</b>	<b>0.4</b>

**Table 1: Cancer Incidence Rates and Current Five-Year Trends by Site, Year, and Sex**

Table 1:		All Sexes		Male		Female	
Years 1997 - 2001	Year	Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend
<b>MYELOMA</b>	<b>Total</b>	<b>828</b>	<b>4.8</b>	<b>476</b>	<b>6.2</b>	<b>352</b>	<b>3.7</b>
	APC (Trend)		+3.5		+5.4		+0.6
	1997	140	4.2	77	5.3	63	3.5
	1998	171	5.1	100	6.6	71	3.8
	1999	166	4.8	91	6.0	75	3.9
	2000	162	4.6	93	6.1	69	3.6
	<b>2001</b>	<b>189</b>	<b>5.3</b>	<b>115</b>	<b>7.2</b>	<b>74</b>	<b>3.7</b>
	<b>ORAL CAVITY AND PHARYNX</b>	<b>Total</b>	<b>1,987</b>	<b>11.6</b>	<b>1,316</b>	<b>16.7</b>	<b>671</b>
APC (Trend)			-2.1		-1.6		-2.7
1997		402	12.2	266	17.5	136	7.6
1998		400	11.9	257	16.5	143	7.8
1999		393	11.4	268	17.0	125	6.6
2000		384	10.9	258	16.1	126	6.5
<b>2001</b>		<b>408</b>	<b>11.4</b>	<b>267</b>	<b>16.3</b>	<b>141</b>	<b>7.3</b>
<b>RESPIRATORY SYSTEM</b>		<b>Total</b>	<b>12,973</b>	<b>75.5</b>	<b>7,077</b>	<b>92.8</b>	<b>5,896</b>
	APC (Trend)		-1.3		*-2.9		+0.6
	1997	2,541	76.5	1,432	96.8	1,109	61.3
	1998	2,618	77.4	1,451	96.6	1,167	62.9
	1999	2,673	77.5	1,451	94.7	1,222	64.9
	2000	2,529	72.2	1,382	89.5	1,147	59.6
	<b>2001</b>	<b>2,612</b>	<b>74.0</b>	<b>1,361</b>	<b>86.6</b>	<b>1,251</b>	<b>64.8</b>
	<b>Larynx</b>	<b>Total</b>	<b>593</b>	<b>3.5</b>	<b>473</b>	<b>6.1</b>	<b>120</b>
APC (Trend)			*-6.4		*-8.1		-2.6
1997		129	3.9	110	7.5	19	1.1
1998		123	3.6	95	6.2	28	1.6
1999		122	3.6	94	6.0	28	1.5
2000		113	3.2	89	5.5	24	1.3
<b>2001</b>		<b>106</b>	<b>3.0</b>	<b>85</b>	<b>5.3</b>	<b>21</b>	<b>1.1</b>
<b>Lung and Bronchus</b>		<b>Total</b>	<b>12,237</b>	<b>71.2</b>	<b>6,521</b>	<b>85.6</b>	<b>5,716</b>
	APC (Trend)		-1.1		*-2.5		+0.6
	1997	2,382	71.7	1,303	88.1	1,079	59.6
	1998	2,467	72.9	1,341	89.3	1,126	60.7
	1999	2,523	73.2	1,339	87.6	1,184	62.8
	2000	2,389	68.2	1,277	83.1	1,112	57.7
	<b>2001</b>	<b>2,476</b>	<b>70.2</b>	<b>1,261</b>	<b>80.4</b>	<b>1,215</b>	<b>62.8</b>

**Table 1: Cancer Incidence Rates and Current Five-Year Trends by Site, Year, and Sex**

Table 1:		All Sexes		Male		Female	
Years 1997 - 2001 Primary Site	Year	Invasive Cancer Counts	Rate/ Current Trend	Invasive Cancer Counts	Rate/ Current Trend	Invasive Cancer Counts	Rate/ Current Trend
SKIN (excludes Basal and Squamous Carcinoma)	<b>Total</b>	<b>3,926</b>	<b>23.0</b>	<b>2,167</b>	<b>27.4</b>	<b>1,759</b>	<b>19.9</b>
	APC (Trend)		*+4.6		*+4.1		+5.7
	1997	655	19.9	382	25.1	273	16.0
	1998	774	23.1	413	26.3	361	20.8
	1999	780	23.0	439	27.7	341	19.3
	2000	842	24.0	446	27.9	396	21.9
	<b>2001</b>	<b>875</b>	<b>24.7</b>	<b>487</b>	<b>29.8</b>	<b>388</b>	<b>21.1</b>
Melanomas of Skin	<b>Total</b>	<b>3,702</b>	<b>21.7</b>	<b>2,039</b>	<b>25.7</b>	<b>1,663</b>	<b>18.9</b>
	APC (Trend)		+5.1		*+4.5		+6.3
	1997	605	18.4	351	22.9	254	14.9
	1998	732	21.9	393	25.0	339	19.6
	1999	739	21.8	415	26.1	324	18.4
	2000	794	22.7	421	26.2	373	20.7
	<b>2001</b>	<b>832</b>	<b>23.5</b>	<b>459</b>	<b>28.1</b>	<b>373</b>	<b>20.4</b>
SOFT TISSUE INCLUDING HEART	<b>Total</b>	<b>521</b>	<b>3.1</b>	<b>259</b>	<b>3.3</b>	<b>262</b>	<b>2.9</b>
	APC (Trend)		-1.8		-1.0		-2.5
	1997	110	3.4	46	3.1	64	3.7
	1998	94	2.8	53	3.4	41	2.3
	1999	103	3.0	55	3.5	48	2.7
	2000	113	3.3	61	3.8	52	2.8
	<b>2001</b>	<b>101</b>	<b>2.9</b>	<b>44</b>	<b>2.7</b>	<b>57</b>	<b>3.1</b>
URINARY SYSTEM	<b>Total</b>	<b>6,170</b>	<b>35.8</b>	<b>4,398</b>	<b>57.9</b>	<b>1,770</b>	<b>18.6</b>
	APC (Trend)		-0.5		-0.2		-0.6
	1997	1,175	35.4	833	57.0	342	18.8
	1998	1,235	36.4	882	58.7	353	18.8
	1999	1,295	37.6	934	61.1	360	18.9
	2000	1,186	33.6	841	54.1	345	17.6
	<b>2001</b>	<b>1,279</b>	<b>35.9</b>	<b>908</b>	<b>58.6</b>	<b>370</b>	<b>18.8</b>
Bladder	<b>Total</b>	<b>4,168</b>	<b>24.1</b>	<b>3,150</b>	<b>42.0</b>	<b>1,016</b>	<b>10.5</b>
	APC (Trend)		-1.3		-0.7		-2.2
	1997	809	24.3	611	42.3	198	10.7
	1998	844	24.8	622	41.8	222	11.6
	1999	871	25.2	673	44.5	197	10.2
	2000	790	22.4	605	39.3	185	9.3
	<b>2001</b>	<b>854</b>	<b>24.0</b>	<b>639</b>	<b>42.1</b>	<b>214</b>	<b>10.7</b>

**Table 1: Cancer Incidence Rates and Current Five-Year Trends by Site, Year, and Sex**

<b>Table 1:</b>		<b>All Sexes</b>		<b>Male</b>		<b>Female</b>	
<b>Years 1997 - 2001</b>	<b>Primary Site</b>	<b>Invasive Cancer Counts</b>	<b>Rate/Current Trend</b>	<b>Invasive Cancer Counts</b>	<b>Rate/Current Trend</b>	<b>Invasive Cancer Counts</b>	<b>Rate/Current Trend</b>
	<b>Total</b>	<b>1,851</b>	<b>10.8</b>	<b>1,146</b>	<b>14.5</b>	<b>705</b>	<b>7.6</b>
	APC (Trend)		+1.5		+2.0		+0.6
	1997	340	10.3	198	13.0	142	8.0
	1998	356	10.5	237	15.3	119	6.6
	1999	392	11.4	243	15.4	149	8.1
	2000	364	10.3	217	13.5	147	7.7
	<b>2001</b>	<b>399</b>	<b>11.2</b>	<b>251</b>	<b>15.4</b>	<b>148</b>	<b>7.7</b>
<b>MISCELLANEOUS SITES</b>	<b>Total</b>	<b>2,258</b>	<b>13.0</b>	<b>1,111</b>	<b>15.0</b>	<b>1,146</b>	<b>11.6</b>
A trend cannot be calculated until 5 years of data is collected due to changes in ICD-O-3 coding in 2001.	APC (Trend)		n/a		n/a		n/a
	1997	398	11.9	201	13.7	197	10.4
	1998	450	13.2	217	14.7	233	12.0
	1999	422	12.2	204	13.9	218	11.0
	2000	440	12.3	214	14.2	226	10.9
	<b>2001</b>	<b>548</b>	<b>15.3</b>	<b>275</b>	<b>18.1</b>	<b>272</b>	<b>13.3</b>

Rates are per 100,000 and age-adjusted to the 2000 U.S. (18 age groups) standard.  
 Counts for Total may exceed male/female combined due to additional sex coding

APC = Average Annual Percent Change

\* Indicates APC is statistically significant

^ Rate not calculated due to instability of small numbers

n/a = not applicable

**Table 2: Cancer Mortality Rates and Current Five-Year Trends by Site, Year, and Sex**

Table 2:		All Sexes		Male		Female	
Years 1997 - 2001	Year	Cancer Deaths	Rate/ Current Trend	Cancer Deaths	Rate/ Current Trend	Cancer Deaths	Rate/ Current Trend
<b>ALL CAUSES OF DEATH</b>	<b>Total</b>	<b>147,097</b>	<b>845.2</b>	<b>72,490</b>	<b>1005.6</b>	<b>74,607</b>	<b>719.8</b>
	APC (Trend)		*-1.1		-1.0		-0.9
	1997	28,749	862.3	14,267	1027.5	14,482	732.2
	1998	29,342	861.3	14,621	1025.5	14,721	729.7
	1999	29,350	844.5	14,429	993.1	14,921	723.1
	2000	29,537	825.4	14,488	988.1	15,047	701.5
	<b>2001</b>	<b>30,121</b>	<b>834.0</b>	<b>14,685</b>	<b>995.1</b>	<b>15,436</b>	<b>714.8</b>
<b>ALL MALIGNANT CANCERS</b>	<b>Total</b>	<b>34,888</b>	<b>202.7</b>	<b>17,986</b>	<b>244.9</b>	<b>16,901</b>	<b>174.9</b>
	APC (Trend)		n/a		n/a		n/a
	1997	6,790	203.7	3,520	246.9	3,270	175.4
	1998	7,008	206.2	3,596	245.0	3,412	179.4
	1999	6,903	199.2	3,573	240.7	3,330	171.3
	2000	6,989	197.5	3,584	239.0	3,404	170.7
	<b>2001</b>	<b>7,198</b>	<b>201.4</b>	<b>3,713</b>	<b>246.1</b>	<b>3,485</b>	<b>173.2</b>
<b>BONES AND JOINTS</b>	<b>Total</b>	<b>61</b>	<b>0.4</b>	<b>37</b>	<b>0.5</b>	<b>24</b>	<b>0.3</b>
	APC (Trend)		+3.7		+20.1		-17.2
	1997	11	0.3	4	^	7	^
	1998	9	^	5	^	4	^
	1999	14	0.4	9	^	5	^
	2000	18	0.5	12	0.7	6	^
	<b>2001</b>	<b>9</b>	<b>^</b>	<b>7</b>	<b>^</b>	<b>2</b>	<b>^</b>
<b>BRAIN AND CNS</b>	<b>Total</b>	<b>958</b>	<b>5.6</b>	<b>543</b>	<b>6.8</b>	<b>415</b>	<b>4.5</b>
	APC (Trend)		-2.8		-2.9		-2.7
	1997	185	5.6	103	6.8	82	4.6
	1998	229	6.8	129	8.2	100	5.6
	1999	155	4.6	96	6.1	59	3.2
	2000	195	5.5	106	6.5	89	4.7
	<b>2001</b>	<b>194</b>	<b>5.5</b>	<b>109</b>	<b>6.7</b>	<b>85</b>	<b>4.4</b>
<b>BREAST</b>	<b>Total</b>	<b>2,545</b>	<b>14.7</b>	<b>21</b>	<b>0.3</b>	<b>2,524</b>	<b>26.6</b>
	APC (Trend)		-1.3		+8.0		-1.5
	1997	487	14.8	3	^	484	26.9
	1998	531	15.7	6	^	525	28.2
	1999	513	14.9	3	^	510	26.9
	2000	484	13.7	2	^	482	24.7
	<b>2001</b>	<b>530</b>	<b>14.8</b>	<b>7</b>	<b>^</b>	<b>523</b>	<b>26.6</b>

**Table 2: Cancer Mortality Rates and Current Five-Year Trends by Site, Year, and Sex**

Table 2:		All Sexes		Male		Female	
Years 1997 - 2001		Cancer Deaths	Rate/ Current Trend	Cancer Deaths	Rate/ Current Trend	Cancer Deaths	Rate/ Current Trend
Primary Site	Year						
<b>DIGESTIVE SYSTEM</b>	<b>Total</b>	<b>7,656</b>	<b>44.1</b>	<b>4,132</b>	<b>55.5</b>	<b>3,524</b>	<b>35.2</b>
	APC (Trend)		+0.8		*+2.7		-1.2
	1997	1,442	43.2	764	53.3	678	35.2
	1998	1,502	44.2	788	53.4	714	36.7
	1999	1,551	44.7	834	55.6	717	35.8
	2000	1,533	43.1	841	55.3	692	33.5
	<b>2001</b>	<b>1,628</b>	<b>45.4</b>	<b>905</b>	<b>59.6</b>	<b>723</b>	<b>34.7</b>
	<b>Colorectal</b>	<b>Total</b>	<b>3,353</b>	<b>19.3</b>	<b>1,704</b>	<b>23.2</b>	<b>1,649</b>
APC (Trend)			-1.4		+0.7		*-3.5
1997		665	19.9	331	23.4	334	17.2
1998		670	19.7	333	22.8	337	17.0
1999		687	19.8	350	23.8	337	16.7
2000		629	17.7	314	20.9	315	15.0
<b>2001</b>		<b>702</b>	<b>19.5</b>	<b>376</b>	<b>25.1</b>	<b>326</b>	<b>15.4</b>
<b>Esophagus</b>		<b>Total</b>	<b>845</b>	<b>4.9</b>	<b>660</b>	<b>8.7</b>	<b>185</b>
	APC (Trend)		+5.7		*6.4		+3.7
	1997	144	4.3	117	8.0	27	1.4
	1998	164	4.8	121	8.0	43	2.2
	1999	166	4.8	127	8.3	39	2.0
	2000	168	4.8	134	8.7	34	1.7
	<b>2001</b>	<b>203</b>	<b>5.7</b>	<b>161</b>	<b>10.3</b>	<b>42</b>	<b>2.0</b>
	<b>Gallbladder</b>	<b>Total</b>	<b>93</b>	<b>0.5</b>	<b>26</b>	<b>0.3</b>	<b>67</b>
APC (Trend)			+6.1		+5.6		+6.9
1997		23	0.7	8	^	15	0.8
1998		7	^	1	^	6	^
1999		17	0.5	4	^	13	0.6
2000		18	0.5	3	^	15	0.7
<b>2001</b>		<b>28</b>	<b>0.8</b>	<b>10</b>	<b>^</b>	<b>18</b>	<b>0.9</b>
<b>Liver and Intra-hepatic Bile Duct</b>		<b>Total</b>	<b>596</b>	<b>3.5</b>	<b>369</b>	<b>4.8</b>	<b>227</b>
	APC (Trend)		+6.2		+4.2		+8.6
	1997	103	3.1	66	4.5	37	2.0
	1998	108	3.2	70	4.6	38	2.1
	1999	105	3.0	64	4.0	41	2.1
	2000	152	4.3	92	5.8	60	3.0
	<b>2001</b>	<b>128</b>	<b>3.6</b>	<b>77</b>	<b>4.8</b>	<b>51</b>	<b>2.5</b>

**Table 2: Cancer Mortality Rates and Current Five-Year Trends by Site, Year, and Sex**

<b>Table 2:</b>		<b>All Sexes</b>		<b>Male</b>		<b>Female</b>	
<b>Years 1997 - 2001</b>		<b>Cancer Deaths</b>	<b>Rate/Current Trend</b>	<b>Cancer Deaths</b>	<b>Rate/Current Trend</b>	<b>Cancer Deaths</b>	<b>Rate/Current Trend</b>
<b>Primary Site</b>	<b>Year</b>						
<i>Liver</i>	<b>Total</b>	<b>453</b>	<b>2.6</b>	<b>301</b>	<b>3.8</b>	<b>152</b>	<b>1.6</b>
	APC (Trend)		+3.8		+3.9		+3.2
	1997	78	2.4	54	3.6	24	1.3
	1998	88	2.6	56	3.7	32	1.8
	1999	81	2.3	54	3.4	27	1.4
	2000	118	3.3	77	4.8	41	2.1
	<b>2001</b>	<b>88</b>	<b>2.4</b>	<b>60</b>	<b>3.7</b>	<b>28</b>	<b>1.4</b>
<b>Pancreas</b>	<b>Total</b>	<b>1,821</b>	<b>10.5</b>	<b>851</b>	<b>11.4</b>	<b>970</b>	<b>9.8</b>
	APC (Trend)		+2.1		*+6.9		-1.5
	1997	328	9.8	141	9.7	187	9.7
	1998	361	10.6	164	11.1	197	10.2
	1999	378	10.9	165	10.8	213	10.7
	2000	357	10.1	186	12.3	171	8.4
	<b>2001</b>	<b>397</b>	<b>11.1</b>	<b>195</b>	<b>12.9</b>	<b>202</b>	<b>9.9</b>
<b>Small Intestine</b>	<b>Total</b>	<b>53</b>	<b>0.3</b>	<b>24</b>	<b>0.3</b>	<b>29</b>	<b>0.3</b>
	APC (Trend)		*-19.3		-23.7		-13.0
	1997	15	0.4	7	^	8	^
	1998	14	0.4	7	^	7	^
	1999	8	^	5	^	3	^
	2000	9	^	2	^	7	^
	<b>2001</b>	<b>7</b>	<b>^</b>	<b>3</b>	<b>^</b>	<b>4</b>	<b>^</b>
<b>Stomach</b>	<b>Total</b>	<b>619</b>	<b>3.6</b>	<b>379</b>	<b>5.2</b>	<b>240</b>	<b>2.4</b>
	APC (Trend)		-4.8		-4.5		-5.0
	1997	116	3.5	72	5.0	44	2.3
	1998	136	4.0	78	5.4	58	3.0
	1999	137	4.0	93	6.3	44	2.2
	2000	130	3.6	77	5.2	53	2.5
	<b>2001</b>	<b>100</b>	<b>2.8</b>	<b>59</b>	<b>4.0</b>	<b>41</b>	<b>2.0</b>
<b>ENDOCRINE SYSTEM</b>	<b>Total</b>	<b>153</b>	<b>0.9</b>	<b>65</b>	<b>0.8</b>	<b>88</b>	<b>0.9</b>
	APC (Trend)		+1.7		+3.1		+0.2
	1997	30	0.9	12	0.8	18	1.0
	1998	24	0.7	12	0.8	12	0.6
	1999	35	1.0	13	0.8	22	1.1
	2000	34	1.0	15	1.0	19	1.0
	<b>2001</b>	<b>30</b>	<b>0.8</b>	<b>13</b>	<b>0.8</b>	<b>17</b>	<b>0.8</b>

**Table 2: Cancer Mortality Rates and Current Five-Year Trends by Site, Year, and Sex**

<b>Table 2:</b>		<b>All Sexes</b>		<b>Male</b>		<b>Female</b>	
<b>Years 1997 - 2001</b>		<b>Cancer</b>	<b>Rate/ Current</b>	<b>Cancer</b>	<b>Rate/ Current</b>	<b>Cancer</b>	<b>Rate/ Current</b>
<b>Primary Site</b>	<b>Year</b>	<b>Deaths</b>	<b>Trend</b>	<b>Deaths</b>	<b>Trend</b>	<b>Deaths</b>	<b>Trend</b>
<b>Thyroid</b>	<b>Total</b>	<b>77</b>	<b>0.4</b>	<b>23</b>	<b>0.3</b>	<b>54</b>	<b>0.5</b>
	APC (Trend)		+3.9		+4.9		+4.1
	1997	15	0.4	4	^	11	0.6
	1998	10	^	2	^	8	^
	1999	20	0.6	8	^	12	0.6
	2000	15	0.4	6	^	9	^
	<b>2001</b>	<b>17</b>	<b>0.5</b>	<b>3</b>	<b>^</b>	<b>14</b>	<b>0.7</b>
<b>EYE AND ORBIT</b>	<b>Total</b>	<b>18</b>	<b>0.1</b>	<b>4</b>	<b>^</b>	<b>14</b>	<b>0.1</b>
	APC (Trend)		^		^		^
	1997	7	^	2	^	5	^
	1998	5	^	1	^	4	^
	1999	3	^	0	^	3	^
	2000	3	^	1	^	2	^
	<b>2001</b>	<b>0</b>	<b>^</b>	<b>0</b>	<b>^</b>	<b>0</b>	<b>^</b>
<b>GENITAL SYSTEM Female</b>	<b>Total</b>	<b>1,683</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>1,683</b>	<b>17.6</b>
	APC (Trend)		n/a		n/a		-0.2
	1997	327	n/a	n/a	n/a	327	17.7
	1998	345	n/a	n/a	n/a	345	18.5
	1999	313	n/a	n/a	n/a	313	16.4
	2000	340	n/a	n/a	n/a	340	17.3
	<b>2001</b>	<b>358</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>358</b>	<b>18.1</b>
<b>Cervical</b>	<b>Total</b>	<b>215</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>215</b>	<b>2.4</b>
	APC (Trend)		n/a		n/a		-4.0
	1997	58	n/a	n/a	n/a	58	3.2
	1998	34	n/a	n/a	n/a	34	1.9
	1999	36	n/a	n/a	n/a	36	2.0
	2000	36	n/a	n/a	n/a	36	2.0
	<b>2001</b>	<b>51</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>51</b>	<b>2.7</b>
<b>Uterine</b>	<b>Total</b>	<b>408</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>408</b>	<b>4.1</b>
	APC (Trend)		n/a		n/a		-0.4
	1997	70	n/a	n/a	n/a	70	3.7
	1998	99	n/a	n/a	n/a	99	5.1
	1999	70	n/a	n/a	n/a	70	3.5
	2000	86	n/a	n/a	n/a	86	4.3
	<b>2001</b>	<b>83</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>83</b>	<b>4.1</b>

**Table 2: Cancer Mortality Rates and Current Five-Year Trends by Site, Year, and Sex**

Table 2:		All Sexes		Male		Female	
Years 1997 - 2001		Cancer Deaths	Rate/ Current Trend	Cancer Deaths	Rate/ Current Trend	Cancer Deaths	Rate/ Current Trend
Primary Site	Year						
Ovary	<b>Total</b>	<b>966</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>966</b>	<b>10.1</b>
	APC (Trend)		n/a		n/a		+0.5
	1997	176	n/a	n/a	n/a	176	9.6
	1998	197	n/a	n/a	n/a	197	10.6
	1999	192	n/a	n/a	n/a	192	10.1
	2000	202	n/a	n/a	n/a	202	10.3
	<b>2001</b>	<b>199</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>n/a</b>	<b>10.0</b>
GENITAL SYSTEM Male	<b>Total</b>	<b>2,274</b>	<b>n/a</b>	<b>2,274</b>	<b>33.3</b>	<b>n/a</b>	<b>n/a</b>
	APC (Trend)		n/a		*-4.0		n/a
	1997	485	n/a	485	36.9	n/a	n/a
	1998	468	n/a	468	34.1	n/a	n/a
	1999	451	n/a	451	32.8	n/a	n/a
	2000	428	n/a	428	30.9	n/a	n/a
	<b>2001</b>	<b>442</b>	<b>n/a</b>	<b>442</b>	<b>31.7</b>	<b>n/a</b>	<b>n/a</b>
Prostate	<b>Total</b>	<b>2,235</b>	<b>n/a</b>	<b>2,235</b>	<b>32.8</b>	<b>n/a</b>	<b>n/a</b>
	APC (Trend)		n/a		*-3.9		n/a
	1997	475	n/a	475	36.3	n/a	n/a
	1998	461	n/a	461	33.6	n/a	n/a
	1999	445	n/a	445	32.5	n/a	n/a
	2000	420	n/a	420	30.4	n/a	n/a
	<b>2001</b>	<b>434</b>	<b>n/a</b>	<b>434</b>	<b>31.3</b>	<b>n/a</b>	<b>n/a</b>
Testis	<b>Total</b>	<b>29</b>	<b>n/a</b>	<b>29</b>	<b>0.4</b>	<b>n/a</b>	<b>n/a</b>
	APC (Trend)		n/a		-2.0		n/a
	1997	6	n/a	6	^	n/a	n/a
	1998	6	n/a	6	^	n/a	n/a
	1999	4	n/a	4	^	n/a	n/a
	2000	7	n/a	7	^	n/a	n/a
	<b>2001</b>	<b>6</b>	<b>n/a</b>	<b>6</b>	<b>^</b>	<b>n/a</b>	<b>n/a</b>
LEUKEMIAS	<b>Total</b>	<b>1,336</b>	<b>7.7</b>	<b>724</b>	<b>9.8</b>	<b>612</b>	<b>6.2</b>
	APC (Trend)		-1.7		0.0		-4.1
	1997	285	8.6	143	9.9	142	7.6
	1998	254	7.5	150	10.3	104	5.3
	1999	250	7.2	127	8.6	123	6.2
	2000	268	7.6	150	9.9	118	5.7
	<b>2001</b>	<b>279</b>	<b>7.8</b>	<b>154</b>	<b>10.1</b>	<b>125</b>	<b>6.1</b>

**Table 2: Cancer Mortality Rates and Current Five-Year Trends by Site, Year, and Sex**

Table 2:		All Sexes		Male		Female	
Years 1997 - 2001		Cancer Deaths	Rate/ Current Trend	Cancer Deaths	Rate/ Current Trend	Cancer Deaths	Rate/ Current Trend
Primary Site	Year						
<b>LYMPHOMAS</b>	<b>Total</b>	<b>1,644</b>	<b>9.5</b>	<b>834</b>	<b>11.3</b>	<b>810</b>	<b>8.1</b>
	APC (Trend)		-0.5		1.4		-1.2
	1997	309	9.2	147	10.2	162	8.5
	1998	346	10.2	180	12.3	166	8.4
	1999	327	9.4	172	11.4	155	7.7
	2000	316	8.9	163	11.1	153	7.5
	<b>2001</b>	<b>346</b>	<b>9.6</b>	<b>172</b>	<b>11.6</b>	<b>174</b>	<b>8.5</b>
<b>Hodgkin Lymphoma</b>	<b>Total</b>	<b>87</b>	<b>0.5</b>	<b>49</b>	<b>0.6</b>	<b>38</b>	<b>0.4</b>
	APC (Trend)		*-15.3		*-16.0		-11.9
	1997	24	0.7	14	0.9	10	^
	1998	19	0.6	10	^	9	^
	1999	15	0.4	11	0.7	4	^
	2000	17	0.5	7	^	10	^
	<b>2001</b>	<b>12</b>	<b>0.3</b>	<b>7</b>	<b>^</b>	<b>5</b>	<b>^</b>
<b>Non-Hodgkin Lymphoma</b>	<b>Total</b>	<b>1,557</b>	<b>9.0</b>	<b>785</b>	<b>10.7</b>	<b>772</b>	<b>7.7</b>
	APC (Trend)		+0.4		+2.4		-0.5
	1997	285	8.5	133	9.3	152	8.0
	1998	327	9.6	170	11.7	157	7.9
	1999	312	9.0	161	10.7	151	7.5
	2000	299	8.4	156	10.7	143	7.0
	<b>2001</b>	<b>334</b>	<b>9.3</b>	<b>165</b>	<b>11.1</b>	<b>169</b>	<b>8.2</b>
<b>MESOTHELIOMA- **(ICD-10 only)</b> (Years 1999 and later only)	<b>Total</b>	<b>128</b>	<b>0.7</b>	<b>106</b>	<b>1.4</b>	<b>22</b>	<b>0.2</b>
	APC (Trend)		n/a		n/a		n/a
	1997	n/a	n/a	n/a	n/a	n/a	n/a
	1998	n/a	n/a	n/a	n/a	n/a	n/a
	1999	30	0.9	26	1.8	4	^
	2000	46	1.3	36	2.4	10	^
	<b>2001</b>	<b>52</b>	<b>1.5</b>	<b>44</b>	<b>2.9</b>	<b>8</b>	<b>^</b>
<b>MULTIPLE MYELOMA</b>	<b>Total</b>	<b>689</b>	<b>4.0</b>	<b>388</b>	<b>5.3</b>	<b>301</b>	<b>3.0</b>
	APC (Trend)		-3.8		-1.8		-6.2
	1997	146	4.4	86	5.9	60	3.1
	1998	135	3.9	63	4.4	72	3.7
	1999	148	4.3	88	6.1	60	3.0
	2000	124	3.5	70	4.6	54	2.7
	<b>2001</b>	<b>136</b>	<b>3.8</b>	<b>81</b>	<b>5.4</b>	<b>55</b>	<b>2.6</b>

**Table 2: Cancer Mortality Rates and Current Five-Year Trends by Site, Year, and Sex**

<b>Table 2:</b>		<b>All Sexes</b>		<b>Male</b>		<b>Female</b>	
<b>Years 1997 - 2001</b>		<b>Cancer</b>	<b>Rate/ Current Trend</b>	<b>Cancer</b>	<b>Rate/ Current Trend</b>	<b>Cancer</b>	<b>Rate/ Current Trend</b>
<b>Primary Site</b>	<b>Year</b>	<b>Deaths</b>		<b>Deaths</b>		<b>Deaths</b>	
<b>ORAL CAVITY AND PHARYNX</b>	<b>Total</b>	<b>552</b>	<b>3.2</b>	<b>323</b>	<b>4.2</b>	<b>229</b>	<b>2.3</b>
	APC (Trend)		-5.6		-0.4		-12.3
	1997	123	3.7	64	4.5	59	3.2
	1998	120	3.6	59	3.8	61	3.2
	1999	103	3.0	70	4.6	33	1.7
	2000	91	2.6	62	4.0	29	1.4
	<b>2001</b>	<b>115</b>	<b>3.2</b>	<b>68</b>	<b>4.3</b>	<b>47</b>	<b>2.4</b>
<b>RESPIRATORY SYSTEM**</b>	<b>Total</b>	<b>10,296</b>	<b>59.7</b>	<b>5,712</b>	<b>75.9</b>	<b>4,584</b>	<b>48.0</b>
	APC (Trend)		-2.2		-4.1		+0.6
	1997	2,098	63.0	1,227	84.2	871	47.3
	1998	2,118	62.4	1,190	79.7	928	49.2
	1999	1,926	55.6	1,066	70.3	860	44.9
	2000	2,122	60.5	1,141	75.4	981	50.3
	<b>2001</b>	<b>2,032</b>	<b>57.4</b>	<b>1,088</b>	<b>70.6</b>	<b>944</b>	<b>48.2</b>
<b>Larynx</b>	<b>Total</b>	<b>167</b>	<b>1.0</b>	<b>135</b>	<b>1.8</b>	<b>32</b>	<b>0.3</b>
	APC (Trend)		+6.4		+3.3		+24.9
	1997	30	0.9	26	1.8	4	^
	1998	31	0.9	25	1.7	6	^
	1999	30	0.9	27	1.8	3	^
	2000	36	1.0	26	1.7	10	^
	<b>2001</b>	<b>40</b>	<b>1.1</b>	<b>31</b>	<b>2.1</b>	<b>9</b>	<b>^</b>
<b>Lung/ Bronchus</b>	<b>Total</b>	<b>10,047</b>	<b>58.3</b>	<b>5,529</b>	<b>73.5</b>	<b>4,518</b>	<b>47.3</b>
	APC (Trend)		-2.1		-3.9		+0.6
	1997	2,038	61.3	1,181	81.0	857	46.6
	1998	2,065	60.9	1,151	77.1	914	48.5
	1999	1,885	54.5	1,034	68.3	851	44.5
	2000	2,078	59.2	1,112	73.4	966	49.5
	<b>2001</b>	<b>1,981</b>	<b>55.9</b>	<b>1,051</b>	<b>68.1</b>	<b>930</b>	<b>47.4</b>
<b>SKIN (excluding Basal and Squamous)</b>	<b>Total</b>	<b>675</b>	<b>3.9</b>	<b>438</b>	<b>5.7</b>	<b>237</b>	<b>2.5</b>
	APC (Trend)		+0.6		*+3.5		-4.7
	1997	132	4.0	78	5.4	54	3.0
	1998	127	3.8	85	5.5	42	2.3
	1999	128	3.7	85	5.4	43	2.3
	2000	146	4.1	93	5.9	53	2.7
	<b>2001</b>	<b>142</b>	<b>3.9</b>	<b>97</b>	<b>6.1</b>	<b>45</b>	<b>2.2</b>

**Table 2: Cancer Mortality Rates and Current Five-Year Trends by Site, Year, and Sex**

<b>Table 2:</b>		<b>All Sexes</b>		<b>Male</b>		<b>Female</b>		
<b>Years 1997 - 2001</b>		<b>Cancer</b>	<b>Rate/ Current Trend</b>	<b>Cancer</b>	<b>Rate/ Current Trend</b>	<b>Cancer</b>	<b>Rate/ Current Trend</b>	
<b>Primary Site</b>	<b>Year</b>	<b>Deaths</b>		<b>Deaths</b>		<b>Deaths</b>		
<b>Melanomas of Skin</b>	<b>Total</b>	<b>542</b>	<b>3.1</b>	<b>347</b>	<b>4.4</b>	<b>195</b>	<b>2.1</b>	
	APC (Trend)		+1.0		+4.2		-4.2	
	1997	101	3.1	58	3.9	43	2.4	
	1998	106	3.1	72	4.6	34	1.9	
	1999	110	3.2	71	4.5	39	2.1	
	2000	107	3.0	63	3.9	44	2.3	
	<b>2001</b>	<b>118</b>	<b>3.3</b>	<b>83</b>	<b>5.1</b>	<b>35</b>	<b>1.7</b>	
	<b>SOFT TISSUE INCLUDING HEART</b>	<b>Total</b>	<b>274</b>	<b>1.6</b>	<b>130</b>	<b>1.7</b>	<b>144</b>	<b>1.5</b>
	APC (Trend)		-8.1		-6.1		-9.7	
	1997	58	1.7	27	1.8	31	1.7	
	1998	61	1.8	26	1.7	35	1.9	
	1999	61	1.8	31	2.0	30	1.6	
	2000	47	1.3	23	1.5	24	1.2	
	<b>2001</b>	<b>47</b>	<b>1.3</b>	<b>23</b>	<b>1.4</b>	<b>24</b>	<b>1.2</b>	
<b>URINARY SYSTEM</b>	<b>Total</b>	<b>1,610</b>	<b>9.3</b>	<b>1,093</b>	<b>15.1</b>	<b>516</b>	<b>5.1</b>	
		APC (Trend)		-0.8	+1.7		-4.4	
		1997	308	9.2	200	14.3	108	5.6
		1998	330	9.7	221	15.5	109	5.5
		1999	316	9.1	220	14.9	96	4.8
		2000	328	9.2	219	14.7	108	5.3
		<b>2001</b>	<b>328</b>	<b>9.1</b>	<b>233</b>	<b>16.0</b>	<b>95</b>	<b>4.5</b>
	<b>Bladder</b>	<b>Total</b>	<b>839</b>	<b>4.8</b>	<b>602</b>	<b>8.6</b>	<b>236</b>	<b>2.3</b>
		APC (Trend)		+0.6	+2.5		-2.0	
		1997	163	4.9	119	8.7	44	2.2
		1998	160	4.7	110	8.0	50	2.4
		1999	169	4.8	119	8.3	50	2.5
		2000	164	4.6	118	8.3	45	2.1
		<b>2001</b>	<b>183</b>	<b>5.0</b>	<b>136</b>	<b>9.6</b>	<b>47</b>	<b>2.1</b>
<b>Kidney and Renal Pelvis</b>		<b>Total</b>	<b>717</b>	<b>4.1</b>	<b>451</b>	<b>6.0</b>	<b>266</b>	<b>2.7</b>
		APC (Trend)		-1.5	+1.7		-6.0	
		1997	136	4.1	75	5.2	61	3.2
		1998	155	4.6	99	6.6	56	2.9
		1999	133	3.8	90	5.9	43	2.2
		2000	156	4.4	95	6.1	61	3.1
		<b>2001</b>	<b>137</b>	<b>3.8</b>	<b>92</b>	<b>6.0</b>	<b>45</b>	<b>2.2</b>

**Table 2: Cancer Mortality Rates and Current Five-Year Trends by Site, Year, and Sex**

<b>Table 2:</b>		<b>All Sexes</b>		<b>Male</b>		<b>Female</b>	
<b>Years 1997 - 2001</b>		<b>Cancer</b>	<b>Rate/ Current Trend</b>	<b>Cancer</b>	<b>Rate/ Current Trend</b>	<b>Cancer</b>	<b>Rate/ Current Trend</b>
<b>Primary Site</b>	<b>Year</b>	<b>Deaths</b>		<b>Deaths</b>		<b>Deaths</b>	
<b>MISCELLANEOUS</b>	<b>Total</b>	<b>2,236</b>	<b>14.6</b>	<b>1,162</b>	<b>17.2</b>	<b>1,174</b>	<b>12.7</b>
<b>SITES</b>	APC (Trend)		n/a		n/a		n/a
A trend cannot be calculated until 5 years of data has been collected due to changes in coding with the addition of newly reportable cancers.	1997	357	10.7	175	12.3	182	9.4
	1998	404	11.9	213	14.4	191	9.8
	1999	579	16.7	282	19.4	297	15.0
	2000	466	13.1	222	14.9	244	11.6
	<b>2001</b>	<b>530</b>	<b>14.8</b>	<b>270</b>	<b>18.1</b>	<b>260</b>	<b>12.3</b>

Counts may not match the Center for Health Statistics publications because invalid ages and site codes are excluded from the data, and, where identified, additional sex codes are used. Please see the *Technical Section* for further information.

Rates are per 100,000 and age-adjusted to the 2000 U.S. standard population using 5-year age groups.

n/a = Not Applicable

APC = Average Annual Percent Change

Counts for All Sexes may exceed male/female combined due to additional sex coding

\* Indicates APC is statistically significant

\*\* ICD-9 coding (years 1996 -1998) did not distinguish mesothelioma from general respiratory cancers. ICD-10 coding starting in 1999 allowed identification of mesothelioma deaths.

^ Rate not calculated due to instability of small numbers

## X. Statistical Tables

### ***B. County Tables Overview***

Tables 3a-3e provide data on selected cancer sites at the county level for the years 1997-2001. Tables 4a-4h provide data on selected cancer sites at the county level for the years 1996-2001. The data in the tables include average annual invasive incidence and mortality counts, age-adjusted rates for incidence and mortality, and average APC for incidence and mortality in each of Oregon's 36 counties. Any statistically significant trend is indicated with an asterisk (\*).

Interpretation of inter-county differences in the rates for a particular type of cancer must be made with caution due to the following:

- The rarity of some cancers can cause the number of cases occurring in some regions to be so small that the calculated rate might be statistically unstable.
- Correlations between incidence of a disease and prevalence of risk factors for that disease in a geographical area can be misleading. To examine the relationships between a risk factor and a disease, detailed analytical epidemiological studies are necessary.
- For many cancers, there is a long time interval between exposure to a risk factor and diagnosis of disease. Migration between geographical areas can result in individuals being exposed to a risk factor in one geographical area and then diagnosed in a different geographical area.
- There may be differences between geographical areas with respect to availability of screening and/or early detection programs.
- It is possible that the completeness of case reporting differs by area of the state.

A small number of events can result in considerable random variation in the rate estimates; thus limiting their usefulness. Therefore, if the number of cancer events (new cases or death) is ten or fewer, the calculated rate is considered unstable. Such a rate is not shown and is replaced with a caret (^), and the rate is not shown. However, the number of events is shown.

## Oregon County Map

Figure 80



**Table 3: High Incidence Cancer Sites – Oregon Counties – Current Five-Year Average**

Table3a All Cancers Combined Years 1997 - 2001 Oregon Counties	Incidence			Mortality		
	Average Invasive Cases Per Year <sup>1</sup>	Age- Adjusted Rate	Current 5-Year Trend APC	Average Malignant Deaths Per Year	Age- Adjusted Rate	Current 5-Year Trend APC
<b>State</b>	<b>16,690</b>	<b>485.7</b>	<b>0.4</b>	<b>6,978</b>	<b>202.7</b>	<b>-0.5</b>
Baker	108	472.0	-4.7	51	212.1	-9.8
Benton	287	439.9	-1.0	109	169.9	-1.2
Clackamas	1,453	454.1	1.6	638	205.8	1.1
Clatsop	194	471.4	2.4	92	219.5	-0.3
Columbia	229	540.4	0.3	97	234.7	4.7
Coos	483	572.4	-0.4	205	236.3	-3.0
Crook	89	426.8	-2.2	41	199.9	2.7
Curry	170	442.5	-2.0	79	198.8	-0.8
Deschutes	649	557.7	3.0	215	193.7	-1.4
Douglas	656	511.5	-1.1	278	212.0	-4.0
Gilliam	11	410.4	8.6	5	197.7	^
Grant	43	435.2	-3.7	24	237.9	-7.2
Harney	39	440.9	-3.1	19	210.5	-3.5
Hood River	87	441.0	*-5.8	36	180.0	-3.1
Jackson	1,055	500.0	0.8	431	199.4	-0.2
Jefferson	62	336.2	5.2	31	173.2	11.3
Josephine	475	457.3	1.0	232	216.5	-1.3
Klamath	340	482.4	-2.0	151	214.7	-0.8
Lake	51	535.8	0.7	21	213.2	-4.1
Lane	1,574	474.7	-2.3	679	203.6	-2.2
Lincoln	317	512.3	-2.9	139	226.2	-2.1
Linn	506	447.9	-1.4	239	208.3	-3.0
Malheur	125	388.5	-4.0	58	173.5	-2.0
Marion	1,406	515.8	2.2	573	207.3	2.8
Morrow	42	430.7	1.0	20	209.0	-11.3
Multnomah	3,300	537.7	2.6	1,273	208.1	-0.1
Polk	261	379.9	3.7	116	163.2	1.2
Sherman	10	407.9	^	4	148.8	^
Tillamook	157	451.2	-2.2	72	202.0	-0.9
Umatilla	328	481.4	-1.0	141	207.1	0.6
Union	131	483.0	0.1	54	194.3	2.0
Wallowa	49	509.9	-2.3	21	203.3	-5.4
Wasco	140	490.3	0.6	62	208.7	-2.6
Washington	1,475	427.0	-1.4	607	183.2	-0.3
Wheeler	12	491.9	-21.1	4	158.1	^
Yamhill	373	468.8	0.1	158	198.8	0.5

Rates are per 100,000 and age-adjusted to the 2000 U.S. (5-year groups) standard

<sup>1</sup> Counts may not match state data tables due to cases in unknown counties

^ Rate not calculated due to instability of small numbers

APC = Average Annual Percent Change

\* Trend is statistically significant

**Table 3: High Incidence Cancer Sites – Oregon Counties – Current Five-Year Average**

Table 3b Female Breast Cancer 1997 - 2001 Oregon Counties	Incidence			Mortality		
	Average Invasive Cases Per Year <sup>1</sup>	Age- Adjusted Rate	Current 5-Year Trend APC	Average Malignant Deaths Per Year	Age- Adjusted Rate	Current 5-Year Trend APC
<b>State</b>	<b>2,703</b>	<b>147.0</b>	<b>-0.3</b>	<b>505</b>	<b>26.6</b>	<b>-1.5</b>
Baker	16	138.7	-2.4	4	25.6	-14.0
Benton	48	137.5	1.3	9	26.0	3.1
Clackamas	253	142.7	2.7	42	23.7	-7.1
Clatsop	24	109.2	6.0	5	21.5	-3.2
Columbia	30	132.3	-7.2	6	24.2	16.1
Coos	66	152.0	3.1	13	29.2	-10.3
Crook	13	125.2	-1.8	4	34.0	24.3
Curry	22	122.9	-11.1	5	23.4	-9.2
Deschutes	86	138.8	2.7	15	23.8	-2.1
Douglas	88	135.6	0.4	14	20.6	*12.0
Gilliam	1	^	^	1	^	^
Grant	5	97.9	7.9	1	^	^
Harney	5	104.1	-17.3	1	^	^
Hood River	14	138.2	*-5.9	3	27.1	-15.7
Jackson	166	150.9	-2.9	33	28.9	-13.2
Jefferson	8	85.0	2.4	2	^	^
Josephine	73	136.5	-1.0	16	27.2	-4.6
Klamath	53	145.8	4.3	9	24.8	16.0
Lake	8	163.7	-6.3	2	^	^
Lane	267	150.3	-6.2	54	29.5	-1.7
Lincoln	51	157.5	-1.6	10	29.3	11.2
Linn	86	144.8	-6.0	17	28.4	*-18.3
Malheur	17	100.9	-4.1	3	16.6	0.9
Marion	240	163.3	0.6	43	28.0	2.9
Morrow	5	102.3	-9.9	1	^	^
Multnomah	547	162.5	*3.6	92	26.5	2.0
Polk	49	136.0	4.4	7	18.5	-3.7
Sherman	2	^	^	0	^	^
Tillamook	22	126.0	-1.7	5	25.8	-9.2
Umatilla	46	125.9	-4.6	11	30.5	-2.5
Union	21	147.1	2.1	3	20.8	2.5
Wallowa	7	142.5	*-26.0	2	^	^
Wasco	21	143.7	8.0	4	26.9	4.7
Washington	280	145.2	-2.0	53	27.0	-4.1
Wheeler	1	^	^	0	^	^
Yamhill	65	156.6	-2.7	15	34.1	-1.5

Rates are per 100,000 and age-adjusted to the 2000 U.S. (5-year groups) standard

<sup>1</sup> Counts may not match state data tables due to cases in unknown counties

^ Rate not calculated due to instability of small numbers

APC = Average Annual Percent Change

\* Trend is statistically significant

**Table 3: High Incidence Cancer Sites – Oregon Counties – Current Five-Year Average**

Table 3c Colorectal Cancer Years 1997 - 2001 Oregon Counties	Incidence			Mortality		
	Average Invasive Cases Per Year <sup>1</sup>	Age- Adjusted Rate	Current 5-Year Trend APC	Average Malignant Deaths Per Year	Age- Adjusted Rate	Current 5-Year Trend APC
<b>State</b>	<b>1,741</b>	<b>50.3</b>	<b>-0.1</b>	<b>671</b>	<b>19.3</b>	<b>-1.4</b>
Baker	13	53.5	-17.1	6	25.0	^
Benton	31	48.0	1.8	12	18.9	0.2
Clackamas	143	45.7	-0.9	62	19.7	0.5
Clatsop	23	53.5	0.5	10	24.3	^
Columbia	27	64.2	1.0	10	23.6	^
Coos	46	53.2	-7.5	16	18.0	-4.1
Crook	9	43.1	^	4	19.4	^
Curry	19	48.2	-9.0	8	20.6	^
Deschutes	68	59.3	3.0	22	20.0	-2.8
Douglas	69	52.7	0.4	24	18.4	-8.3
Gilliam	2	^	^	1	^	^
Grant	6	54.4	^	4	37.5	^
Harney	5	54.4	^	2	^	^
Hood River	10	51.9	^	4	18.8	^
Jackson	117	53.9	4.5	42	19.5	2.7
Jefferson	7	37.5	^	3	16.9	^
Josephine	54	50.9	2.1	24	22.5	3.9
Klamath	32	45.9	-3.6	14	19.8	-1.4
Lake	7	73.5	^	2	^	^
Lane	148	44.2	-2.7	53	15.7	-7.8
Lincoln	33	52.4	-7.2	13	21.3	0.0
Linn	55	48.1	*-10.1	23	20.2	3.0
Malheur	15	46.8	6.5	7	20.0	^
Marion	156	56.3	4.0	61	21.5	-4.0
Morrow	6	58.2	^	1	^	^
Multnomah	329	53.5	1.4	116	18.6	-0.3
Polk	30	41.1	2.9	11	15.3	18.9
Sherman	0	^	^	0	^	^
Tillamook	17	47.9	*-18.3	7	18.1	^
Umatilla	40	57.8	3.9	16	23.4	-2.8
Union	16	56.3	-0.5	7	25.7	^
Wallowa	4	38.0	^	2	^	^
Wasco	14	47.9	11.4	7	22.4	^
Washington	152	45.3	-0.6	62	18.5	-0.6
Wheeler	1	^	^	0	^	^
Yamhill	36	45.4	-0.9	14	17.1	-4.4

Rates are per 100,000 and age-adjusted to the 2000 U.S. (5-year groups) standard

<sup>1</sup> Counts may not match state data tables due to cases in unknown counties

^ Rate not calculated due to instability of small numbers

APC = Average Annual Percent Change

\* Trend is statistically significant

**Table 3: High Incidence Cancer Sites – Oregon Counties – Current Five-Year Average**

Table 3d Lung Cancer Years 1997 - 2001 Oregon Counties	Incidence			Mortality		
	Average Invasive Cases Per Year <sup>1</sup>	Age- Adjusted Rate	Current 5-Year Trend APC	Average Malignant Deaths Per Year	Age- Adjusted Rate	Current 5-Year Trend APC
<b>State</b>	<b>2,447</b>	<b>71.2</b>	<b>-1.1</b>	<b>2,009</b>	<b>58.3</b>	<b>-2.1</b>
Baker	15	62.1	0.3	13	54.4	-14.0
Benton	36	57.0	0.9	29	45.5	-6.2
Clackamas	197	63.2	-1.2	174	56.2	-0.7
Clatsop	32	74.9	3.0	27	64.8	-2.8
Columbia	38	89.8	0.4	32	76.2	6.1
Coos	87	98.4	1.1	72	80.2	*-6.2
Crook	17	78.2	-1.2	13	62.0	5.8
Curry	28	66.6	1.8	25	58.5	-12.2
Deschutes	76	65.6	-6.1	59	51.8	4.0
Douglas	115	85.6	-3.1	92	68.4	*-6.4
Gilliam	0	^	^	1	^	^
Grant	6	58.1	^	4	41.5	^
Harney	5	58.4	^	5	50.3	^
Hood River	12	59.2	-8.4	9	43.3	^
Jackson	161	73.8	0.2	123	56.2	0.2
Jefferson	9	49.6	^	8	44.1	^
Josephine	85	78.1	1.4	70	63.8	-0.7
Klamath	59	82.0	-5.4	46	64.1	-3.4
Lake	6	64.4	^	6	61.0	^
Lane	229	68.5	-1.4	202	60.3	-3.7
Lincoln	54	83.8	1.0	41	63.9	-1.6
Linn	78	67.9	-1.7	67	58.0	-3.1
Malheur	18	53.5	-8.7	17	51.6	2.2
Marion	202	74.3	-3.8	163	59.5	-1.5
Morrow	7	66.5	^	6	62.7	^
Multnomah	475	79.7	1.4	365	60.9	-2.1
Polk	35	50.5	5.7	30	43.3	-0.8
Sherman	2	^	^	1	^	^
Tillamook	29	79.9	0.9	23	62.1	2.5
Umatilla	48	70.0	-3.3	41	60.1	-2.6
Union	16	59.7	5.0	15	53.7	2.3
Wallowa	7	64.8	^	6	57.2	^
Wasco	21	73.0	-0.3	17	58.6	6.6
Washington	186	57.0	*-2.9	161	49.6	-2.1
Wheeler	3	99.8	^	1	^	^
Yamhill	55	69.6	*-9.1	45	56.9	-3.1

Rates are per 100,000 and age-adjusted to the 2000 U.S. (5-year groups) standard

<sup>1</sup> Counts may not match state data tables due to cases in unknown counties

^ Rate not calculated due to instability of small numbers

APC = Average Annual Percent Change

\* Trend is statistically significant

**Table 3: High Incidence Cancer Sites – Oregon Counties – Current Five-Year Average**

Table 3e Prostate Cancer Years 1997 - 2001 Oregon Counties	Incidence			Mortality		
	Average Invasive Cases Per Year <sup>1</sup>	Age- Adjusted Rate	Current 5-Year Trend APC	Average Malignant Deaths Per Year	Age- Adjusted Rate	Current 5-Year Trend APC
<b>State</b>	<b>2,539</b>	<b>165.2</b>	<b>2.5</b>	<b>447</b>	<b>32.8</b>	<b>*-3.9</b>
Baker	22	201.6	-6.8	4	37.2	^
Benton	54	192.2	-8.2	7	29.8	^
Clackamas	212	150.3	2.6	38	33.0	-2.0
Clatsop	30	158.2	0.7	7	41.0	^
Columbia	32	165.4	-2.8	5	29.8	^
Coos	76	188.9	0.9	12	34.0	*-15.9
Crook	15	145.1	-4.7	2	^	^
Curry	32	160.1	1.3	6	38.3	^
Deschutes	150	271.9	9.3	12	28.0	*-19.6
Douglas	109	176.2	-2.6	20	36.3	6.3
Gilliam	3	251.5	^	0	^	^
Grant	7	149.5	^	2	^	^
Harney	9	200.4	^	2	^	^
Hood River	16	180.7	3.8	3	37.0	^
Jackson	166	168.2	5.0	34	37.5	-4.2
Jefferson	10	116.0	^	3	46.8	^
Josephine	63	126.2	*11.4	16	35.1	-1.8
Klamath	52	153.8	-4.0	10	37.5	^
Lake	10	225.8	^	1	^	^
Lane	266	178.4	-1.1	43	32.5	-5.2
Lincoln	52	174.3	1.1	11	44.3	9.3
Linn	77	147.1	5.4	17	34.6	-6.5
Malheur	18	119.0	2.3	3	21.9	^
Marion	199	167.3	9.2	34	30.6	0.1
Morrow	6	136.1	^	1	^	^
Multnomah	421	164.8	2.1	75	32.4	-9.2
Polk	38	123.5	17.9	9	29.2	^
Sherman	2	^	^	0	^	^
Tillamook	22	126.8	11.7	5	38.6	^
Umatilla	61	199.2	-1.8	11	42.0	3.6
Union	29	235.6	-0.8	4	34.7	^
Wallowa	10	202.0	7.6	2	^	^
Wasco	27	204.0	7.5	4	33.3	^
Washington	190	132.9	-2.6	31	25.1	-7.6
Wheeler	2	^	^	1	^	^
Yamhill	51	147.0	7.5	11	32.7	9.4

Rates are per 100,000 and age-adjusted to the 2000 U.S. (5-year groups) standard

<sup>1</sup> Counts may not match state data tables due to cases in unknown counties

^ Rate not calculated due to instability of small numbers

APC = Average Annual Percent Change

\* Trend is statistically significant

**Table 4: Low Incidence Cancer Sites – Oregon Counties – Current Six-Year Average**

<b>Table 4a</b>	<b>Incidence</b>			<b>Mortality</b>		
<b>Bladder Cancer Years 1996 - 2001 Oregon Counties</b>	<b>Average Invasive Cases Per Year<sup>1</sup></b>	<b>Age- Adjusted Rate</b>	<b>Current 6-Year Trend APC</b>	<b>Average Malignant Deaths Per Year</b>	<b>Age- Adjusted Rate</b>	<b>Current 6-Year Trend APC</b>
<b>State</b>	<b>817</b>	<b>23.9</b>	<b>0.2</b>	<b>164</b>	<b>4.7</b>	<b>1.5</b>
Baker	4	15.2	^	2	^	^
Benton	13	19.5	-1.4	2	^	^
Clackamas	75	24.3	0.0	14	4.6	1.1
Clatsop	7	17.8	^	2	^	^
Columbia	14	33.8	10.4	3	6.6	^
Coos	29	34.0	1.4	5	6.1	*46.0
Crook	5	25.3	^	2	^	^
Curry	10	24.8	^	3	6.1	^
Deschutes	29	25.9	11.7	4	4.2	^
Douglas	32	23.8	-2.6	6	4.5	^
Gilliam	1	^	^	0	^	^
Grant	2	^	^	1	^	^
Harney	2	^	^	0	^	^
Hood River	4	17.2	^	1	^	^
Jackson	55	25.6	3.1	13	6.0	0.7
Jefferson	3	13.9	^	1	^	^
Josephine	30	27.1	-6.5	6	5.8	^
Klamath	18	25.2	-0.5	4	5.7	^
Lake	2	^	^	0	^	^
Lane	72	21.8	-1.6	18	5.2	6.3
Lincoln	16	24.9	-12.5	2	^	^
Linn	26	23.1	-6.6	7	5.8	^
Malheur	6	17.7	^	1	^	^
Marion	67	24.3	0.8	12	4.1	3.4
Morrow	2	^	^	1	^	^
Multnomah	158	25.8	1.9	30	4.7	-3
Polk	12	16.8	-2.0	3	3.3	^
Sherman	1	^	^	0	^	^
Tillamook	10	26.9	-7.6	1	^	^
Umatilla	13	19.6	-2.6	3	4.2	^
Union	7	23.3	^	1	^	^
Wallowa	2	^	^	1	^	^
Wasco	8	25.9	^	1	^	^
Washington	67	20.5	2.3	13	4.0	7.3
Wheeler	0	^	^	0	^	^
Yamhill	20	25.4	-3.8	3	4.1	^

Rates are per 100,000 and age-adjusted to the 2000 U.S. (5-year groups) standard

<sup>1</sup> Counts may not match state data tables due to cases in unknown counties

^ Rate not calculated due to instability of small numbers

APC = Average Annual Percent Change

\* Trend is statistically significant

**Table 4: Low Incidence Cancer Sites – Oregon Counties – Current Six-Year Average**

<b>Table 4b</b>	<b>Incidence</b>			<b>Mortality</b>		
<b>Brain/CNS Cancer Years 1996 - 2001  Oregon Counties</b>	<b>Average Invasive Cases Per Year<sup>1</sup></b>	<b>Age- Adjusted Rate</b>	<b>Current 6-Year Trend APC</b>	<b>Average Malignant Deaths Per Year</b>	<b>Age- Adjusted Rate</b>	<b>Current 6-Year Trend APC</b>
<b>State</b>	<b>246</b>	<b>7.3</b>	<b>-2.5</b>	<b>191</b>	<b>5.6</b>	<b>-2.2</b>
Baker	1	^	^	1	^	^
Benton	5	6.7	^	4	5.7	^
Clackamas	25	7.7	4.3	20	6.1	7.4
Clatsop	3	8.8	^	2	^	^
Columbia	4	8.8	^	2	^	^
Coos	5	6.3	^	4	4.8	^
Crook	1	^	^	1	^	^
Curry	2	^	^	2	^	^
Deschutes	11	9.6	-2.4	8	6.6	^
Douglas	10	^	^	9	7.4	^
Gilliam	0	^	^	0	^	^
Grant	0	^	^	0	^	^
Harney	0	^	^	0	^	^
Hood River	1	^	^	1	^	^
Jackson	14	6.9	-3.4	12	5.8	-0.5
Jefferson	1	^	^	1	^	^
Josephine	7	6.9	^	7	6.8	^
Klamath	4	6.4	^	3	4.7	^
Lake	0	^	^	0	^	^
Lane	23	7.3	-3.8	19	5.8	-3.9
Lincoln	7	12.5	^	6	9.2	^
Linn	7	6.9	^	6	5.4	^
Malheur	1	^	^	2	^	^
Marion	24	8.8	-8.7	15	5.7	3.5
Morrow	1	^	^	1	^	^
Multnomah	46	7.3	-4.6	33	5.3	*-11.9
Polk	4	6.7	^	3	4.8	^
Sherman	0	^	^	0	^	^
Tillamook	1	^	^	1	^	^
Umatilla	5	7.2	^	3	4.2	^
Union	1	^	^	1	^	^
Wallowa	0	^	^	0	^	^
Wasco	1	^	^	2	^	^
Washington	26	6.9	3.0	20	5.7	-0.9
Wheeler	1	^	^	1	^	^
Yamhill	5	5.6	^	4	4.4	^

Rates are per 100,000 and age-adjusted to the 2000 U.S. (5-year groups) standard

<sup>1</sup> Counts may not match state data tables due to cases in unknown counties

^ Rate not calculated due to instability of small numbers

APC = Average Annual Percent Change

\* Trend is statistically significant

**Table 4: Low Incidence Cancer Sites – Oregon Counties – Current Six-Year Average**

<b>Table 4c</b>	<b>Incidence</b>			<b>Mortality</b>		
<b>Cervical Cancer 1996 - 2001 Oregon Counties</b>	<b>Average Invasive Cases Per Year<sup>1</sup></b>	<b>Age- Adjusted Rate</b>	<b>Current 6-Year Trend APC</b>	<b>Average Malignant Deaths Per Year</b>	<b>Age- Adjusted Rate</b>	<b>Current 6-Year Trend APC</b>
<b>State</b>	<b>144</b>	<b>8.4</b>	<b>-0.2</b>	<b>44</b>	<b>2.4</b>	<b>-3.7</b>
Baker	1	^	^	1	^	^
Benton	2	^	^	1	^	^
Clackamas	10	5.9	^	4	2.5	^
Clatsop	2	^	^	1	^	^
Columbia	2	^	^	1	^	^
Coos	4	12	^	1	^	^
Crook	1	^	^	1	^	^
Curry	2	^	^	0	^	^
Deschutes	4	6	^	1	^	^
Douglas	5	9.5	^	2	^	^
Gilliam	0	^	^	0	^	^
Grant	1	^	^	0	^	^
Harney	1	^	^	0	^	^
Hood River	1	^	^	0	^	^
Jackson	10	10.7	^	3	^	^
Jefferson	1	^	^	0	^	^
Josephine	4	9.2	^	1	^	^
Klamath	4	11.2	^	1	^	^
Lake	0	^	^	0	^	^
Lane	10	6.3	^	4	2.0	^
Lincoln	3	13.3	^	1	^	^
Linn	5	8.7	^	1	^	^
Malheur	1	^	^	0	^	^
Marion	12	8.8	4.2	4	2.9	^
Morrow	1	^	^	0	^	^
Multnomah	31	9.2	-3.2	8	2.4	^
Polk	1	^	^	1	^	^
Sherman	0	^	^	0	^	^
Tillamook	1	^	^	1	^	^
Umatilla	4	12.5	^	1	^	^
Union	2	^	^	0	^	^
Wallowa	0	^	^	0	^	^
Wasco	1	^	^	0	^	^
Washington	15	7.3	1.9	4	1.8	^
Wheeler	0	^	^	0	^	^
Yamhill	4	10.6	^	1	^	^

Rates are per 100,000 and age-adjusted to the 2000 U.S. (5-year groups) standard

<sup>1</sup> Counts may not match state data tables due to cases in unknown counties

^ Rate not calculated due to instability of small numbers

APC = Average Annual Percent Change

\* Trend is statistically significant

**Table 4: Low Incidence Cancer Sites – Oregon Counties – Current Six-Year Average**

Table 4d Corpus/Uterus Cancer Years 1996 - 2001 Oregon Counties	Incidence			Mortality		
	Average Invasive Cases Per Year <sup>1</sup>	Age- Adjusted Rate	Current 6-Year Trend APC	Average Malignant Deaths Per Year	Age- Adjusted Rate	Current 6-Year Trend APC
State	451	24.6	-1.3	81	4.2	-0.7
Baker	3	24.4	^	1	^	^
Benton	11	30.7	*18.2	2	^	^
Clackamas	42	24.1	1.4	8	4.4	^
Clatsop	5	24.2	^	1	^	^
Columbia	7	30.1	^	1	^	^
Coos	12	27.2	3.3	2	^	^
Crook	2	^	^	1	^	^
Curry	4	21.0	0.6	1	^	^
Deschutes	14	23.7	-8.8	2	^	^
Douglas	17	26.2	2.8	3	4.1	^
Gilliam	0	^	^	0	^	^
Grant	1	^	^	0	^	^
Harney	1	^	^	0	^	^
Hood River	2	^	^	1	^	^
Jackson	28	25.1	-9.3	5	3.9	^
Jefferson	2	^	^	1	^	^
Josephine	12	22.4	1.1	3	4.5	^
Klamath	10	27.4	-5.8	2	^	^
Lake	2	^	^	0	^	^
Lane	40	22.7	-4.3	7	3.9	^
Lincoln	7	21.8	^	1	^	^
Linn	13	21.7	-7.4	4	6.4	^
Malheur	4	20.1	^	1	^	^
Marion	38	26.1	6.7	7	4.6	^
Morrow	1	^	^	0	^	^
Multnomah	89	26.4	-2.1	16	4.5	5.4
Polk	9	23.7	^	2	^	^
Sherman	0	^	^	0	^	^
Tillamook	4	24.1	^	1	^	^
Umatilla	7	20.1	^	1	^	^
Union	4	22.8	^	1	^	^
Wallowa	3	51.1	^	0	^	^
Wasco	4	26.0	^	0	^	^
Washington	44	23.6	-0.5	6	3.1	^
Wheeler	0	^	^	0	^	^
Yamhill	10	23.5	^	1	^	^

Rates are per 100,000 and age-adjusted to the 2000 U.S. (5-year groups) standard

<sup>1</sup> Counts may not match state data tables due to cases in unknown counties

^ Rate not calculated due to instability of small numbers

APC = Average Annual Percent Change

\* Trend is statistically significant

**Table 4: Low Incidence Cancer Sites – Oregon Counties – Current Six-Year Average**

Table 4e Leukemias Years 1996 - 2006 Oregon Counties	Incidence			Mortality		
	Average Invasive Cases Per Year <sup>1</sup>	Age- Adjusted Rate	Current 6-Year Trend APC	Average Malignant Deaths Per Year	Age- Adjusted Rate	Current 6-Year Trend APC
<b>State</b>	<b>380</b>	<b>11.2</b>	<b>3.7</b>	<b>270</b>	<b>7.9</b>	<b>-2.4</b>
Baker	2	^	^	2	^	^
Benton	6	9.4	^	6	8.8	^
Clackamas	36	11.5	13.2	27	8.9	1.2
Clatsop	5	11.6	^	3	6.1	^
Columbia	6	14.9	^	4	9.2	^
Coos	9	10.2	^	9	9.7	^
Crook	1	^	^	2	^	^
Curry	4	9.5	^	3	7.9	^
Deschutes	11	9.8	-0.8	8	7.2	^
Douglas	13	10.1	-10.5	10	7.7	^
Gilliam	0	^	^	0	^	^
Grant	1	^	^	1	^	^
Harney	2	^	^	1	^	^
Hood River	2	^	^	1	^	^
Jackson	25	11.7	-3.4	18	8.5	-8.2
Jefferson	2	^	^	1	^	^
Josephine	7	7.5	^	6	5.8	^
Klamath	9	12.7	^	5	6.7	^
Lake	1	^	^	1	^	^
Lane	30	9.2	6.6	32	9.4	-5.5
Lincoln	6	10.5	^	3	4.4	^
Linn	10	8.5	^	8	6.9	^
Malheur	4	11.9	^	3	8.6	^
Marion	38	13.7	2.5	21	7.5	1.6
Morrow	1	^	^	1	^	^
Multnomah	87	14.1	7.2	49	7.8	2.8
Polk	6	9.4	^	5	7.7	^
Sherman	0	^	^	0	^	^
Tillamook	3	7.7	^	4	9.9	^
Umatilla	6	9.1	^	4	6.4	^
Union	3	10.3	^	2	^	^
Wallowa	2	^	^	1	^	^
Wasco	3	9.6	^	2	^	^
Washington	35	10.0	-2.0	26	7.7	*-7.5
Wheeler	1	^	^	0	^	^
Yamhill	8	9.5	^	5	6.1	^

Rates are per 100,000 and age-adjusted to the 2000 U.S. (5-year groups) standard

<sup>1</sup> Counts may not match state data tables due to cases in unknown counties

^ Rate not calculated due to instability of small numbers

APC = Average Annual Percent Change

\* Trend is statistically significant

**Table 4: Low Incidence Cancer Sites – Oregon Counties – Current Six-Year Average**

Table 4f Lymphomas Years 1996 - 2001 Oregon Counties	Incidence			Mortality		
	Average Invasive Cases Per Year <sup>1</sup>	Age- Adjusted Rate	Current 6-Year Trend APC	Average Malignant Deaths Per Year	Age- Adjusted Rate	Current 6-Year Trend APC
<b>State</b>	<b>738</b>	<b>21.7</b>	<b>1.1</b>	<b>324</b>	<b>9.4</b>	<b>0.2</b>
Baker	5	20.4	^	3	10.9	^
Benton	13	18.8	-4.2	5	7.0	^
Clackamas	69	21.6	1.5	31	9.9	-1.9
Clatsop	8	19.5	^	4	8.8	^
Columbia	12	29.4	-4.1	5	13.1	^
Coos	18	22.0	-9.5	8	9.4	^
Crook	4	17.9	^	1	^	^
Curry	6	19.6	^	2	^	^
Deschutes	25	22.7	5.2	10	9.4	^
Douglas	30	23.8	-4.8	12	9.5	-8.8
Gilliam	1	^	^	1	^	^
Grant	2	^	^	1	^	^
Harney	1	^	^	1	^	^
Hood River	5	24.7	^	2	^	^
Jackson	46	22.6	10.1	16	7.6	6.2
Jefferson	3	15.8	^	2	^	^
Josephine	23	22.5	3.9	10	9.6	^
Klamath	12	17.1	4.9	6	8.6	^
Lake	3	32.9	^	1	^	^
Lane	63	19.2	4.9	30	8.9	-2.4
Lincoln	11	18.7	2.1	7	11.8	^
Linn	19	17.4	0.5	11	10.1	2.5
Malheur	7	20.2	^	2	^	^
Marion	62	22.6	1.6	26	9.4	7.7
Morrow	1	^	^	1	^	^
Multnomah	160	25.3	1.1	62	9.9	-1.9
Polk	11	16.1	8.3	7	9.6	^
Sherman	0	^	^	0	^	^
Tillamook	5	14.9	^	3	7.4	^
Umatilla	14	20.2	2.7	8	11.9	^
Union	6	22.3	^	3	11.4	^
Wallowa	2	^	^	1	^	^
Wasco	8	29.1	^	3	10.4	^
Washington	70	19.6	-5.6	33	9.9	0.5
Wheeler	1	^	^	0	^	^
Yamhill	17	21.3	4.0	7	8.4	^

Rates are per 100,000 and age-adjusted to the 2000 U.S. (5-year groups) standard

<sup>1</sup> Counts may not match state data tables due to cases in unknown counties

^ Rate not calculated due to instability of small numbers

APC = Average Annual Percent Change

**Table 4: Low Incidence Cancer Sites – Oregon Counties – Current Six-Year Average**

Table 4g Melanomas of Skin Years 1996 - 2001 Oregon Counties	Incidence			Mortality		
	Average Invasive Cases Per Year <sup>1</sup>	Age- Adjusted Rate	Current 6-Year Trend APC	Average Malignant Deaths Per Year	Age- Adjusted Rate	Current 6-Year Trend APC
<b>State</b>	<b>723</b>	<b>21.3</b>	<b>4.4</b>	<b>108</b>	<b>3.1</b>	<b>0.4</b>
Baker	3	16.9	^	0	^	^
Benton	10	15.0	^	1	^	^
Clackamas	76	22.9	2.3	12	3.7	*17.5
Clatsop	6	14.7	^	2	^	^
Columbia	6	13.8	^	2	^	^
Coos	23	30.9	7.2	3	3.9	^
Crook	4	20.4	^	1	^	^
Curry	6	18.8	^	1	^	^
Deschutes	37	31.9	10.9	5	4.4	^
Douglas	34	29.8	-2.2	3	2.2	^
Gilliam	0	^	^	0	^	^
Grant	1	^	^	1	^	^
Harney	1	^	^	0	^	^
Hood River	3	14.5	^	1	^	^
Jackson	50	26.2	-2.7	8	4.0	^
Jefferson	2	^	^	1	^	^
Josephine	14	15.9	5.9	3	3.7	^
Klamath	8	11.3	^	2	^	^
Lake	2	^	^	0	^	^
Lane	79	24.3	-3.5	10	3.1	^
Lincoln	8	14.5	^	3	6.0	^
Linn	20	18.4	3.7	3	2.4	^
Malheur	4	12.2	^	1	^	^
Marion	51	19.1	14.3	9	3.4	^
Morrow	2	^	^	1	^	^
Multnomah	149	23.0	11.1	17	2.7	-1.1
Polk	7	11.5	^	1	^	^
Sherman	0	^	^	0	^	^
Tillamook	7	24.2	^	2	^	^
Umatilla	11	17.0	1.7	2	^	^
Union	5	21.0	^	1	^	^
Wallowa	2	^	^	0	^	^
Wasco	4	17.3	^	0	^	^
Washington	76	20.3	6.9	10	2.9	^
Wheeler	1	^	^	0	^	^
Yamhill	13	15.8	1.8	2	^	^

Rates are per 100,000 and age-adjusted to the 2000 U.S. (5-year groups) standard

<sup>1</sup> Counts may not match state data tables due to cases in unknown counties

^ Rate not calculated due to instability of small numbers

APC = Average Annual Percent Change

\* Trend is statistically significant

**Table 4: Low Incidence Cancer Sites – Oregon Counties – Current Six-Year Average**

<b>Table 4h</b>	<b>Incidence</b>			<b>Mortality</b>		
<b>Oral/Pharynx Cancers Years 1996 - 2001  Oregon Counties</b>	<b>Average Invasive Cases Per Year<sup>1</sup></b>	<b>Age- Adjusted Rate</b>	<b>Current 6-Year Trend APC</b>	<b>Average Malignant Deaths Per Year</b>	<b>Age- Adjusted Rate</b>	<b>Current 6-Year Trend APC</b>
<b>State</b>	<b>395</b>	<b>11.6</b>	<b>-1.4</b>	<b>106</b>	<b>3.1</b>	<b>-1.3</b>
Baker	3	12.4	^	1	^	^
Benton	5	7.6	^	1	^	^
Clackamas	33	10.2	0.5	11	3.5	-4.0
Clatsop	4	9.3	^	1	^	^
Columbia	6	13.8	^	1	^	^
Coos	13	15.9	4.9	4	4.5	^
Crook	1	^	^	0	^	^
Curry	4	9.9	^	1	^	^
Deschutes	12	10.2	-4.9	4	3.1	^
Douglas	15	12.0	-17.7	4	3.1	^
Gilliam	1	^	^	0	^	^
Grant	1	^	^	0	^	^
Harney	0	^	^	0	^	^
Hood River	2	^	^	1	^	^
Jackson	26	12.4	4.4	6	2.9	^
Jefferson	1	^	^	0	^	^
Josephine	12	11.2	-9.8	5	4.3	^
Klamath	6	9.0	^	3	4.3	^
Lake	1	^	^	0	^	^
Lane	35	10.8	-3.4	8	2.4	^
Lincoln	9	15.9	^	3	4.8	^
Linn	12	11.0	04,3	4	3.7	^
Malheur	3	8.5	-0.4	1	^	^
Marion	33	12.0	^	7	2.6	^
Morrow	2	^	^	0	^	^
Multnomah	93	15.1	^	24	3.9	-1.9
Polk	5	7.1	^	2	^	^
Sherman	1	^	^	0	^	^
Tillamook	4	12.7	^	1	^	^
Umatilla	7	9.5	^	2	^	^
Union	2	^	^	1	^	^
Wallowa	0	^	^	0	^	^
Wasco	4	12.2	^	1	^	^
Washington	34	9.9	-0.1	8	2.4	^
Wheeler	1	^	^	0	^	^
Yamhill	8	10.2	^	2	^	^

Rates are per 100,000 and age-adjusted to the 2000 U.S. (5-year groups) standard

<sup>1</sup> Counts may not match state data tables due to cases in unknown counties

^ Rate not calculated due to instability of small numbers

APC = Average Annual Percent Change

\* Trend is statistically significant