

Table 4: Low Incidence Cancer Sites – Oregon Counties – Current Six-Year Average

| Table 4a | Incidence | | | Mortality | | |
|---|--|-----------------------------------|---|--|-----------------------------------|---|
| Bladder Cancer Years 1996 - 2001 Oregon Counties | Average Invasive Cases Per Year¹ | Age- Adjusted Rate | Current 6-Year Trend APC | Average Malignant Deaths Per Year | Age- Adjusted Rate | Current 6-Year Trend APC |
| State | 817 | 23.9 | 0.2 | 164 | 4.7 | 1.5 |
| Baker | 4 | 15.2 | ^ | 2 | ^ | ^ |
| Benton | 13 | 19.5 | -1.4 | 2 | ^ | ^ |
| Clackamas | 75 | 24.3 | 0.0 | 14 | 4.6 | 1.1 |
| Clatsop | 7 | 17.8 | ^ | 2 | ^ | ^ |
| Columbia | 14 | 33.8 | 10.4 | 3 | 6.6 | ^ |
| Coos | 29 | 34.0 | 1.4 | 5 | 6.1 | *46.0 |
| Crook | 5 | 25.3 | ^ | 2 | ^ | ^ |
| Curry | 10 | 24.8 | ^ | 3 | 6.1 | ^ |
| Deschutes | 29 | 25.9 | 11.7 | 4 | 4.2 | ^ |
| Douglas | 32 | 23.8 | -2.6 | 6 | 4.5 | ^ |
| Gilliam | 1 | ^ | ^ | 0 | ^ | ^ |
| Grant | 2 | ^ | ^ | 1 | ^ | ^ |
| Harney | 2 | ^ | ^ | 0 | ^ | ^ |
| Hood River | 4 | 17.2 | ^ | 1 | ^ | ^ |
| Jackson | 55 | 25.6 | 3.1 | 13 | 6.0 | 0.7 |
| Jefferson | 3 | 13.9 | ^ | 1 | ^ | ^ |
| Josephine | 30 | 27.1 | -6.5 | 6 | 5.8 | ^ |
| Klamath | 18 | 25.2 | -0.5 | 4 | 5.7 | ^ |
| Lake | 2 | ^ | ^ | 0 | ^ | ^ |
| Lane | 72 | 21.8 | -1.6 | 18 | 5.2 | 6.3 |
| Lincoln | 16 | 24.9 | -12.5 | 2 | ^ | ^ |
| Linn | 26 | 23.1 | -6.6 | 7 | 5.8 | ^ |
| Malheur | 6 | 17.7 | ^ | 1 | ^ | ^ |
| Marion | 67 | 24.3 | 0.8 | 12 | 4.1 | 3.4 |
| Morrow | 2 | ^ | ^ | 1 | ^ | ^ |
| Multnomah | 158 | 25.8 | 1.9 | 30 | 4.7 | -3 |
| Polk | 12 | 16.8 | -2.0 | 3 | 3.3 | ^ |
| Sherman | 1 | ^ | ^ | 0 | ^ | ^ |
| Tillamook | 10 | 26.9 | -7.6 | 1 | ^ | ^ |
| Umatilla | 13 | 19.6 | -2.6 | 3 | 4.2 | ^ |
| Union | 7 | 23.3 | ^ | 1 | ^ | ^ |
| Wallowa | 2 | ^ | ^ | 1 | ^ | ^ |
| Wasco | 8 | 25.9 | ^ | 1 | ^ | ^ |
| Washington | 67 | 20.5 | 2.3 | 13 | 4.0 | 7.3 |
| Wheeler | 0 | ^ | ^ | 0 | ^ | ^ |
| Yamhill | 20 | 25.4 | -3.8 | 3 | 4.1 | ^ |

Rates are per 100,000 and age-adjusted to the 2000 U.S. (5-year groups) standard

¹ Counts may not match state data tables due to cases in unknown counties

^ Rate not calculated due to instability of small numbers

APC = Average Annual Percent Change

* Trend is statistically significant

Table 4: Low Incidence Cancer Sites – Oregon Counties – Current Six-Year Average

| Table 4c | Incidence | | | Mortality | | |
|--|--|-----------------------------------|---|--|-----------------------------------|---|
| Cervical Cancer 1996 - 2001 Oregon Counties | Average Invasive Cases Per Year¹ | Age- Adjusted Rate | Current 6-Year Trend APC | Average Malignant Deaths Per Year | Age- Adjusted Rate | Current 6-Year Trend APC |
| State | 144 | 8.4 | -0.2 | 44 | 2.4 | -3.7 |
| Baker | 1 | ^ | ^ | 1 | ^ | ^ |
| Benton | 2 | ^ | ^ | 1 | ^ | ^ |
| Clackamas | 10 | 5.9 | ^ | 4 | 2.5 | ^ |
| Clatsop | 2 | ^ | ^ | 1 | ^ | ^ |
| Columbia | 2 | ^ | ^ | 1 | ^ | ^ |
| Coos | 4 | 12 | ^ | 1 | ^ | ^ |
| Crook | 1 | ^ | ^ | 1 | ^ | ^ |
| Curry | 2 | ^ | ^ | 0 | ^ | ^ |
| Deschutes | 4 | 6 | ^ | 1 | ^ | ^ |
| Douglas | 5 | 9.5 | ^ | 2 | ^ | ^ |
| Gilliam | 0 | ^ | ^ | 0 | ^ | ^ |
| Grant | 1 | ^ | ^ | 0 | ^ | ^ |
| Harney | 1 | ^ | ^ | 0 | ^ | ^ |
| Hood River | 1 | ^ | ^ | 0 | ^ | ^ |
| Jackson | 10 | 10.7 | ^ | 3 | ^ | ^ |
| Jefferson | 1 | ^ | ^ | 0 | ^ | ^ |
| Josephine | 4 | 9.2 | ^ | 1 | ^ | ^ |
| Klamath | 4 | 11.2 | ^ | 1 | ^ | ^ |
| Lake | 0 | ^ | ^ | 0 | ^ | ^ |
| Lane | 10 | 6.3 | ^ | 4 | 2.0 | ^ |
| Lincoln | 3 | 13.3 | ^ | 1 | ^ | ^ |
| Linn | 5 | 8.7 | ^ | 1 | ^ | ^ |
| Malheur | 1 | ^ | ^ | 0 | ^ | ^ |
| Marion | 12 | 8.8 | 4.2 | 4 | 2.9 | ^ |
| Morrow | 1 | ^ | ^ | 0 | ^ | ^ |
| Multnomah | 31 | 9.2 | -3.2 | 8 | 2.4 | ^ |
| Polk | 1 | ^ | ^ | 1 | ^ | ^ |
| Sherman | 0 | ^ | ^ | 0 | ^ | ^ |
| Tillamook | 1 | ^ | ^ | 1 | ^ | ^ |
| Umatilla | 4 | 12.5 | ^ | 1 | ^ | ^ |
| Union | 2 | ^ | ^ | 0 | ^ | ^ |
| Wallowa | 0 | ^ | ^ | 0 | ^ | ^ |
| Wasco | 1 | ^ | ^ | 0 | ^ | ^ |
| Washington | 15 | 7.3 | 1.9 | 4 | 1.8 | ^ |
| Wheeler | 0 | ^ | ^ | 0 | ^ | ^ |
| Yamhill | 4 | 10.6 | ^ | 1 | ^ | ^ |

Rates are per 100,000 and age-adjusted to the 2000 U.S. (5-year groups) standard

¹ Counts may not match state data tables due to cases in unknown counties

^ Rate not calculated due to instability of small numbers

APC = Average Annual Percent Change

* Trend is statistically significant

Table 4: Low Incidence Cancer Sites – Oregon Counties – Current Six-Year Average

| Table 4b | Incidence | | | Mortality | | |
|--|--|-----------------------------------|---|--|-----------------------------------|---|
| Brain/CNS Cancer Years 1996 - 2001 Oregon Counties | Average Invasive Cases Per Year¹ | Age- Adjusted Rate | Current 6-Year Trend APC | Average Malignant Deaths Per Year | Age- Adjusted Rate | Current 6-Year Trend APC |
| State | 246 | 7.3 | -2.5 | 191 | 5.6 | -2.2 |
| Baker | 1 | ^ | ^ | 1 | ^ | ^ |
| Benton | 5 | 6.7 | ^ | 4 | 5.7 | ^ |
| Clackamas | 25 | 7.7 | 4.3 | 20 | 6.1 | 7.4 |
| Clatsop | 3 | 8.8 | ^ | 2 | ^ | ^ |
| Columbia | 4 | 8.8 | ^ | 2 | ^ | ^ |
| Coos | 5 | 6.3 | ^ | 4 | 4.8 | ^ |
| Crook | 1 | ^ | ^ | 1 | ^ | ^ |
| Curry | 2 | ^ | ^ | 2 | ^ | ^ |
| Deschutes | 11 | 9.6 | -2.4 | 8 | 6.6 | ^ |
| Douglas | 10 | ^ | ^ | 9 | 7.4 | ^ |
| Gilliam | 0 | ^ | ^ | 0 | ^ | ^ |
| Grant | 0 | ^ | ^ | 0 | ^ | ^ |
| Harney | 0 | ^ | ^ | 0 | ^ | ^ |
| Hood River | 1 | ^ | ^ | 1 | ^ | ^ |
| Jackson | 14 | 6.9 | -3.4 | 12 | 5.8 | -0.5 |
| Jefferson | 1 | ^ | ^ | 1 | ^ | ^ |
| Josephine | 7 | 6.9 | ^ | 7 | 6.8 | ^ |
| Klamath | 4 | 6.4 | ^ | 3 | 4.7 | ^ |
| Lake | 0 | ^ | ^ | 0 | ^ | ^ |
| Lane | 23 | 7.3 | -3.8 | 19 | 5.8 | -3.9 |
| Lincoln | 7 | 12.5 | ^ | 6 | 9.2 | ^ |
| Linn | 7 | 6.9 | ^ | 6 | 5.4 | ^ |
| Malheur | 1 | ^ | ^ | 2 | ^ | ^ |
| Marion | 24 | 8.8 | -8.7 | 15 | 5.7 | 3.5 |
| Morrow | 1 | ^ | ^ | 1 | ^ | ^ |
| Multnomah | 46 | 7.3 | -4.6 | 33 | 5.3 | *-11.9 |
| Polk | 4 | 6.7 | ^ | 3 | 4.8 | ^ |
| Sherman | 0 | ^ | ^ | 0 | ^ | ^ |
| Tillamook | 1 | ^ | ^ | 1 | ^ | ^ |
| Umatilla | 5 | 7.2 | ^ | 3 | 4.2 | ^ |
| Union | 1 | ^ | ^ | 1 | ^ | ^ |
| Wallowa | 0 | ^ | ^ | 0 | ^ | ^ |
| Wasco | 1 | ^ | ^ | 2 | ^ | ^ |
| Washington | 26 | 6.9 | 3.0 | 20 | 5.7 | -0.9 |
| Wheeler | 1 | ^ | ^ | 1 | ^ | ^ |
| Yamhill | 5 | 5.6 | ^ | 4 | 4.4 | ^ |

Rates are per 100,000 and age-adjusted to the 2000 U.S. (5-year groups) standard

¹ Counts may not match state data tables due to cases in unknown counties

^ Rate not calculated due to instability of small numbers

APC = Average Annual Percent Change

* Trend is statistically significant

Table 4: Low Incidence Cancer Sites – Oregon Counties – Current Six-Year Average

| Table 4d Corpus/Uterus Cancer Years 1996 - 2001 Oregon Counties | Incidence | | | Mortality | | |
|--|---|--------------------------|-----------------------------------|--|--------------------------|-----------------------------------|
| | Average Invasive Cases Per Year ¹ | Age- Adjusted Rate | Current 6-Year Trend APC | Average Malignant Deaths Per Year | Age- Adjusted Rate | Current 6-Year Trend APC |
| State | 451 | 24.6 | -1.3 | 81 | 4.2 | -0.7 |
| Baker | 3 | 24.4 | ^ | 1 | ^ | ^ |
| Benton | 11 | 30.7 | *18.2 | 2 | ^ | ^ |
| Clackamas | 42 | 24.1 | 1.4 | 8 | 4.4 | ^ |
| Clatsop | 5 | 24.2 | ^ | 1 | ^ | ^ |
| Columbia | 7 | 30.1 | ^ | 1 | ^ | ^ |
| Coos | 12 | 27.2 | 3.3 | 2 | ^ | ^ |
| Crook | 2 | ^ | ^ | 1 | ^ | ^ |
| Curry | 4 | 21.0 | 0.6 | 1 | ^ | ^ |
| Deschutes | 14 | 23.7 | -8.8 | 2 | ^ | ^ |
| Douglas | 17 | 26.2 | 2.8 | 3 | 4.1 | ^ |
| Gilliam | 0 | ^ | ^ | 0 | ^ | ^ |
| Grant | 1 | ^ | ^ | 0 | ^ | ^ |
| Harney | 1 | ^ | ^ | 0 | ^ | ^ |
| Hood River | 2 | ^ | ^ | 1 | ^ | ^ |
| Jackson | 28 | 25.1 | -9.3 | 5 | 3.9 | ^ |
| Jefferson | 2 | ^ | ^ | 1 | ^ | ^ |
| Josephine | 12 | 22.4 | 1.1 | 3 | 4.5 | ^ |
| Klamath | 10 | 27.4 | -5.8 | 2 | ^ | ^ |
| Lake | 2 | ^ | ^ | 0 | ^ | ^ |
| Lane | 40 | 22.7 | -4.3 | 7 | 3.9 | ^ |
| Lincoln | 7 | 21.8 | ^ | 1 | ^ | ^ |
| Linn | 13 | 21.7 | -7.4 | 4 | 6.4 | ^ |
| Malheur | 4 | 20.1 | ^ | 1 | ^ | ^ |
| Marion | 38 | 26.1 | 6.7 | 7 | 4.6 | ^ |
| Morrow | 1 | ^ | ^ | 0 | ^ | ^ |
| Multnomah | 89 | 26.4 | -2.1 | 16 | 4.5 | 5.4 |
| Polk | 9 | 23.7 | ^ | 2 | ^ | ^ |
| Sherman | 0 | ^ | ^ | 0 | ^ | ^ |
| Tillamook | 4 | 24.1 | ^ | 1 | ^ | ^ |
| Umatilla | 7 | 20.1 | ^ | 1 | ^ | ^ |
| Union | 4 | 22.8 | ^ | 1 | ^ | ^ |
| Wallowa | 3 | 51.1 | ^ | 0 | ^ | ^ |
| Wasco | 4 | 26.0 | ^ | 0 | ^ | ^ |
| Washington | 44 | 23.6 | -0.5 | 6 | 3.1 | ^ |
| Wheeler | 0 | ^ | ^ | 0 | ^ | ^ |
| Yamhill | 10 | 23.5 | ^ | 1 | ^ | ^ |

Rates are per 100,000 and age-adjusted to the 2000 U.S. (5-year groups) standard

¹ Counts may not match state data tables due to cases in unknown counties

^ Rate not calculated due to instability of small numbers

APC = Average Annual Percent Change

* Trend is statistically significant

Table 4: Low Incidence Cancer Sites – Oregon Counties – Current Six-Year Average

| Table 4e Leukemias Years 1996 - 2006 Oregon Counties | Incidence | | | Mortality | | |
|---|---|--------------------------|-----------------------------------|--|--------------------------|-----------------------------------|
| | Average Invasive Cases Per Year ¹ | Age- Adjusted Rate | Current 6-Year Trend APC | Average Malignant Deaths Per Year | Age- Adjusted Rate | Current 6-Year Trend APC |
| State | 380 | 11.2 | 3.7 | 270 | 7.9 | -2.4 |
| Baker | 2 | ^ | ^ | 2 | ^ | ^ |
| Benton | 6 | 9.4 | ^ | 6 | 8.8 | ^ |
| Clackamas | 36 | 11.5 | 13.2 | 27 | 8.9 | 1.2 |
| Clatsop | 5 | 11.6 | ^ | 3 | 6.1 | ^ |
| Columbia | 6 | 14.9 | ^ | 4 | 9.2 | ^ |
| Coos | 9 | 10.2 | ^ | 9 | 9.7 | ^ |
| Crook | 1 | ^ | ^ | 2 | ^ | ^ |
| Curry | 4 | 9.5 | ^ | 3 | 7.9 | ^ |
| Deschutes | 11 | 9.8 | -0.8 | 8 | 7.2 | ^ |
| Douglas | 13 | 10.1 | -10.5 | 10 | 7.7 | ^ |
| Gilliam | 0 | ^ | ^ | 0 | ^ | ^ |
| Grant | 1 | ^ | ^ | 1 | ^ | ^ |
| Harney | 2 | ^ | ^ | 1 | ^ | ^ |
| Hood River | 2 | ^ | ^ | 1 | ^ | ^ |
| Jackson | 25 | 11.7 | -3.4 | 18 | 8.5 | -8.2 |
| Jefferson | 2 | ^ | ^ | 1 | ^ | ^ |
| Josephine | 7 | 7.5 | ^ | 6 | 5.8 | ^ |
| Klamath | 9 | 12.7 | ^ | 5 | 6.7 | ^ |
| Lake | 1 | ^ | ^ | 1 | ^ | ^ |
| Lane | 30 | 9.2 | 6.6 | 32 | 9.4 | -5.5 |
| Lincoln | 6 | 10.5 | ^ | 3 | 4.4 | ^ |
| Linn | 10 | 8.5 | ^ | 8 | 6.9 | ^ |
| Malheur | 4 | 11.9 | ^ | 3 | 8.6 | ^ |
| Marion | 38 | 13.7 | 2.5 | 21 | 7.5 | 1.6 |
| Morrow | 1 | ^ | ^ | 1 | ^ | ^ |
| Multnomah | 87 | 14.1 | 7.2 | 49 | 7.8 | 2.8 |
| Polk | 6 | 9.4 | ^ | 5 | 7.7 | ^ |
| Sherman | 0 | ^ | ^ | 0 | ^ | ^ |
| Tillamook | 3 | 7.7 | ^ | 4 | 9.9 | ^ |
| Umatilla | 6 | 9.1 | ^ | 4 | 6.4 | ^ |
| Union | 3 | 10.3 | ^ | 2 | ^ | ^ |
| Wallowa | 2 | ^ | ^ | 1 | ^ | ^ |
| Wasco | 3 | 9.6 | ^ | 2 | ^ | ^ |
| Washington | 35 | 10.0 | -2.0 | 26 | 7.7 | *-7.5 |
| Wheeler | 1 | ^ | ^ | 0 | ^ | ^ |
| Yamhill | 8 | 9.5 | ^ | 5 | 6.1 | ^ |

Rates are per 100,000 and age-adjusted to the 2000 U.S. (5-year groups) standard

¹ Counts may not match state data tables due to cases in unknown counties

^ Rate not calculated due to instability of small numbers

APC = Average Annual Percent Change

* Trend is statistically significant

Table 4: Low Incidence Cancer Sites – Oregon Counties – Current Six-Year Average

| Table 4f | Incidence | | | Mortality | | |
|--|--|-----------------------------------|---|--|-----------------------------------|---|
| Lymphomas Years 1996 - 2001 Oregon Counties | Average Invasive Cases Per Year¹ | Age- Adjusted Rate | Current 6-Year Trend APC | Average Malignant Deaths Per Year | Age- Adjusted Rate | Current 6-Year Trend APC |
| State | 738 | 21.7 | 1.1 | 324 | 9.4 | 0.2 |
| Baker | 5 | 20.4 | ^ | 3 | 10.9 | ^ |
| Benton | 13 | 18.8 | -4.2 | 5 | 7.0 | ^ |
| Clackamas | 69 | 21.6 | 1.5 | 31 | 9.9 | -1.9 |
| Clatsop | 8 | 19.5 | ^ | 4 | 8.8 | ^ |
| Columbia | 12 | 29.4 | -4.1 | 5 | 13.1 | ^ |
| Coos | 18 | 22.0 | -9.5 | 8 | 9.4 | ^ |
| Crook | 4 | 17.9 | ^ | 1 | ^ | ^ |
| Curry | 6 | 19.6 | ^ | 2 | ^ | ^ |
| Deschutes | 25 | 22.7 | 5.2 | 10 | 9.4 | ^ |
| Douglas | 30 | 23.8 | -4.8 | 12 | 9.5 | -8.8 |
| Gilliam | 1 | ^ | ^ | 1 | ^ | ^ |
| Grant | 2 | ^ | ^ | 1 | ^ | ^ |
| Harney | 1 | ^ | ^ | 1 | ^ | ^ |
| Hood River | 5 | 24.7 | ^ | 2 | ^ | ^ |
| Jackson | 46 | 22.6 | 10.1 | 16 | 7.6 | 6.2 |
| Jefferson | 3 | 15.8 | ^ | 2 | ^ | ^ |
| Josephine | 23 | 22.5 | 3.9 | 10 | 9.6 | ^ |
| Klamath | 12 | 17.1 | 4.9 | 6 | 8.6 | ^ |
| Lake | 3 | 32.9 | ^ | 1 | ^ | ^ |
| Lane | 63 | 19.2 | 4.9 | 30 | 8.9 | -2.4 |
| Lincoln | 11 | 18.7 | 2.1 | 7 | 11.8 | ^ |
| Linn | 19 | 17.4 | 0.5 | 11 | 10.1 | 2.5 |
| Malheur | 7 | 20.2 | ^ | 2 | ^ | ^ |
| Marion | 62 | 22.6 | 1.6 | 26 | 9.4 | 7.7 |
| Morrow | 1 | ^ | ^ | 1 | ^ | ^ |
| Multnomah | 160 | 25.3 | 1.1 | 62 | 9.9 | -1.9 |
| Polk | 11 | 16.1 | 8.3 | 7 | 9.6 | ^ |
| Sherman | 0 | ^ | ^ | 0 | ^ | ^ |
| Tillamook | 5 | 14.9 | ^ | 3 | 7.4 | ^ |
| Umatilla | 14 | 20.2 | 2.7 | 8 | 11.9 | ^ |
| Union | 6 | 22.3 | ^ | 3 | 11.4 | ^ |
| Wallowa | 2 | ^ | ^ | 1 | ^ | ^ |
| Wasco | 8 | 29.1 | ^ | 3 | 10.4 | ^ |
| Washington | 70 | 19.6 | -5.6 | 33 | 9.9 | 0.5 |
| Wheeler | 1 | ^ | ^ | 0 | ^ | ^ |
| Yamhill | 17 | 21.3 | 4.0 | 7 | 8.4 | ^ |

Rates are per 100,000 and age-adjusted to the 2000 U.S. (5-year groups) standard

¹ Counts may not match state data tables due to cases in unknown counties

^ Rate not calculated due to instability of small numbers

APC = Average Annual Percent Change

Table 4: Low Incidence Cancer Sites – Oregon Counties – Current Six-Year Average

| Table 4g Melanomas of Skin Years 1996 - 2001 Oregon Counties | Incidence | | | Mortality | | |
|---|---|--------------------------|-----------------------------------|--|--------------------------|-----------------------------------|
| | Average Invasive Cases Per Year ¹ | Age- Adjusted Rate | Current 6-Year Trend APC | Average Malignant Deaths Per Year | Age- Adjusted Rate | Current 6-Year Trend APC |
| State | 723 | 21.3 | 4.4 | 108 | 3.1 | 0.4 |
| Baker | 3 | 16.9 | ^ | 0 | ^ | ^ |
| Benton | 10 | 15.0 | ^ | 1 | ^ | ^ |
| Clackamas | 76 | 22.9 | 2.3 | 12 | 3.7 | *17.5 |
| Clatsop | 6 | 14.7 | ^ | 2 | ^ | ^ |
| Columbia | 6 | 13.8 | ^ | 2 | ^ | ^ |
| Coos | 23 | 30.9 | 7.2 | 3 | 3.9 | ^ |
| Crook | 4 | 20.4 | ^ | 1 | ^ | ^ |
| Curry | 6 | 18.8 | ^ | 1 | ^ | ^ |
| Deschutes | 37 | 31.9 | 10.9 | 5 | 4.4 | ^ |
| Douglas | 34 | 29.8 | -2.2 | 3 | 2.2 | ^ |
| Gilliam | 0 | ^ | ^ | 0 | ^ | ^ |
| Grant | 1 | ^ | ^ | 1 | ^ | ^ |
| Harney | 1 | ^ | ^ | 0 | ^ | ^ |
| Hood River | 3 | 14.5 | ^ | 1 | ^ | ^ |
| Jackson | 50 | 26.2 | -2.7 | 8 | 4.0 | ^ |
| Jefferson | 2 | ^ | ^ | 1 | ^ | ^ |
| Josephine | 14 | 15.9 | 5.9 | 3 | 3.7 | ^ |
| Klamath | 8 | 11.3 | ^ | 2 | ^ | ^ |
| Lake | 2 | ^ | ^ | 0 | ^ | ^ |
| Lane | 79 | 24.3 | -3.5 | 10 | 3.1 | ^ |
| Lincoln | 8 | 14.5 | ^ | 3 | 6.0 | ^ |
| Linn | 20 | 18.4 | 3.7 | 3 | 2.4 | ^ |
| Malheur | 4 | 12.2 | ^ | 1 | ^ | ^ |
| Marion | 51 | 19.1 | 14.3 | 9 | 3.4 | ^ |
| Morrow | 2 | ^ | ^ | 1 | ^ | ^ |
| Multnomah | 149 | 23.0 | 11.1 | 17 | 2.7 | -1.1 |
| Polk | 7 | 11.5 | ^ | 1 | ^ | ^ |
| Sherman | 0 | ^ | ^ | 0 | ^ | ^ |
| Tillamook | 7 | 24.2 | ^ | 2 | ^ | ^ |
| Umatilla | 11 | 17.0 | 1.7 | 2 | ^ | ^ |
| Union | 5 | 21.0 | ^ | 1 | ^ | ^ |
| Wallowa | 2 | ^ | ^ | 0 | ^ | ^ |
| Wasco | 4 | 17.3 | ^ | 0 | ^ | ^ |
| Washington | 76 | 20.3 | 6.9 | 10 | 2.9 | ^ |
| Wheeler | 1 | ^ | ^ | 0 | ^ | ^ |
| Yamhill | 13 | 15.8 | 1.8 | 2 | ^ | ^ |

Rates are per 100,000 and age-adjusted to the 2000 U.S. (5-year groups) standard

¹ Counts may not match state data tables due to cases in unknown counties

^ Rate not calculated due to instability of small numbers

APC = Average Annual Percent Change

* Trend is statistically significant

Table 4: Low Incidence Cancer Sites – Oregon Counties – Current Six-Year Average

| Table 4h | Incidence | | | Mortality | | |
|--|--|-----------------------------------|---|--|-----------------------------------|---|
| Oral/Pharynx Cancers Years 1996 - 2001 Oregon Counties | Average Invasive Cases Per Year¹ | Age- Adjusted Rate | Current 6-Year Trend APC | Average Malignant Deaths Per Year | Age- Adjusted Rate | Current 6-Year Trend APC |
| State | 395 | 11.6 | -1.4 | 106 | 3.1 | -1.3 |
| Baker | 3 | 12.4 | ^ | 1 | ^ | ^ |
| Benton | 5 | 7.6 | ^ | 1 | ^ | ^ |
| Clackamas | 33 | 10.2 | 0.5 | 11 | 3.5 | -4.0 |
| Clatsop | 4 | 9.3 | ^ | 1 | ^ | ^ |
| Columbia | 6 | 13.8 | ^ | 1 | ^ | ^ |
| Coos | 13 | 15.9 | 4.9 | 4 | 4.5 | ^ |
| Crook | 1 | ^ | ^ | 0 | ^ | ^ |
| Curry | 4 | 9.9 | ^ | 1 | ^ | ^ |
| Deschutes | 12 | 10.2 | -4.9 | 4 | 3.1 | ^ |
| Douglas | 15 | 12.0 | -17.7 | 4 | 3.1 | ^ |
| Gilliam | 1 | ^ | ^ | 0 | ^ | ^ |
| Grant | 1 | ^ | ^ | 0 | ^ | ^ |
| Harney | 0 | ^ | ^ | 0 | ^ | ^ |
| Hood River | 2 | ^ | ^ | 1 | ^ | ^ |
| Jackson | 26 | 12.4 | 4.4 | 6 | 2.9 | ^ |
| Jefferson | 1 | ^ | ^ | 0 | ^ | ^ |
| Josephine | 12 | 11.2 | -9.8 | 5 | 4.3 | ^ |
| Klamath | 6 | 9.0 | ^ | 3 | 4.3 | ^ |
| Lake | 1 | ^ | ^ | 0 | ^ | ^ |
| Lane | 35 | 10.8 | -3.4 | 8 | 2.4 | ^ |
| Lincoln | 9 | 15.9 | ^ | 3 | 4.8 | ^ |
| Linn | 12 | 11.0 | 04,3 | 4 | 3.7 | ^ |
| Malheur | 3 | 8.5 | -0.4 | 1 | ^ | ^ |
| Marion | 33 | 12.0 | ^ | 7 | 2.6 | ^ |
| Morrow | 2 | ^ | ^ | 0 | ^ | ^ |
| Multnomah | 93 | 15.1 | ^ | 24 | 3.9 | -1.9 |
| Polk | 5 | 7.1 | ^ | 2 | ^ | ^ |
| Sherman | 1 | ^ | ^ | 0 | ^ | ^ |
| Tillamook | 4 | 12.7 | ^ | 1 | ^ | ^ |
| Umatilla | 7 | 9.5 | ^ | 2 | ^ | ^ |
| Union | 2 | ^ | ^ | 1 | ^ | ^ |
| Wallowa | 0 | ^ | ^ | 0 | ^ | ^ |
| Wasco | 4 | 12.2 | ^ | 1 | ^ | ^ |
| Washington | 34 | 9.9 | -0.1 | 8 | 2.4 | ^ |
| Wheeler | 1 | ^ | ^ | 0 | ^ | ^ |
| Yamhill | 8 | 10.2 | ^ | 2 | ^ | ^ |

Rates are per 100,000 and age-adjusted to the 2000 U.S. (5-year groups) standard

¹ Counts may not match state data tables due to cases in unknown counties

^ Rate not calculated due to instability of small numbers

APC = Average Annual Percent Change

* Trend is statistically significant