

## X. STATISTICAL TABLES

---

The following tables show cancer incidence and mortality data for Oregonians. The cancer incidence rates represent invasive cancers only; *in situ* cases are excluded with the exception of bladder cancers. The counts

will differ from the cancer incidence counts reported as *All Cases* totals in the *Selected Sites* section. All rates are age-adjusted to the year 2000 US (19 age group) standard and per 100,000 population.

### A. STATE DATA TABLES OVERVIEW

---

The incidence and mortality tables are broken down by site, year, and sex. The *All Sexes* category includes cancer cases of males, females, transsexuals, and hermaphrodites; therefore, *All Sexes* may exceed the total of male and female alone.

“APC” is the trend—the average, current, five-year annual percent change. The current APC for trends may differ from the historical (eight-year) trends reported in the *Executive Summary* and *Selected Sites* sections. Any current trend with an asterisk (\*) is statistically significant.

Rates based on small numbers of events for a given period of time or for a rare cancer must be viewed with caution. A small number of events results in considerable random variation in the rate estimates, thus limiting their usefulness. If the number of cancer events (new cases or deaths) is 10 or fewer, the calculated rate is considered unstable. In the tables, such a rate is not shown and is replaced by a caret (^). If the number of average cases per year is 10 or fewer, the trend is not shown and is replaced by a caret (^).

<b>TABLE 1: CANCER INCIDENCE by Site, Sex, and Year (1999-2003)</b>		<b>All Sexes</b>		<b>Male</b>		<b>Female</b>	
		<b>Invasive Cancer Counts</b>	<b>Rate/ Current Trend</b>	<b>Invasive Cancer Counts</b>	<b>Rate/ Current Trend</b>	<b>Invasive Cancer Counts</b>	<b>Rate/ Current Trend</b>
<b>Primary Sites</b>	<b>Year</b>						
<b>ALL SITES</b>	<b>Annual Average</b>	<b>17,339</b>	<b>484.0</b>	<b>8,809</b>	<b>548.2</b>	<b>8,528</b>	<b>439.7</b>
	5-Year APC (Trend)		*-2.4		*-3.0		*-2.0
	1999	17,518	506.7	8,953	582.0	8,563	455.1
	2000	17,251	491.1	8,734	557.1	8,516	445.6
	2001	17,591	492.9	8,968	560.2	8,621	446.8
	2002	17,364	475.8	8,777	534.3	8,585	435.7
	<b>2003</b>	<b>16,973</b>	<b>455.8</b>	<b>8,613</b>	<b>511.1</b>	<b>8,357</b>	<b>416.7</b>
<b>BONES/JOINTS</b>	<b>Annual Average</b>	<b>34</b>	<b>1.0</b>	<b>19</b>	<b>1.1</b>	<b>15</b>	<b>0.8</b>
	5-Year APC (Trend)		+4.5		+4.7		+4.9
	1999	32	0.9	17	1.0	15	0.8
	2000	29	0.8	18	1.0	11	0.6
	2001	33	0.9	15	0.9	18	1.0
	2002	40	1.1	25	1.5	15	0.8
	<b>2003</b>	<b>36</b>	<b>1.0</b>	<b>18</b>	<b>1.1</b>	<b>18</b>	<b>0.9</b>
<b>BRAIN/CNS</b>	<b>Annual Average</b>	<b>254</b>	<b>7.2</b>	<b>145</b>	<b>8.6</b>	<b>109</b>	<b>5.9</b>
	5-Year APC (Trend)		+1.8		-1.4		+6.2
	1999	225	6.6	137	8.4	88	4.9
	2000	266	7.6	154	9.3	112	6.0
	2001	249	7.1	141	8.5	108	5.8
	2002	258	7.1	150	8.7	108	5.6
	<b>2003</b>	<b>273</b>	<b>7.5</b>	<b>143</b>	<b>8.1</b>	<b>130</b>	<b>6.9</b>
<b>Brain</b>	<b>Annual Average</b>	<b>242</b>	<b>6.8</b>	<b>138</b>	<b>8.2</b>	<b>103</b>	<b>5.5</b>
	5-Year APC (Trend)		+1.8		-1.3		+6.1
	1999	218	6.4	133	8.1	85	4.8
	2000	246	7.0	142	8.6	104	5.6
	2001	240	6.8	136	8.2	104	5.6
	2002	243	6.7	145	8.4	98	5.0
	<b>2003</b>	<b>261</b>	<b>7.1</b>	<b>136</b>	<b>7.7</b>	<b>125</b>	<b>6.7</b>
<b>BREAST</b>	<b>Annual Average</b>	<b>2,757</b>	<b>76.5</b>	<b>17</b>	<b>1.1</b>	<b>2,739</b>	<b>142.7</b>
	5-Year APC (Trend)		*-4.0		-9.4		*-3.8
	1999	2,870	82.8	21	1.4	2,849	153.9
	2000	2,748	77.8	16	1.1	2,732	144.7
	2001	2,816	78.4	16	1.0	2,800	146.5
	2002	2,770	75.4	19	1.1	2,751	140.8
	<b>2003</b>	<b>2,580</b>	<b>68.6</b>	<b>14</b>	<b>0.8</b>	<b>2,565</b>	<b>128.6</b>
<b>DIGESTIVE SYSTEM</b>	<b>Annual Average</b>	<b>2,996</b>	<b>83.0</b>	<b>1,578</b>	<b>99.0</b>	<b>1,419</b>	<b>70.2</b>
	5-Year APC (Trend)		-1.7		-1.3		-2.1
	1999	2,993	86.0	1,512	99.4	1,481	75.0
	2000	3,045	86.1	1,630	104.8	1,415	70.9
	2001	2,912	81.0	1,573	99.3	1,339	66.5
	2002	2,967	80.5	1,509	92.2	1,458	71.2
	<b>2003</b>	<b>3,065</b>	<b>81.8</b>	<b>1,664</b>	<b>99.2</b>	<b>1,400</b>	<b>67.5</b>

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age group) standard.

APC=Average Annual Percent Change

Counts for All Sexes may exceed male/female combined due to additional sex coding.

\* Indicates a statistically significant trend.

^ Rate is not calculated due to instability of small numbers.

n/a = not applicable

<b>TABLE 1: CANCER INCIDENCE by Site, Sex, and Year (1999-2003)</b>		<b>All Sexes</b>		<b>Male</b>		<b>Female</b>	
<b>Primary Sites</b>	<b>Year</b>	<b>Invasive Cancer Counts</b>	<b>Rate/ Current Trend</b>	<b>Invasive Cancer Counts</b>	<b>Rate/ Current Trend</b>	<b>Invasive Cancer Counts</b>	<b>Rate/ Current Trend</b>
<b>Colon/Rectum</b>	<b>Annual Average</b>	<b>1,799</b>	<b>49.8</b>	<b>899</b>	<b>56.8</b>	<b>900</b>	<b>44.3</b>
	5-Year APC (Trend)		*-3.1		-3.0		-3.2
	1999	1,859	53.3	885	58.6	974	49.3
	2000	1,837	52.0	947	61.3	890	44.5
	2001	1,756	48.8	910	57.9	846	41.9
	2002	1,739	47.0	847	52.1	892	43.3
	<b>2003</b>	<b>1,804</b>	<b>48.0</b>	<b>907</b>	<b>54.5</b>	<b>897</b>	<b>42.7</b>
<b>Esophagus</b>	<b>Annual Average</b>	<b>196</b>	<b>5.4</b>	<b>148</b>	<b>9.2</b>	<b>48</b>	<b>2.4</b>
	5-Year APC (Trend)		+0.9		+2.6		-6.9
	1999	169	4.9	123	8.1	46	2.4
	2000	207	5.9	149	9.5	58	3.0
	2001	206	5.8	153	9.5	53	2.6
	2002	191	5.2	155	9.3	36	1.7
	<b>2003</b>	<b>206</b>	<b>5.5</b>	<b>161</b>	<b>9.5</b>	<b>45</b>	<b>2.2</b>
<b>Gallbladder</b>	<b>Annual Average</b>	<b>36</b>	<b>1.0</b>	<b>8</b>	<b>0.5</b>	<b>28</b>	<b>1.3</b>
	5-Year APC (Trend)		-0.4		^		-0.3
	1999	32	0.9	5	^	27	1.3
	2000	35	1.0	9	^	26	1.3
	2001	38	1.0	10	^	28	1.3
	2002	44	1.2	10	^	34	1.7
	<b>2003</b>	<b>29</b>	<b>0.8</b>	<b>6</b>	<b>^</b>	<b>23</b>	<b>1.1</b>
<b>Liver/Intrahepatic Bile Duct</b>	<b>Annual Average</b>	<b>148</b>	<b>4.1</b>	<b>98</b>	<b>5.8</b>	<b>50</b>	<b>2.6</b>
	5-Year APC (Trend)		+0.4		+0.2		+0.5
	1999	147	4.2	92	5.8	55	2.8
	2000	153	4.3	108	6.6	45	2.3
	2001	130	3.6	81	4.9	49	2.5
	2002	144	3.9	93	5.3	51	2.6
	<b>2003</b>	<b>167</b>	<b>4.5</b>	<b>114</b>	<b>6.5</b>	<b>52</b>	<b>2.7</b>
<b>Liver</b>	<b>Annual Average</b>	<b>128</b>	<b>3.5</b>	<b>87</b>	<b>5.2</b>	<b>40</b>	<b>2.1</b>
	5-Year APC (Trend)		+3.2		+3.2		+2.3
	1999	127	3.6	79	4.9	48	2.5
	2000	121	3.4	93	5.6	28	1.4
	2001	107	2.9	71	4.3	36	1.8
	2002	130	3.5	85	4.8	45	2.3
	<b>2003</b>	<b>154</b>	<b>4.1</b>	<b>108</b>	<b>6.1</b>	<b>45</b>	<b>2.4</b>
<b>Pancreas</b>	<b>Annual Average</b>	<b>386</b>	<b>10.7</b>	<b>194</b>	<b>12.2</b>	<b>192</b>	<b>9.5</b>
	5-Year APC (Trend)		-0.7		+0.5		-1.4
	1999	404	11.6	195	12.7	209	10.5
	2000	347	9.8	178	11.6	169	8.5
	2001	386	10.7	199	12.7	187	9.2
	2002	389	10.6	174	10.8	215	10.4
	<b>2003</b>	<b>406</b>	<b>10.9</b>	<b>224</b>	<b>13.3</b>	<b>182</b>	<b>8.8</b>

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age group) standard.

APC=Average Annual Percent Change

Counts for All Sexes may exceed male/female combined due to additional sex coding.

\* Indicates a statistically significant trend.

^ Rate is not calculated due to instability of small numbers.

n/a = not applicable

<b>TABLE 1: CANCER INCIDENCE by Site, Sex, and Year (1999-2003)</b>		<i>All Sexes</i>		<i>Male</i>		<i>Female</i>	
		<b>Invasive Cancer Counts</b>	<b>Rate/ Current Trend</b>	<b>Invasive Cancer Counts</b>	<b>Rate/ Current Trend</b>	<b>Invasive Cancer Counts</b>	<b>Rate/ Current Trend</b>
<b>Primary Sites</b>	<b>Year</b>						
<b>Small intestine</b>	<b>Annual Average</b>	<b>56</b>	<b>1.6</b>	<b>31</b>	<b>1.9</b>	<b>25</b>	<b>1.3</b>
	5-Year APC (Trend)		+1.7		+1.4		+3.1
	1999	50	1.4	28	1.8	22	1.1
	2000	55	1.6	28	1.8	27	1.4
	2001	54	1.5	33	2.0	21	1.1
	2002	61	1.7	32	1.9	29	1.5
	<b>2003</b>	<b>58</b>	<b>1.5</b>	<b>32</b>	<b>1.9</b>	<b>26</b>	<b>1.3</b>
<b>Stomach</b>	<b>Annual Average</b>	<b>202</b>	<b>5.6</b>	<b>129</b>	<b>8.1</b>	<b>73</b>	<b>3.6</b>
	5-Year APC (Trend)		-2.9		-4.5		+0.2
	1999	195	5.6	133	8.9	62	3.1
	2000	233	6.5	143	9.1	90	4.4
	2001	178	5.0	115	7.3	63	3.2
	2002	211	5.7	129	8.0	82	4.1
	<b>2003</b>	<b>192</b>	<b>5.2</b>	<b>125</b>	<b>7.5</b>	<b>67</b>	<b>3.4</b>
<b>ENDOCRINE SYSTEM</b>	<b>Annual Average</b>	<b>265</b>	<b>7.5</b>	<b>74</b>	<b>4.3</b>	<b>191</b>	<b>10.7</b>
	5-Year APC (Trend)		*+5.0		+4.1		*+5.5
	1999	235	6.8	73	4.4	162	9.2
	2000	250	7.2	67	4.0	183	10.4
	2001	260	7.4	66	3.9	194	10.9
	2002	270	7.5	72	4.1	198	11.0
	<b>2003</b>	<b>310</b>	<b>8.5</b>	<b>91</b>	<b>5.2</b>	<b>219</b>	<b>11.8</b>
<b>Thyroid</b>	<b>Annual Average</b>	<b>247</b>	<b>7.0</b>	<b>64</b>	<b>3.7</b>	<b>183</b>	<b>10.2</b>
	5-Year APC (Trend)		*+5.4		+3.9		*+6.1
	1999	213	6.2	64	3.8	149	8.5
	2000	232	6.7	56	3.3	176	10.0
	2001	250	7.1	62	3.6	188	10.6
	2002	253	7.0	60	3.4	193	10.7
	<b>2003</b>	<b>287</b>	<b>7.8</b>	<b>79</b>	<b>4.5</b>	<b>208</b>	<b>11.2</b>
<b>EYE/ORBIT</b>	<b>Annual Average</b>	<b>36</b>	<b>1.0</b>	<b>18</b>	<b>1.1</b>	<b>18</b>	<b>0.9</b>
	5-Year APC (Trend)		-0.9		-11.5		+10.9
	1999	34	1.0	24	1.5	10	0.5
	2000	37	1.1	16	1.0	21	1.1
	2001	34	1.0	20	1.2	14	0.7
	2002	46	1.3	23	1.3	23	1.2
	<b>2003</b>	<b>29</b>	<b>0.8</b>	<b>9</b>	<b>^</b>	<b>20</b>	<b>1.0</b>
<b>GENITAL SYSTEM FEMALE</b>	<b>Annual Average</b>	<b>971</b>	<b>50.8</b>	<b>n/a</b>	<b>n/a</b>	<b>971</b>	<b>50.8</b>
	5-Year APC (Trend)		-3.7		n/a		-3.7
	1999	985	53.2	n/a	n/a	985	53.2
	2000	1,036	55.2	n/a	n/a	1,036	55.2
	2001	953	50.2	n/a	n/a	953	50.2
	2002	927	47.4	n/a	n/a	927	47.4
	<b>2003</b>	<b>952</b>	<b>47.7</b>	<b>n/a</b>	<b>n/a</b>	<b>952</b>	<b>47.7</b>

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age group) standard.

APC=Average Annual Percent Change

Counts for All Sexes may exceed male/female combined due to additional sex coding.

\* Indicates a statistically significant trend.

^ Rate is not calculated due to instability of small numbers.

n/a = not applicable

<b>TABLE 1: CANCER INCIDENCE by Site, Sex, and Year (1999-2003)</b>		<b>All Sexes</b>		<b>Male</b>		<b>Female</b>	
<b>Primary Sites</b>	<b>Year</b>	<b>Invasive Cancer Counts</b>	<b>Rate/ Current Trend</b>	<b>Invasive Cancer Counts</b>	<b>Rate/ Current Trend</b>	<b>Invasive Cancer Counts</b>	<b>Rate/ Current Trend</b>
<b>Cervix Uteri</b>	<b>Annual Average</b>	<b>138</b>	<b>7.7</b>	<b>n/a</b>	<b>n/a</b>	<b>138</b>	<b>7.7</b>
	5-Year APC (Trend)		*-7.2		n/a		*-7.2
	1999	149	8.5	n/a	n/a	149	8.5
	2000	150	8.4	n/a	n/a	150	8.4
	2001	144	8.0	n/a	n/a	144	8.0
	2002	129	7.1	n/a	n/a	129	7.1
	<b>2003</b>	<b>116</b>	<b>6.3</b>	<b>n/a</b>	<b>n/a</b>	<b>116</b>	<b>6.3</b>
<b>Ovary</b>	<b>Annual Average</b>	<b>294</b>	<b>15.2</b>	<b>n/a</b>	<b>n/a</b>	<b>294</b>	<b>15.2</b>
<i>Interpret trend with caution for this site due to changes in ICD-O-3 coding affecting data from 2001 forward.</i>	-Year APC (Trend)		-5.4		n/a		-5.4
	1999	305	16.5	n/a	n/a	305	16.5
	2000	321	17.0	n/a	n/a	321	17.0
	2001	295	15.2	n/a	n/a	295	15.2
	2002	262	13.1	n/a	n/a	262	13.1
	<b>2003</b>	<b>288</b>	<b>14.2</b>	<b>n/a</b>	<b>n/a</b>	<b>288</b>	<b>14.2</b>
<b>Uterus</b>	<b>Annual Average</b>	<b>462</b>	<b>24.0</b>	<b>n/a</b>	<b>n/a</b>	<b>462</b>	<b>24.0</b>
	5-Year APC (Trend)		-1.6		n/a		-1.6
	1999	459	24.5	n/a	n/a	459	24.5
	2000	473	25.1	n/a	n/a	473	25.1
	2001	448	23.6	n/a	n/a	448	23.6
	2002	457	23.2	n/a	n/a	457	23.2
	<b>2003</b>	<b>474</b>	<b>23.5</b>	<b>n/a</b>	<b>n/a</b>	<b>474</b>	<b>23.5</b>
<b>GENITAL SYSTEM MALE</b>	<b>Annual Average</b>	<b>2,772</b>	<b>172.0</b>	<b>2,772</b>	<b>172.0</b>	<b>n/a</b>	<b>n/a</b>
	5-Year APC (Trend)		*-5.7		*-5.7		n/a
	1999	2,968	193.0	2,968	193.0	n/a	n/a
	2000	2,781	176.9	2,781	176.9	n/a	n/a
	2001	2,878	179.3	2,878	179.3	n/a	n/a
	2002	2,710	164.2	2,710	164.2	n/a	n/a
	<b>2003</b>	<b>2,524</b>	<b>149.1</b>	<b>2,524</b>	<b>149.1</b>	<b>n/a</b>	<b>n/a</b>
<b>Prostate</b>	<b>Annual Average</b>	<b>2,633</b>	<b>164.0</b>	<b>2,633</b>	<b>164.0</b>	<b>n/a</b>	<b>n/a</b>
	5-Year APC (Trend)		*-6.0		*-6.0		n/a
	1999	2,840	185.5	2,840	185.5	n/a	n/a
	2000	2,642	168.7	2,642	168.7	n/a	n/a
	2001	2,725	170.5	2,725	170.5	n/a	n/a
	2002	2,572	156.4	2,572	156.4	n/a	n/a
	<b>2003</b>	<b>2,384</b>	<b>141.2</b>	<b>2,384</b>	<b>141.2</b>	<b>n/a</b>	<b>n/a</b>
<b>Testis</b>	<b>Annual Average</b>	<b>124</b>	<b>7.0</b>	<b>124</b>	<b>7.0</b>	<b>n/a</b>	<b>n/a</b>
	5-Year APC (Trend)		-0.7		-0.7		n/a
	1999	119	6.9	119	6.9	n/a	n/a
	2000	120	6.9	120	6.9	n/a	n/a
	2001	135	7.6	135	7.6	n/a	n/a
	2002	127	7.2	127	7.2	n/a	n/a
	<b>2003</b>	<b>117</b>	<b>6.5</b>	<b>117</b>	<b>6.5</b>	<b>n/a</b>	<b>n/a</b>

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age group) standard.

APC=Average Annual Percent Change

Counts for All Sexes may exceed male/female combined due to additional sex coding.

\* Indicates a statistically significant trend.

^ Rate is not calculated due to instability of small numbers.

n/a = not applicable

<b>TABLE 1: CANCER INCIDENCE by Site, Sex, and Year (1999-2003)</b>		<b>All Sexes</b>		<b>Male</b>		<b>Female</b>	
		<b>Invasive Cancer Counts</b>	<b>Rate/ Current Trend</b>	<b>Invasive Cancer Counts</b>	<b>Rate/ Current Trend</b>	<b>Invasive Cancer Counts</b>	<b>Rate/ Current Trend</b>
<b>Primary Sites</b>	<b>Year</b>						
<b>KAPOSI SARCOMA</b>	<b>Annual Average</b>	<b>9</b>	<b>0.3</b>	<b>8</b>	<b>0.5</b>	<b>1</b>	<b>^</b>
	5-Year APC (Trend)		^		^		^
	1999	8	^	8	^	0	^
	2000	13	0.4	12	0.7	1	^
	2001	7	^	7	^	0	^
	2002	6	^	6	^	0	^
	<b>2003</b>	<b>12</b>	<b>0.3</b>	<b>9</b>	<b>^</b>	<b>3</b>	<b>^</b>
<b>LEUKEMIAS</b>	<b>Annual Average</b>	<b>403</b>	<b>11.3</b>	<b>227</b>	<b>14.1</b>	<b>176</b>	<b>9.1</b>
<i>Interpret trend with caution for this site due to changes in ICD-O-3 coding affecting data from 2001 forward.</i>	-Year APC (Trend)		-6.7		-6.4		-7.2
	1999	437	12.7	250	16.1	187	9.8
	2000	405	11.6	211	13.6	193	10.0
	2001	456	12.9	258	16.4	198	10.4
	2002	375	10.4	217	13.3	158	8.1
	<b>2003</b>	<b>341</b>	<b>9.3</b>	<b>198</b>	<b>11.6</b>	<b>143</b>	<b>7.3</b>
<b>LYMPHOMAS</b>	<b>Annual Average</b>	<b>814</b>	<b>22.7</b>	<b>431</b>	<b>26.4</b>	<b>383</b>	<b>19.7</b>
<i>Interpret trend with caution for this site due to changes in ICD-O-3 coding affecting data from 2001 forward.</i>	-Year APC (Trend)		+0.3		-0.8		+1.2
	1999	787	22.7	419	26.7	368	19.6
	2000	803	22.9	435	27.4	368	19.2
	2001	782	21.9	414	25.2	368	19.1
	2002	845	23.2	443	26.6	402	20.3
	<b>2003</b>	<b>851</b>	<b>22.9</b>	<b>444</b>	<b>26.1</b>	<b>407</b>	<b>20.3</b>
<b>Hodgkin Lymphomas</b>	<b>Annual Average</b>	<b>93</b>	<b>2.7</b>	<b>51</b>	<b>3.0</b>	<b>42</b>	<b>2.4</b>
<i>Interpret trend with caution for this site due to changes in ICD-O-3 coding affecting data from 2001 forward.</i>	-Year APC (Trend)		+1.7		+0.6		+2.7
	1999	96	2.8	51	3.0	45	2.6
	2000	89	2.6	54	3.2	35	1.9
	2001	74	2.1	40	2.3	34	2.0
	2002	108	3.1	56	3.2	52	2.9
	<b>2003</b>	<b>99</b>	<b>2.8</b>	<b>54</b>	<b>3.1</b>	<b>45</b>	<b>2.5</b>
<b>Non-Hodgkin Lymphomas</b>	<b>Annual Average</b>	<b>720</b>	<b>20.0</b>	<b>380</b>	<b>23.4</b>	<b>340</b>	<b>17.3</b>
<i>Interpret trend with caution for this site due to changes in ICD-O-3 coding affecting data from 2001 forward.</i>	-Year APC (Trend)		+0.1		-1.0		+1.0
	1999	691	19.9	368	23.7	323	17.0
	2000	714	20.4	381	24.2	333	17.3
	2001	708	19.7	374	22.9	334	17.1
	2002	737	20.1	387	23.4	350	17.4
	<b>2003</b>	<b>752</b>	<b>20.2</b>	<b>390</b>	<b>23.0</b>	<b>362</b>	<b>17.9</b>
<b>MESOTHELIOMA</b>	<b>Annual Average</b>	<b>49</b>	<b>1.4</b>	<b>41</b>	<b>2.6</b>	<b>8</b>	<b>0.4</b>
	5-Year APC (Trend)		-1.1		-1.1		^
	1999	54	1.6	46	3.0	8	^
	2000	47	1.3	38	2.5	9	^
	2001	37	1.1	29	1.9	8	^
	2002	56	1.5	51	3.2	5	^
	<b>2003</b>	<b>52</b>	<b>1.4</b>	<b>40</b>	<b>2.5</b>	<b>12</b>	<b>0.5</b>

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age group) standard.

APC=Average Annual Percent Change

Counts for All Sexes may exceed male/female combined due to additional sex coding.

\* Indicates a statistically significant trend.

^ Rate is not calculated due to instability of small numbers.

n/a = not applicable

<b>TABLE 1: CANCER INCIDENCE by Site, Sex, and Year (1999-2003)</b>		<b>All Sexes</b>		<b>Male</b>		<b>Female</b>	
<b>Primary Sites</b>	<b>Year</b>	<b>Invasive Cancer Counts</b>	<b>Rate/ Current Trend</b>	<b>Invasive Cancer Counts</b>	<b>Rate/ Current Trend</b>	<b>Invasive Cancer Counts</b>	<b>Rate/ Current Trend</b>
<b>MYELOMA</b>	<b>Annual Average</b>	<b>177</b>	<b>4.9</b>	<b>102</b>	<b>6.4</b>	<b>75</b>	<b>3.8</b>
	5-Year APC (Trend)		-4.4		-3.7		-6.5
	1999	178	5.1	98	6.5	80	4.2
	2000	171	4.9	98	6.4	73	3.8
	2001	204	5.6	120	7.4	84	4.2
	2002	192	5.3	109	6.7	83	4.1
	<b>2003</b>	<b>140</b>	<b>3.8</b>	<b>85</b>	<b>5.1</b>	<b>55</b>	<b>2.7</b>
<b>ORAL CAVITY/PHARYNX</b>	<b>Annual Average</b>	<b>399</b>	<b>11.1</b>	<b>269</b>	<b>16.1</b>	<b>130</b>	<b>6.6</b>
	5-Year APC (Trend)		-1.1		-1.8		-0.2
	1999	393	11.3	268	16.8	125	6.5
	2000	388	11.0	264	16.4	124	6.4
	2001	410	11.4	271	16.3	139	7.1
	2002	391	10.6	255	14.9	136	6.9
	<b>2003</b>	<b>414</b>	<b>10.9</b>	<b>288</b>	<b>16.1</b>	<b>125</b>	<b>6.2</b>
<b>RESPIRATORY SYSTEM</b>	<b>Annual Average</b>	<b>2,635</b>	<b>74.0</b>	<b>1,411</b>	<b>89.0</b>	<b>1,224</b>	<b>62.8</b>
	5-Year APC (Trend)		*-2.3		*-3.1		-1.6
	1999	2,689	78.0	1,459	95.9	1,230	65.2
	2000	2,601	74.3	1,409	91.1	1,192	62.1
	2001	2,674	75.4	1,392	87.7	1,282	66.1
	2002	2,611	72.2	1,417	87.7	1,194	60.5
	<b>2003</b>	<b>2,598</b>	<b>70.5</b>	<b>1,377</b>	<b>83.3</b>	<b>1,221</b>	<b>60.8</b>
<b>Larynx</b>	<b>Annual Average</b>	<b>113</b>	<b>3.1</b>	<b>90</b>	<b>5.5</b>	<b>23</b>	<b>1.2</b>
	5-Year APC (Trend)		-3.9		-3.1		-6.6
	1999	123	3.6	95	6.1	28	1.5
	2000	113	3.2	89	5.5	24	1.3
	2001	107	3.0	86	5.2	21	1.1
	2002	101	2.8	85	5.1	16	0.8
	<b>2003</b>	<b>120</b>	<b>3.2</b>	<b>94</b>	<b>5.3</b>	<b>26</b>	<b>1.3</b>
<b>Lung/Bronchus</b>	<b>Annual Average</b>	<b>2,492</b>	<b>70.0</b>	<b>1,304</b>	<b>82.5</b>	<b>1,189</b>	<b>61.0</b>
	5-Year APC (Trend)		*-2.2		*-3.2		-1.5
	1999	2,538	73.6	1,346	88.7	1,192	63.1
	2000	2,461	70.3	1,304	84.6	1,157	60.2
	2001	2,537	71.6	1,291	81.6	1,246	64.2
	2002	2,478	68.6	1,312	81.5	1,166	59.1
	<b>2003</b>	<b>2,448</b>	<b>66.5</b>	<b>1,265</b>	<b>76.9</b>	<b>1,183</b>	<b>58.9</b>
<b>SKIN</b>	<b>Annual Average</b>	<b>858</b>	<b>24.0</b>	<b>468</b>	<b>28.3</b>	<b>389</b>	<b>21.1</b>
<i>Excludes Basal and Squamous Carcinoma.</i>	-Year APC (Trend)		-0.3		-0.9		+0.6
	1999	796	23.0	450	28.1	346	19.2
	2000	856	24.5	450	28.0	406	22.5
	2001	901	25.3	500	30.2	401	21.9
	2002	890	24.4	481	28.5	409	21.9
	<b>2003</b>	<b>846</b>	<b>22.8</b>	<b>461</b>	<b>26.7</b>	<b>385</b>	<b>20.2</b>

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age group) standard.

APC=Average Annual Percent Change

Counts for All Sexes may exceed male/female combined due to additional sex coding.

\* Indicates a statistically significant trend.

^ Rate is not calculated due to instability of small numbers.

n/a = not applicable

<b>TABLE 1: CANCER INCIDENCE by Site, Sex, and Year (1999-2003)</b>		<b>All Sexes</b>		<b>Male</b>		<b>Female</b>	
		<b>Invasive Cancer Counts</b>	<b>Rate/ Current Trend</b>	<b>Invasive Cancer Counts</b>	<b>Rate/ Current Trend</b>	<b>Invasive Cancer Counts</b>	<b>Rate/ Current Trend</b>
<b>Primary Sites</b>	<b>Year</b>						
<b>Melanomas of Skin</b>	<b>Annual Average</b>	<b>809</b>	<b>22.6</b>	<b>441</b>	<b>26.5</b>	<b>368</b>	<b>20.1</b>
	5-Year APC (Trend)		-0.5		-1.1		+0.4
	1999	753	21.8	425	26.4	328	18.3
	2000	807	23.1	424	26.3	383	21.3
	2001	856	24.1	471	28.5	385	21.1
	2002	842	23.1	459	27.1	383	20.6
	<b>2003</b>	<b>789</b>	<b>21.2</b>	<b>426</b>	<b>24.6</b>	<b>363</b>	<b>19.1</b>
<b>SOFT TISSUE</b>	<b>Annual Average</b>	<b>108</b>	<b>3.0</b>	<b>59</b>	<b>3.6</b>	<b>49</b>	<b>2.6</b>
<i>Includes Heart</i>	-Year APC (Trend)		-0.7		+2.5		-3.5
	1999	105	3.0	57	3.6	48	2.6
	2000	114	3.3	62	3.9	52	2.8
	2001	101	2.8	43	2.6	58	3.2
	2002	104	2.8	62	3.6	42	2.3
	<b>2003</b>	<b>118</b>	<b>3.2</b>	<b>72</b>	<b>4.2</b>	<b>46</b>	<b>2.4</b>
<b>URINARY SYSTEM</b>	<b>Annual Average</b>	<b>1,294</b>	<b>36.0</b>	<b>916</b>	<b>57.8</b>	<b>377</b>	<b>19.0</b>
	5-Year APC (Trend)		-0.9		-1.8		+1.4
	1999	1,303	37.7	942	61.9	360	18.8
	2000	1,210	34.3	853	54.6	357	18.2
	2001	1,311	36.5	935	59.3	375	19.0
	2002	1,329	36.4	937	58.1	392	19.5
	<b>2003</b>	<b>1,315</b>	<b>35.1</b>	<b>913</b>	<b>54.9</b>	<b>402</b>	<b>19.5</b>
<b>Kidney/Renal Pelvis</b>	<b>Annual Average</b>	<b>416</b>	<b>11.6</b>	<b>255</b>	<b>15.5</b>	<b>160</b>	<b>8.3</b>
	5-Year APC (Trend)		+2.7		+2.5		+3.0
	1999	396	11.5	247	15.6	149	8.0
	2000	374	10.6	220	13.6	154	8.1
	2001	404	11.2	256	15.4	148	7.7
	2002	440	12.0	273	16.3	167	8.5
	<b>2003</b>	<b>465</b>	<b>12.3</b>	<b>281</b>	<b>16.3</b>	<b>184</b>	<b>9.0</b>
<b>Urinary Bladder</b>	<b>Annual Average</b>	<b>847</b>	<b>23.6</b>	<b>642</b>	<b>41.1</b>	<b>205</b>	<b>10.2</b>
	5-Year APC (Trend)		-2.4		-3.4		+0.9
	1999	874	25.2	676	44.9	197	10.1
	2000	803	22.8	614	39.7	189	9.5
	2001	880	24.5	661	42.7	218	10.9
	2002	860	23.6	649	40.9	211	10.3
	<b>2003</b>	<b>820</b>	<b>22.0</b>	<b>610</b>	<b>37.3</b>	<b>210</b>	<b>10.1</b>
<b>MISCELLANEOUS SITES</b>	<b>Annual Average</b>	<b>508</b>	<b>14.0</b>	<b>254</b>	<b>16.2</b>	<b>254</b>	<b>12.4</b>
<i>A trend cannot be calculated for this category, due to changes in coding affecting cases diagnosed from 2001 forward.</i>	-Year APC (Trend)		n/a		n/a		n/a
	1999	425	12.2	204	13.8	221	11.0
	2000	451	12.6	220	14.5	231	11.2
	2001	573	15.8	290	18.7	282	13.7
	2002	576	15.7	291	18.1	284	13.8
	<b>2003</b>	<b>517</b>	<b>13.9</b>	<b>263</b>	<b>16.1</b>	<b>254</b>	<b>12.2</b>

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age group) standard.

APC=Average Annual Percent Change

Counts for All Sexes may exceed male/female combined due to additional sex coding.

\* Indicates a statistically significant trend.

^ Rate is not calculated due to instability of small numbers.

n/a = not applicable

<b>TABLE 2: CANCER MORTALITY by Site, Sex, and Year (1999-2003)</b>		<b>TOTAL</b>		<b>MALE</b>		<b>FEMALE</b>	
<b>Primary Sites</b>	<b>Year</b>	<b>Cancer Deaths</b>	<b>Rate/ Current Trend</b>	<b>Cancer Deaths</b>	<b>Rate/ Current Trend</b>	<b>Cancer Deaths</b>	<b>Rate/ Current Trend</b>
<b>ALL DEATH CAUSES</b>	<b>Annual Average</b>	<b>30,182</b>	<b>822.0</b>	<b>14,812</b>	<b>970.0</b>	<b>15,371</b>	<b>704.5</b>
	5-Year APC Trend		-0.7		-1.1		-0.5
	1999	29,356	834.5	14,430	992.5	14,926	709.6
	2000	29,541	824.0	14,491	976.9	15,050	704.0
	2001	30,125	821.7	14,688	964.5	15,437	710.0
	2002	31,081	828.3	15,286	977.4	15,795	710.9
	<b>2003</b>	<b>30,809</b>	<b>802.8</b>	<b>15,163</b>	<b>940.7</b>	<b>15,646</b>	<b>689.0</b>
<b>ALL MALIGNANT CANCERS</b>	<b>Annual Average</b>	<b>7,086</b>	<b>196.1</b>	<b>3,636</b>	<b>234.5</b>	<b>3,450</b>	<b>170.4</b>
	5-Year APC Trend		-0.7		*-1.4		-0.2
	1999	6,904	198.2	3,572	241.4	3,332	170.0
	2000	6,989	197.5	3,584	237.2	3,405	171.2
	2001	7,199	199.7	3,712	240.4	3,487	172.7
	2002	7,334	199.2	3,732	235.1	3,602	174.8
	<b>2003</b>	<b>7,324</b>	<b>194.7</b>	<b>3,748</b>	<b>230.4</b>	<b>3,576</b>	<b>169.8</b>
<b>BONES/JOINTS</b>	<b>Annual Average</b>	<b>13</b>	<b>0.4</b>	<b>9</b>	<b>0.5</b>	<b>5</b>	<b>0.3</b>
	5-Year APC Trend		-5.6		^		^
	1999	14	0.4	9	^	5	^
	2000	18	0.5	12	0.7	6	^
	2001	9	^	7	^	2	^
	2002	12	0.3	8	^	4	^
	<b>2003</b>	<b>14</b>	<b>0.4</b>	<b>7</b>	<b>^</b>	<b>7</b>	<b>^</b>
<b>BRAIN/CNS</b>	<b>Annual Average</b>	<b>191</b>	<b>5.3</b>	<b>109</b>	<b>6.5</b>	<b>82</b>	<b>4.3</b>
	5-Year APC Trend		+3.7		+2.6		+4.4
	1999	155	4.5	96	6.0	59	3.2
	2000	195	5.5	106	6.5	89	4.7
	2001	194	5.4	109	6.6	85	4.4
	2002	218	5.9	122	7.0	96	4.9
	<b>2003</b>	<b>195</b>	<b>5.3</b>	<b>114</b>	<b>6.6</b>	<b>81</b>	<b>4.1</b>
<b>BREAST</b>	<b>Annual Average</b>	<b>516</b>	<b>14.2</b>	<b>3</b>	<b>0.2</b>	<b>513</b>	<b>25.8</b>
	5-Year APC Trend		-0.4		^		-0.4
	1999	513	14.7	3	^	510	26.6
	2000	484	13.7	2	^	482	24.7
	2001	530	14.7	7	^	523	26.5
	2002	503	13.6	2	^	501	24.7
	<b>2003</b>	<b>550</b>	<b>14.5</b>	<b>2</b>	<b>^</b>	<b>548</b>	<b>26.1</b>
<b>DIGESTIVE SYSTEM</b>	<b>Annual Average</b>	<b>1,595</b>	<b>44.0</b>	<b>873</b>	<b>55.6</b>	<b>723</b>	<b>34.6</b>
	5-Year APC Trend		-0.2		-0.7		+0.4
	1999	1,551	44.4	833	55.6	718	35.5
	2000	1,533	43.1	842	55.0	691	33.5
	2001	1,628	45.0	904	58.2	724	34.6
	2002	1,609	43.3	899	55.8	710	33.4
	<b>2003</b>	<b>1,656</b>	<b>44.0</b>	<b>885</b>	<b>53.4</b>	<b>771</b>	<b>36.2</b>

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age group) standard.

Counts may not match Center for Health Statistics publications because invalid ages and site codes are excluded from the data.

APC = Average Annual Percent Change

\* Indicates a statistically significant trend.

^ Rate is not calculated due to instability of small numbers.

n/a = Not Applicable

<b>TABLE 2: CANCER MORTALITY by Site, Sex, and Year (1999-2003)</b>		<b>TOTAL</b>		<b>MALE</b>		<b>FEMALE</b>	
<b>Primary Sites</b>	<b>Year</b>	<b>Cancer Deaths</b>	<b>Rate/ Current Trend</b>	<b>Cancer Deaths</b>	<b>Rate/ Current Trend</b>	<b>Cancer Deaths</b>	<b>Rate/ Current Trend</b>
<b>Colon/Rectum</b>	<b>Annual Average</b>	<b>674</b>	<b>18.5</b>	<b>342</b>	<b>22.1</b>	<b>332</b>	<b>15.6</b>
	5-Year APC Trend		-1.6		-3.2		+0.1
	1999	687	19.6	349	23.8	338	16.5
	2000	629	17.6	314	20.7	315	15.1
	2001	702	19.3	375	24.4	327	15.3
	2002	665	17.8	354	22.4	311	14.4
	<b>2003</b>	<b>685</b>	<b>18.0</b>	<b>316</b>	<b>19.4</b>	<b>369</b>	<b>16.9</b>
<b>Esophagus</b>	<b>Annual Average</b>	<b>180</b>	<b>5.0</b>	<b>140</b>	<b>8.8</b>	<b>40</b>	<b>1.9</b>
	5-Year APC Trend		+0.1		+0.0		-1.6
	1999	166	4.8	127	8.3	39	2.0
	2000	168	4.8	134	8.7	34	1.7
	2001	203	5.6	161	10.1	42	2.0
	2002	186	5.0	137	8.3	49	2.3
	<b>2003</b>	<b>177</b>	<b>4.7</b>	<b>143</b>	<b>8.6</b>	<b>34</b>	<b>1.5</b>
<b>Gallbladder</b>	<b>Annual Average</b>	<b>21</b>	<b>0.6</b>	<b>5</b>	<b>0.3</b>	<b>16</b>	<b>0.8</b>
	5-Year APC Trend		+3.0		^		+5.6
	1999	17	0.5	4	^	13	0.6
	2000	18	0.5	3	^	15	0.7
	2001	28	0.8	10	^	18	0.9
	2002	17	0.5	4	^	13	0.6
	<b>2003</b>	<b>23</b>	<b>0.6</b>	<b>4</b>	<b>^</b>	<b>19</b>	<b>0.9</b>
<b>Liver/Intrahepatic Bile Duct</b>	<b>Annual Average</b>	<b>141</b>	<b>3.9</b>	<b>87</b>	<b>5.3</b>	<b>54</b>	<b>2.7</b>
	5-Year APC Trend		+7.0		+7.7		+6.8
	1999	105	3.0	64	4.0	41	2.1
	2000	152	4.3	93	5.8	59	2.9
	2001	128	3.5	77	4.7	51	2.5
	2002	147	3.9	91	5.3	56	2.7
	<b>2003</b>	<b>172</b>	<b>4.6</b>	<b>111</b>	<b>6.3</b>	<b>61</b>	<b>3.1</b>
<b>Liver</b>	<b>Annual Average</b>	<b>104</b>	<b>2.9</b>	<b>68</b>	<b>4.1</b>	<b>36</b>	<b>1.8</b>
	5-Year APC Trend		+5.4		+3.2		+10.9
	1999	81	2.3	54	3.4	27	1.4
	2000	118	3.3	78	4.8	40	2.0
	2001	88	2.4	60	3.7	28	1.4
	2002	107	2.9	67	3.8	40	1.9
	<b>2003</b>	<b>127</b>	<b>3.4</b>	<b>81</b>	<b>4.6</b>	<b>46</b>	<b>2.4</b>
<b>Pancreas</b>	<b>Annual Average</b>	<b>382</b>	<b>10.6</b>	<b>191</b>	<b>12.2</b>	<b>192</b>	<b>9.3</b>
	5-Year APC Trend		-0.5		+3.0		-3.6
	1999	378	10.9	165	10.8	213	10.6
	2000	357	10.1	186	12.2	171	8.4
	2001	397	11.0	195	12.6	202	9.9
	2002	402	10.9	203	12.6	199	9.5
	<b>2003</b>	<b>377</b>	<b>10.1</b>	<b>204</b>	<b>12.4</b>	<b>173</b>	<b>8.3</b>

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age group) standard.

Counts may not match Center for Health Statistics publications because invalid ages and site codes are excluded from the data.

APC = Average Annual Percent Change

\* Indicates a statistically significant trend.

^ Rate is not calculated due to instability of small numbers.

n/a = Not Applicable

<b>TABLE 2: CANCER MORTALITY by Site, Sex, and Year (1999-2003)</b>		<b>TOTAL</b>		<b>MALE</b>		<b>FEMALE</b>	
<b>Primary Sites</b>	<b>Year</b>	<b>Cancer Deaths</b>	<b>Rate/ Current Trend</b>	<b>Cancer Deaths</b>	<b>Rate/ Current Trend</b>	<b>Cancer Deaths</b>	<b>Rate/ Current Trend</b>
<b>Small Intestine</b>	<b>Annual Average</b>	<b>11</b>	<b>0.3</b>	<b>4</b>	<b>0.3</b>	<b>7</b>	<b>0.3</b>
	5-Year APC Trend		+23.0		^		^
	1999	8	^	5	^	3	^
	2000	9	^	2	^	7	^
	2001	7	^	3	^	4	^
	2002	13	0.4	5	^	8	^
	<b>2003</b>	<b>18</b>	<b>0.5</b>	<b>7</b>	<b>^</b>	<b>11</b>	<b>0.5</b>
<b>Stomach</b>	<b>Annual Average</b>	<b>123</b>	<b>3.4</b>	<b>75</b>	<b>4.8</b>	<b>48</b>	<b>2.3</b>
	5-Year APC Trend		-4.0		-9.0		+2.9
	1999	137	3.9	93	6.3	44	2.2
	2000	130	3.6	77	5.1	53	2.5
	2001	100	2.8	59	3.9	41	2.0
	2002	128	3.5	79	4.9	49	2.4
	2003	122	3.3	68	4.1	54	2.6
<b>ENDOCRINE SYSTEM</b>	<b>Annual Average</b>	<b>32</b>	<b>0.9</b>	<b>14</b>	<b>0.9</b>	<b>18</b>	<b>0.9</b>
	5-Year APC Trend		-8.5		-1.3		-13.3
	1999	35	1.0	13	0.8	22	1.1
	2000	34	1.0	15	1.0	19	1.0
	2001	30	0.8	13	0.8	17	0.8
	2002	36	1.0	18	1.1	18	0.9
	<b>2003</b>	<b>23</b>	<b>0.6</b>	<b>11</b>	<b>0.7</b>	<b>12</b>	<b>0.5</b>
<b>Thyroid</b>	<b>Annual Average</b>	<b>18</b>	<b>0.5</b>	<b>7</b>	<b>0.4</b>	<b>11</b>	<b>0.5</b>
	5-Year APC Trend		-2.4		^		-1.8
	1999	20	0.6	8	^	12	0.6
	2000	15	0.4	6	^	9	^
	2001	17	0.5	3	^	14	0.7
	2002	21	0.6	8	^	13	0.7
	<b>2003</b>	<b>17</b>	<b>0.4</b>	<b>8</b>	<b>^</b>	<b>9</b>	<b>^</b>
<b>EYE/ORBIT</b>	<b>Annual Average</b>	<b>3</b>	<b>0.1</b>	<b>2</b>	<b>^</b>	<b>2</b>	<b>^</b>
	5-Year APC Trend		^		^		^
	1999	3	^	0	^	3	^
	2000	3	^	1	^	2	^
	2001	0	^	0	^	0	^
	2002	9	^	6	^	3	^
	<b>2003</b>	<b>2</b>	<b>^</b>	<b>2</b>	<b>^</b>	<b>0</b>	<b>^</b>
<b>GENITAL SYSTEM FEMALE</b>	<b>Annual Average</b>	<b>339</b>	<b>17.0</b>	<b>n/a</b>	<b>n/a</b>	<b>339</b>	<b>17.0</b>
	5-Year APC Trend		-0.7	n/a	n/a		-0.7
	1999	313	16.2	n/a	n/a	313	16.2
	2000	340	17.4	n/a	n/a	340	17.4
	2001	358	18.0	n/a	n/a	358	18.0
	2002	358	17.7	n/a	n/a	358	17.7
	<b>2003</b>	<b>328</b>	<b>15.5</b>	<b>n/a</b>	<b>n/a</b>	<b>328</b>	<b>15.5</b>

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age group) standard.

Counts may not match Center for Health Statistics publications because invalid ages and site codes are excluded from the data.

APC = Average Annual Percent Change

\* Indicates a statistically significant trend.

^ Rate is not calculated due to instability of small numbers.

n/a = Not Applicable

<b>TABLE 2: CANCER MORTALITY by Site, Sex, and Year (1999-2003)</b>		<b>TOTAL</b>		<b>MALE</b>		<b>FEMALE</b>	
<b>Primary Sites</b>	<b>Year</b>	<b>Cancer Deaths</b>	<b>Rate/ Current Trend</b>	<b>Cancer Deaths</b>	<b>Rate/ Current Trend</b>	<b>Cancer Deaths</b>	<b>Rate/ Current Trend</b>
<b>Cervix Uteri</b>	<b>Annual Average</b>	<b>42</b>	<b>2.3</b>	<b>n/a</b>	<b>0.0</b>	<b>42</b>	<b>2.3</b>
	5-Year APC Trend		+2.8				+2.8
	1999	36	2.0	n/a	n/a	36	2.0
	2000	36	2.0	n/a	n/a	36	2.0
	2001	51	2.7	n/a	n/a	51	2.7
	2002	45	2.4	n/a	n/a	45	2.4
	<b>2003</b>	<b>43</b>	<b>2.1</b>	<b>n/a</b>	<b>n/a</b>	<b>43</b>	<b>2.1</b>
<b>Corpus/Uterus</b>	<b>Annual Average</b>	<b>79</b>	<b>3.9</b>	<b>n/a</b>	<b>n/a</b>	<b>79</b>	<b>3.9</b>
	5-Year APC Trend		-0.5		n/a		-0.5
	1999	70	3.5	n/a	n/a	70	3.5
	2000	86	4.3	n/a	n/a	86	4.3
	2001	83	4.1	n/a	n/a	83	4.1
	2002	79	3.8	n/a	n/a	79	3.8
	<b>2003</b>	<b>77</b>	<b>3.6</b>	<b>n/a</b>	<b>n/a</b>	<b>77</b>	<b>3.6</b>
<b>Ovary</b>	<b>Annual Average</b>	<b>198</b>	<b>9.9</b>	<b>n/a</b>	<b>n/a</b>	<b>198</b>	<b>9.9</b>
	5-Year APC Trend		-2.4		n/a		-2.4
	1999	192	10.0	n/a	n/a	192	10.0
	2000	202	10.3	n/a	n/a	202	10.3
	2001	199	10.0	n/a	n/a	199	10.0
	2002	212	10.4	n/a	n/a	212	10.4
	<b>2003</b>	<b>186</b>	<b>8.8</b>	<b>n/a</b>	<b>n/a</b>	<b>186</b>	<b>8.8</b>
<b>GENITAL SYSTEM MALE</b>	<b>Annual Average</b>	<b>438</b>	<b>30.2</b>	<b>438</b>	<b>30.2</b>	<b>n/a</b>	<b>n/a</b>
	5-Year APC Trend		-3.7		-3.7		n/a
	1999	451	33.1	451	33.1	n/a	n/a
	2000	428	30.4	428	30.4	n/a	n/a
	2001	442	30.4	442	30.4	n/a	n/a
	2002	448	30.1	448	30.1	n/a	n/a
	<b>2003</b>	<b>422</b>	<b>27.5</b>	<b>422</b>	<b>27.5</b>	<b>n/a</b>	<b>n/a</b>
<b>Prostate</b>	<b>Annual Average</b>	<b>430</b>	<b>29.8</b>	<b>430</b>	<b>29.8</b>	<b>n/a</b>	<b>n/a</b>
	5-Year APC Trend		-3.9		-3.9		n/a
	1999	445	32.7	445	32.7	n/a	n/a
	2000	420	29.9	420	29.9	n/a	n/a
	2001	434	30.0	434	30.0	n/a	n/a
	2002	435	29.4	435	29.4	n/a	n/a
	<b>2003</b>	<b>415</b>	<b>27.1</b>	<b>415</b>	<b>27.1</b>	<b>n/a</b>	<b>n/a</b>
<b>Testis</b>	<b>Annual Average</b>	<b>7</b>	<b>0.2</b>	<b>7</b>	<b>0.4</b>	<b>n/a</b>	<b>n/a</b>
	5-Year APC Trend		^		^		n/a
	1999	4	^	4	^	n/a	n/a
	2000	7	^	7	^	n/a	n/a
	2001	6	^	6	^	n/a	n/a
	2002	12	0.7	12	0.7	n/a	n/a
	<b>2003</b>	<b>6</b>	<b>^</b>	<b>6</b>	<b>^</b>	<b>n/a</b>	<b>n/a</b>

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age group) standard.

Counts may not match Center for Health Statistics publications because invalid ages and site codes are excluded from the data.

APC = Average Annual Percent Change

\* Indicates a statistically significant trend.

^ Rate is not calculated due to instability of small numbers.

n/a = Not Applicable

<b>TABLE 2: CANCER MORTALITY by Site, Sex, and Year (1999-2003)</b>		<b>TOTAL</b>		<b>MALE</b>		<b>FEMALE</b>	
<b>Primary Sites</b>	<b>Year</b>	<b>Cancer Deaths</b>	<b>Rate/ Current Trend</b>	<b>Cancer Deaths</b>	<b>Rate/ Current Trend</b>	<b>Cancer Deaths</b>	<b>Rate/ Current Trend</b>
<b>LEUKEMIAS</b>	<b>Annual Average</b>	<b>268</b>	<b>7.4</b>	<b>149</b>	<b>9.7</b>	<b>119</b>	<b>5.8</b>
	5-Year APC Trend		-0.3		+2.1		-2.1
	1999	250	7.2	127	8.6	123	6.1
	2000	268	7.6	150	9.9	118	5.7
	2001	280	7.8	154	9.9	126	6.2
	2002	274	7.5	163	10.5	111	5.4
	<b>2003</b>	<b>268</b>	<b>7.1</b>	<b>150</b>	<b>9.4</b>	<b>118</b>	<b>5.6</b>
<b>LYMPHOMAS</b>	<b>Annual Average</b>	<b>330</b>	<b>9.1</b>	<b>170</b>	<b>11.0</b>	<b>159</b>	<b>7.6</b>
	5-Year APC Trend		-1.1		-1.3		-0.9
	1999	327	9.3	172	11.4	155	7.6
	2000	316	8.9	163	11.0	153	7.6
	2001	346	9.5	172	11.2	174	8.4
	2002	320	8.6	164	10.3	156	7.3
	<b>2003</b>	<b>340</b>	<b>9.0</b>	<b>181</b>	<b>11.0</b>	<b>159</b>	<b>7.4</b>
<b>Hodgkin Lymphomas</b>	<b>Annual Average</b>	<b>16</b>	<b>0.4</b>	<b>8</b>	<b>0.5</b>	<b>8</b>	<b>0.4</b>
	5-Year APC Trend		+0.9		^		^
	1999	15	0.4	11	0.7	4	^
	2000	17	0.5	7	^	10	^
	2001	12	0.3	7	^	5	^
	2002	18	0.5	10	^	8	^
	<b>2003</b>	<b>17</b>	<b>0.4</b>	<b>6</b>	<b>^</b>	<b>11</b>	<b>0.5</b>
<b>Non-Hodgkin Lymphomas</b>	<b>Annual Average</b>	<b>314</b>	<b>8.6</b>	<b>162</b>	<b>10.5</b>	<b>152</b>	<b>7.3</b>
	5-Year APC Trend		-1.2		-0.9		-1.6
	1999	312	8.9	161	10.7	151	7.4
	2000	299	8.4	156	10.5	143	7.0
	2001	334	9.2	165	10.8	169	8.2
	2002	302	8.1	154	9.7	148	6.8
	<b>2003</b>	<b>323</b>	<b>8.6</b>	<b>175</b>	<b>10.6</b>	<b>148</b>	<b>6.9</b>
<b>MESOTHELIOMA</b>	<b>Annual Average</b>	<b>41</b>	<b>1.1</b>	<b>34</b>	<b>2.2</b>	<b>7</b>	<b>0.4</b>
ICD-10 only	5-Year APC Trend		+3.3		+3.7		^
	1999	30	0.9	26	1.9	4	^
	2000	46	1.3	36	2.4	10	^
	2001	52	1.5	44	2.8	8	^
	2002	28	0.8	22	1.4	6	^
	<b>2003</b>	<b>50</b>	<b>1.3</b>	<b>43</b>	<b>2.7</b>	<b>7</b>	<b>^</b>
<b>MYELOMA</b>	<b>Annual Average</b>	<b>148</b>	<b>4.1</b>	<b>84</b>	<b>5.4</b>	<b>64</b>	<b>3.1</b>
	5-Year APC Trend		+3.0		+0.8		+5.0
	1999	148	4.2	88	6.1	60	3.0
	2000	124	3.5	70	4.6	54	2.7
	2001	136	3.7	81	5.2	55	2.6
	2002	173	4.7	87	5.5	86	4.2
	<b>2003</b>	<b>159</b>	<b>4.3</b>	<b>95</b>	<b>5.9</b>	<b>64</b>	<b>3.0</b>

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age group) standard.

Counts may not match Center for Health Statistics publications because invalid ages and site codes are excluded from the data.

APC = Average Annual Percent Change

\* Indicates a statistically significant trend.

^ Rate is not calculated due to instability of small numbers.

n/a = Not Applicable

<b>TABLE 2: CANCER MORTALITY by Site, Sex, and Year (1999-2003)</b>		<b>TOTAL</b>		<b>MALE</b>		<b>FEMALE</b>	
<b>Primary Sites</b>	<b>Year</b>	<b>Cancer Deaths</b>	<b>Rate/ Current Trend</b>	<b>Cancer Deaths</b>	<b>Rate/ Current Trend</b>	<b>Cancer Deaths</b>	<b>Rate/ Current Trend</b>
<b>ORAL CAVITY/PHARYNX</b>	<b>Annual Average</b>	<b>100</b>	<b>2.8</b>	<b>63</b>	<b>3.9</b>	<b>37</b>	<b>1.8</b>
	5-Year APC Trend		-3.1		-7.3		+4.5
	1999	103	2.9	70	4.5	33	1.6
	2000	91	2.6	62	4.0	29	1.4
	2001	115	3.2	68	4.2	47	2.4
	2002	98	2.7	60	3.7	38	1.8
	<b>2003</b>	<b>93</b>	<b>2.5</b>	<b>54</b>	<b>3.2</b>	<b>39</b>	<b>1.8</b>
<b>RESPIRATORY SYSTEM</b>	<b>Annual Average</b>	<b>2,062</b>	<b>57.7</b>	<b>1,108</b>	<b>70.9</b>	<b>954</b>	<b>48.2</b>
	5-Year APC Trend		+0.0		-1.1		+0.9
	1999	1,927	55.7	1,066	70.9	861	44.9
	2000	2,122	60.5	1,141	75.0	981	50.5
	2001	2,032	57.2	1,089	69.7	943	48.1
	2002	2,109	58.1	1,101	69.0	1,008	50.0
	<b>2003</b>	<b>2,122</b>	<b>57.1</b>	<b>1,144</b>	<b>70.0</b>	<b>978</b>	<b>47.5</b>
<b>Larynx</b>	<b>Annual Average</b>	<b>37</b>	<b>1.0</b>	<b>30</b>	<b>1.9</b>	<b>8</b>	<b>0.4</b>
	5-Year APC Trend		+3.7		+1.6		^
	1999	30	0.9	27	1.8	3	^
	2000	36	1.0	26	1.7	10	^
	2001	40	1.1	31	2.0	9	^
	2002	46	1.3	35	2.1	11	0.6
	<b>2003</b>	<b>35</b>	<b>0.9</b>	<b>29</b>	<b>1.7</b>	<b>6</b>	<b>^</b>
<b>Lung/Bronchus</b>	<b>Annual Average</b>	<b>2,014</b>	<b>56.4</b>	<b>1,073</b>	<b>68.6</b>	<b>942</b>	<b>47.5</b>
	5-Year APC Trend		-0.1		-1.3		+0.9
	1999	1,886	54.5	1,034	68.8	852	44.4
	2000	2,078	59.3	1,112	73.1	966	49.7
	2001	1,981	55.7	1,052	67.3	929	47.3
	2002	2,057	56.7	1,061	66.5	996	49.4
	<b>2003</b>	<b>2,069</b>	<b>55.7</b>	<b>1,104</b>	<b>67.6</b>	<b>965</b>	<b>46.9</b>
<b>SKIN</b>	<b>Annual Average</b>	<b>146</b>	<b>4.0</b>	<b>96</b>	<b>5.9</b>	<b>50</b>	<b>2.5</b>
	5-Year APC Trend		+2.8		+3.4		+1.3
<i>Excludes basal and squamous cell</i>	1999	128	3.7	85	5.4	43	2.3
	2000	146	4.1	93	5.9	53	2.7
	2001	142	3.9	97	6.0	45	2.1
	2002	155	4.2	98	6.0	57	2.8
	<b>2003</b>	<b>159</b>	<b>4.2</b>	<b>108</b>	<b>6.3</b>	<b>51</b>	<b>2.4</b>
<b>Melanomas of Skin</b>	<b>Annual Average</b>	<b>117</b>	<b>3.2</b>	<b>76</b>	<b>4.6</b>	<b>41</b>	<b>2.1</b>
	5-Year APC Trend		+2.2		+3.6		-0.8
	1999	110	3.2	71	4.4	39	2.1
	2000	107	3.0	63	3.9	44	2.3
	2001	118	3.2	83	5.0	35	1.7
	2002	123	3.3	77	4.8	46	2.3
	<b>2003</b>	<b>127</b>	<b>3.4</b>	<b>85</b>	<b>4.8</b>	<b>42</b>	<b>2.0</b>

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age group) standard.

Counts may not match Center for Health Statistics publications because invalid ages and site codes are excluded from the data.

APC = Average Annual Percent Change

\* Indicates a statistically significant trend.

^ Rate is not calculated due to instability of small numbers.

n/a = Not Applicable

<b>TABLE 2: CANCER MORTALITY by Site, Sex, and Year (1999-2003)</b>		<b>TOTAL</b>		<b>MALE</b>		<b>FEMALE</b>	
<b>Primary Sites</b>	<b>Year</b>	<b>Cancer Deaths</b>	<b>Rate/ Current Trend</b>	<b>Cancer Deaths</b>	<b>Rate/ Current Trend</b>	<b>Cancer Deaths</b>	<b>Rate/ Current Trend</b>
<b>SOFT TISSUE</b>	<b>Annual Average</b>	<b>52</b>	<b>1.4</b>	<b>26</b>	<b>1.6</b>	<b>26</b>	<b>1.3</b>
<i>Includes Heart</i>	5-Year APC Trend		-4.8		-2.0		-8.2
	1999	61	1.8	30	1.9	31	1.7
	2000	47	1.3	23	1.5	24	1.2
	2001	47	1.3	23	1.4	24	1.2
	2002	52	1.4	23	1.4	29	1.5
	<b>2003</b>	<b>51</b>	<b>1.4</b>	<b>30</b>	<b>1.8</b>	<b>21</b>	<b>1.0</b>
<b>URINARY SYSTEM</b>	<b>Annual Average</b>	<b>339</b>	<b>9.3</b>	<b>229</b>	<b>14.9</b>	<b>110</b>	<b>5.2</b>
	5-Year APC Trend		+1.3		-0.4		+4.2
	1999	316	9.0	221	15.1	95	4.7
	2000	328	9.2	219	14.6	109	5.4
	2001	328	9.0	233	15.5	95	4.5
	2002	379	10.2	242	15.3	137	6.4
	<b>2003</b>	<b>346</b>	<b>9.1</b>	<b>231</b>	<b>14.4</b>	<b>115</b>	<b>5.3</b>
<b>Kidney/Renal Pelvis</b>	<b>Annual Average</b>	<b>147</b>	<b>4.1</b>	<b>94</b>	<b>5.9</b>	<b>53</b>	<b>2.6</b>
	5-Year APC Trend		-0.1		-1.1		+1.6
	1999	133	3.8	91	5.9	42	2.2
	2000	156	4.4	95	6.0	61	3.1
	2001	137	3.8	92	5.9	45	2.2
	2002	165	4.4	101	6.0	64	3.0
	<b>2003</b>	<b>143</b>	<b>3.8</b>	<b>91</b>	<b>5.6</b>	<b>52</b>	<b>2.4</b>
<b>Urinary Bladder</b>	<b>Annual Average</b>	<b>181</b>	<b>4.9</b>	<b>128</b>	<b>8.6</b>	<b>53</b>	<b>2.5</b>
	5-Year APC Trend		+2.5		+0.7		+4.7
	1999	169	4.8	119	8.4	50	2.4
	2000	164	4.6	118	8.2	46	2.2
	2001	183	4.9	136	9.2	47	2.1
	2002	200	5.4	133	8.7	67	3.1
	<b>2003</b>	<b>190</b>	<b>5.0</b>	<b>134</b>	<b>8.4</b>	<b>56</b>	<b>2.5</b>
<b>MISCELLANEOUS SITES</b>	<b>Annual Average</b>	<b>471</b>	<b>12.9</b>	<b>228</b>	<b>14.9</b>	<b>243</b>	<b>11.6</b>
<i>Trends cannot be calculated for this category, due to changes in coding affecting cases diagnosed from 2001 forward.</i>	5-Year APC Trend		n/a		n/a		n/a
	1999	579	16.6	282	19.4	297	14.8
	2000	466	13.0	221	14.7	245	11.7
	2001	530	14.6	269	17.6	261	12.3
	2002	553	14.8	269	17.2	284	13.1
	<b>2003</b>	<b>546</b>	<b>14.4</b>	<b>269</b>	<b>17.0</b>	<b>277</b>	<b>12.6</b>

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age group) standard.

Counts may not match Center for Health Statistics publications because invalid ages and site codes are excluded from the data.

APC = Average Annual Percent Change

\* Indicates a statistically significant trend.

^ Rate is not calculated due to instability of small numbers.

n/a = Not Applicable

## B. COUNTY TABLES OVERVIEW


Tables 3A-3E provide data on selected cancer sites at the county level for the years 1999-2003. Tables 4A-4H provide data on several additional cancer sites at the county level for the years 1996-2003. The data in the tables include average annual invasive incidence and mortality counts, age-adjusted rates for incidence and mortality, and average APC for incidence and mortality in each of Oregon's 36 counties. Any statistically significant trend is indicated with an asterisk (\*).

Interpretation of inter-county differences in the rates for a particular type of cancer must be made with caution due to the following:

- The rarity of some cancers can cause the number of cases occurring in some regions to be so small that the calculated rate might be statistically unstable.
- Correlations between incidence of a disease and prevalence of risk factors for that disease in a geographical area can be misleading. To examine the relationships between a risk factor and a disease, detailed analytical epidemiological studies are necessary.
- For many cancers, there is a long time interval between exposure to a risk factor and diagnosis of disease. Migration between geographical areas can result in individuals being exposed to a risk factor in one geographical area and then diagnosed in a different geographical area.

- There may be differences between geographical areas with respect to availability of screening and/or early detection programs.
- It is possible that the completeness of case reporting differs by area of the state.

A small number of events can result in considerable random variation in the rate estimates; thus limiting their usefulness. Therefore, if the number of cancer events (new cases or deaths) is ten or fewer, the calculated rate is considered unstable. Such a rate is not shown and is replaced with a caret (^), and the rate is not shown. However, the number of events is shown.



**TABLE 3: HIGH INCIDENCE CANCER SITES - CURRENT FIVE-YEAR AVERAGE**

<b>TABLE 3A All Cancers Years 1999-2003 Oregon Counties</b>	<b>INCIDENCE</b>			<b>MORTALITY</b>		
	<b>Average Invasive Cases Per Year</b>	<b>Age- Adjusted Rate</b>	<b>Current 5-Year Trend APC</b>	<b>Average Malignant Deaths Per Year</b>	<b>Age- Adjusted Rate</b>	<b>Current 5-Year Trend APC</b>
<b>State</b>	<b>17,339</b>	<b>484.0</b>	<b>*-2.4</b>	<b>7,190</b>	<b>198.9</b>	<b>-0.7</b>
Baker	104	443.0	-4.1	44	178.0	-4.5
Benton	299	433.3	*-5.0	111	162.1	-5.3
Clackamas	1,626	476.8	*-5.6	660	198.8	-2.7
Clatsop	196	457.6	*-5.0	95	215.6	-1.3
Columbia	236	529.4	-0.2	105	241.5	-4.4
Coos	476	542.1	*-5.5	210	228.7	0.2
Crook	100	434.6	-0.9	43	184.1	-5.8
Curry	180	463.5	*-7.7	85	208.0	2.2
Deschutes	707	545.5	-0.2	232	182.2	-1.9
Douglas	660	499.1	-3.7	287	208.6	1.2
Gilliam	16	588.0	5.1	6	230.1	^
Grant	43	422.8	2.1	23	217.2	0.2
Harney	42	467.9	5.4	17	192.2	-5.0
Hood River	92	452.8	4.3	37	176.9	1.1
Jackson	1,122	506.7	0.6	453	196.5	0.0
Jefferson	78	405.8	-7.4	37	196.7	5.1
Josephine	527	477.8	1.9	248	214.5	1.9
Klamath	359	484.5	-2.1	154	205.2	*-3.0
Lake	52	526.3	-2.9	21	208.0	-1.4
Lane	1,629	469.3	0.1	686	194.2	-0.3
Lincoln	317	502.1	*-4.2	140	217.1	-1.5
Linn	535	456.7	-0.8	250	207.6	1.9
Malheur	128	390.9	-1.9	56	162.7	-3.5
Marion	1,416	505.4	*-2.5	596	208.6	-1.1
Morrow	47	469.4	5.4	19	199.8	7.4
Multnomah	3,155	508.3	-1.5	1,302	211.1	0.6
Polk	315	442.2	-4.1	125	165.9	5.0
Sherman	9	387.5	^	3	124.0	^
Tillamook	152	436.4	-0.6	69	195.9	*-4.2
Umatilla	331	472.5	*-5.8	143	201.5	*-7.1
Union	137	492.3	*-6.4	52	180.6	-2.8
Wallowa	45	444.7	*-11.9	18	166.1	-7.9
Wasco	148	503.2	-2.7	63	207.0	-1.1
Washington	1,658	447.8	*-4.1	629	177.5	-1.0
Wheeler	9	366.8	^	5	171.2	^
Yamhill	392	477.6	-2.1	167	201.9	1.2

Rates are per 100,000 and age-adjusted to the 2000 US Standard Population (19 age group) standard.

APC = Average Annual Percent Change

Counts may not match Center for Health Statistics data tables due to cases in unknown counties.

\* Indicates a statistically significant trend.

^ Rate/Trend is not calculated due to instability of small numbers.

**TABLE 3: HIGH INCIDENCE CANCER SITES - CURRENT FIVE-YEAR AVERAGE**

<b>TABLE 3B</b> <b>Female Breast</b> <b>Cancer</b> <b>Years 1999-2003</b> <b>Oregon Counties</b>	<b>INCIDENCE</b>			<b>MORTALITY</b>		
	<b>Average</b> <b>Invasive</b> <b>Cases</b> <b>Per Year</b>	<b>Age-</b> <b>Adjusted</b> <b>Rate</b>	<b>Current</b> <b>5-Year</b> <b>Trend</b> <b>APC</b>	<b>Average</b> <b>Malignant</b> <b>Deaths</b> <b>Per Year</b>	<b>Age-</b> <b>Adjusted</b> <b>Rate</b>	<b>Current</b> <b>5-Year</b> <b>Trend</b> <b>APC</b>
<b>State</b>	<b>2,739</b>	<b>142.7</b>	<b>*-3.8</b>	<b>513</b>	<b>25.8</b>	<b>-0.4</b>
Baker	16	136.7	-2.3	3	21.7	^
Benton	50	132.9	-1.3	10	25.1	^
Clackamas	288	152.7	-4.7	42	22.3	11.1
Clatsop	28	122.2	4.3	6	23.5	^
Columbia	30	125.9	0.7	5	22.2	^
Coos	65	142.9	*-9.1	11	23.2	-14.9
Crook	15	133.6	0.2	4	31.0	^
Curry	21	114.2	-16.2	3	15.1	^
Deschutes	98	143.9	-0.7	17	24.4	-0.3
Douglas	87	129.9	-6.5	18	25.2	*14.9
Gilliam	1	^	^	1	^	^
Grant	6	116.8	^	2	^	^
Harney	5	102.0	^	1	^	^
Hood River	15	136.7	-1.5	5	38.9	^
Jackson	167	144.4	0.4	31	25.2	-6.5
Jefferson	9	97.4	^	3	27.4	^
Josephine	77	137.3	-3.1	16	25.5	-0.9
Klamath	53	141.2	-5.9	11	30.4	3.3
Lake	7	127.8	^	2	^	^
Lane	263	141.4	-2.5	53	27.5	-4.4
Lincoln	51	152.1	-8.7	12	34.8	*22.2
Linn	79	129.9	-7.4	15	23.7	-3.1
Malheur	17	105.8	-3.4	3	17.8	^
Marion	236	156.6	-4.0*	43	27.1	-0.6
Morrow	5	101.8	^	1	^	^
Multnomah	519	151.0	-2.6	95	26.9	0.2
Polk	54	142.3	-8.5	9	22.0	^
Sherman	2	^	^	0	^	^
Tillamook	23	126.5	5.1	5	26.0	^
Umatilla	43	118.5	-2.2	10	26.5	^
Union	20	138.3	-7.3	3	23.9	^
Wallowa	5	90.7	^	2	^	^
Wasco	22	144.8	-9.2	4	26.7	^
Washington	297	142.1	-5.1	53	25.5	3.9
Wheeler	1	^	^	0	^	^
Yamhill	66	153.8	-5.1	15	32.9	-1.4

Rates are per 100,000 and age-adjusted to the 2000 US Standard Population (19 age group) standard.

APC = Average Annual Percent Change

Counts may not match Center for Health Statistics data tables due to cases in unknown counties.

\* Indicates a statistically significant trend.

^ Rate/Trend is not calculated due to instability of small numbers.

**TABLE 3: HIGH INCIDENCE CANCER SITES - CURRENT FIVE-YEAR AVERAGE**

<b>TABLE 3C Colon/Rectum Cancer Years 1999-2003 Oregon Counties</b>	<b>INCIDENCE</b>			<b>MORTALITY</b>		
	<b>Average Invasive Cases Per Year</b>	<b>Age- Adjusted Rate</b>	<b>Current 5-Year Trend APC</b>	<b>Average Malignant Deaths Per Year</b>	<b>Age- Adjusted Rate</b>	<b>Current 5-Year Trend APC</b>
<b>State</b>	<b>1,799</b>	<b>49.8</b>	<b>*-3.1</b>	<b>674</b>	<b>18.5</b>	<b>-1.6</b>
Baker	11	46.7	-0.7	3	13.9	^
Benton	34	48.6	-10.5	10	14.5	-19.8
Clackamas	162	48.3	-4.1	62	18.7	-4.7
Clatsop	22	50.2	-9.0	11	23.9	-2.6
Columbia	25	56.8	-9.3	9	21.4	^
Coos	43	46.4	-14.7	17	17.8	-4.1
Crook	11	46.1	6.0	5	20.8	^
Curry	19	47.9	-7.6	9	20.8	^
Deschutes	67	52.4	-3.3	21	16.9	-0.6
Douglas	70	51.5	-3.6	25	17.9	5.7
Gilliam	2	^	^	1	^	^
Grant	4	39.4	^	3	29.0	^
Harney	3	36.6	^	2	^	^
Hood River	10	49.8	^	3	14.6	^
Jackson	126	55.1	0.9	44	19.2	-1.0
Jefferson	9	48.0	^	4	19.0	^
Josephine	59	51.2	4.0	23	19.7	-4.4
Klamath	38	50.6	0.9	14	19.1	7.3
Lake	6	61.0	^	1	^	^
Lane	158	44.9	2.4	54	15.1	4.2
Lincoln	38	58.0	8.8	13	20.3	-8.6
Linn	60	49.6	5.4	25	20.5	-0.1
Malheur	15	43.1	-8.2	7	19.6	^
Marion	157	55.2	-4.0	63	21.7	3.5
Morrow	7	66.3	^	3	25.9	^
Multnomah	310	50.1	-4.7	118	18.8	-0.2
Polk	36	48.0	-6.5	14	18.5	4.5
Sherman	0	^	^	0	^	^
Tillamook	14	37.2	-10.1	6	16.6	^
Umatilla	40	56.6	-12.6	16	22.2	-5.6
Union	17	60.0	-14.7	9	31.3	^
Wallowa	4	34.8	^	1	^	^
Wasco	16	50.7	11.1	5	16.9	^
Washington	167	46.8	-3.9	60	16.7	-8.9
Wheeler	1	^	^	0	^	^
Yamhill	38	45.8	-1.8	13	15.2	-3.9

Rates are per 100,000 and age-adjusted to the 2000 US Standard Population (19 age group) standard.

APC = Average Annual Percent Change

Counts may not match Center for Health Statistics data tables due to cases in unknown counties.

\* Indicates a statistically significant trend.

^ Rate/Trend is not calculated due to instability of small numbers.

**TABLE 3: HIGH INCIDENCE CANCER SITES - CURRENT FIVE-YEAR AVERAGE**

<b>TABLE 3D Lung/Bronchus Cancer Years 1999-2003 Oregon Counties</b>	<b>INCIDENCE</b>			<b>MORTALITY</b>		
	<b>Average Invasive Cases Per Year</b>	<b>Age- Adjusted Rate</b>	<b>Current 5-Year Trend APC</b>	<b>Average Malignant Deaths Per Year</b>	<b>Age- Adjusted Rate</b>	<b>Current 5-Year Trend APC</b>
<b>State</b>	<b>2,492</b>	<b>70.0</b>	<b>*-2.2</b>	<b>2,014</b>	<b>56.4</b>	<b>-0.1</b>
Baker	14	59.0	-2.7	12	48.2	3.2
Benton	34	51.1	-9.7	29	43.5	-2.2
Clackamas	214	64.6	-5.2	174	52.6	-4.2
Clatsop	30	69.4	-12.3	26	58.7	-10.6
Columbia	39	88.7	-5.4	33	76.2	-6.7
Coos	86	93.8	*-9.9	73	78.8	3.9
Crook	19	78.8	-0.9	14	58.8	2.9
Curry	30	72.8	1.9	24	58.8	0.5
Deschutes	80	61.2	1.2	64	49.9	-4.1
Douglas	112	80.5	-6.8	88	62.5	-2.7
Gilliam	2	^	^	1	^	^
Grant	5	51.2	^	5	43.2	^
Harney	6	63.0	^	5	50.3	^
Hood River	12	59.3	-0.9	10	49.2	14.3
Jackson	169	74.7	-0.1	131	57.4	3.8
Jefferson	11	55.1	2.1	9	45.7	^
Josephine	92	79.9	2.8	80	68.2	8.8
Klamath	57	74.4	*-12.5	42	55.5	-4.0
Lake	7	67.5	^	5	49.4	^
Lane	242	69.5	1.0	199	56.8	0.4
Lincoln	54	82.0	-3.4	43	65.7	5.1
Linn	83	69.7	-0.1	69	57.3	2.6
Malheur	18	53.6	3.3	17	49.2	-7.0
Marion	194	69.8	-1.2	162	57.7	-0.2
Morrow	8	80.3	^	6	67.1	^
Multnomah	469	78.8	1.5	359	60.2	1.2
Polk	40	55.6	-2.7	31	43.3	0.8
Sherman	1	^	^	1	^	^
Tillamook	23	64.3	-10.1	21	59.3	-8.1
Umatilla	46	66.2	-11.0	41	58.2	-3.9
Union	17	59.9	-4.1	12	43.3	0.2
Wallowa	7	63.6	^	4	39.3	^
Wasco	22	74.4	-3.1	19	61.8	1.1
Washington	194	56.4	*-4.7	157	45.8	-2.3
Wheeler	2	^	^	2	^	^
Yamhill	54	66.3	4.3	46	56.0	2.8

Rates are per 100,000 and age-adjusted to the 2000 US Standard Population (19 age group) standard.

APC = Average Annual Percent Change

Counts may not match Center for Health Statistics data tables due to cases in unknown counties.

\* Indicates a statistically significant trend.

^ Rate/Trend is not calculated due to instability of small numbers.

**TABLE 3: HIGH INCIDENCE CANCER SITES - CURRENT FIVE-YEAR AVERAGE**

<b>TABLE 3E</b> <b>Prostate</b> <b>Cancer</b> <b>Years 1999-2003</b> <b>Oregon Counties</b>	<b>INCIDENCE</b>			<b>MORTALITY</b>		
	<b>Average Invasive Cases Per Year</b>	<b>Age-Adjusted Rate</b>	<b>Current 5-Year Trend APC</b>	<b>Average Malignant Deaths Per Year</b>	<b>Age-Adjusted Rate</b>	<b>Current 5-Year Trend APC</b>
<b>State</b>	<b>2,633</b>	<b>164.0</b>	<b>*-6.0</b>	<b>430</b>	<b>29.8</b>	<b>*-3.9</b>
Baker	18	158.9	-6.9	4	38.0	^
Benton	56	186.5	-4.0	7	27.5	^
Clackamas	235	155.5	*-10.6	38	31.2	-3.5
Clatsop	30	151.7	*-13.4	6	32.2	^
Columbia	33	159.2	0.9	5	27.6	^
Coos	73	169.7	*-6.2	11	27.2	-2.9
Crook	18	155.4	15.3	2	^	^
Curry	34	170.7	-11.6	7	34.5	^
Deschutes	159	253.5	-6.0	11	20.7	3.0
Douglas	104	157.4	-8.1	19	31.4	-19.2
Gilliam	3	220.5	^	0	^	^
Grant	9	178.2	^	2	^	^
Harney	10	213.5	^	1	^	^
Hood River	18	203.8	4.5	2	^	^
Jackson	175	170.1	-1.4	32	31.8	-7.2
Jefferson	14	136.1	9.4	3	37.0	^
Josephine	79	144.8	4.1	18	34.1	6.2
Klamath	52	141.7	-1.3	10	31.4	^
Lake	10	207.6	^	2	^	^
Lane	258	165.5	-9.3	38	26.3	-10.4
Lincoln	51	170.0	-9.4	9	33.8	^
Linn	79	145.9	-5.0	16	31.5	-0.3
Malheur	19	123.9	2.7	3	19.0	^
Marion	216	177.2	-3.5	34	29.1	2.8
Morrow	7	134.7	^	1	^	^
Multnomah	394	154.3	-5.9	73	31.8	5.0
Polk	54	171.6	0.7	9	28.3	^
Sherman	2	^	^	0	^	^
Tillamook	26	147.8	-3.0	4	30.0	^
Umatilla	62	193.4	-10.2	10	34.8	^
Union	25	195.3	*-18.8	4	32.0	^
Wallowa	10	189.0	^	3	52.7	^
Wasco	28	199.7	-8.0	3	27.2	^
Washington	216	142.6	*-9.2	32	25.6	0.8
Wheeler	2	^	^	0	^	^
Yamhill	53	147.8	-7.9	12	36.1	-12.4

Rates are per 100,000 and age-adjusted to the 2000 US Standard Population (19 age group) standard.

APC = Average Annual Percent Change

Counts may not match Center for Health Statistics data tables due to cases in unknown counties.

\* Indicates a statistically significant trend.

^ Rate/Trend is not calculated due to instability of small numbers.

**TABLE 4: LOW INCIDENCE CANCER SITES - CURRENT EIGHT-YEAR AVERAGE**

<b>TABLE 4-A Brain/CNS Cancer Years 1996-2003 Oregon Counties</b>	<b>INCIDENCE</b>			<b>MORTALITY</b>		
	<b>Average Invasive Cases Per Year</b>	<b>Age- Adjusted Rate</b>	<b>Current 8-Year Trend APC</b>	<b>Average Malignant Deaths Per Year</b>	<b>Age- Adjusted Rate</b>	<b>Current 8-Year Trend APC</b>
<b>State</b>	<b>253</b>	<b>7.3</b>	<b>-0.7</b>	<b>195</b>	<b>5.6</b>	<b>-1.0</b>
Baker	2	7.4	^	2	8.2	^
Benton	5	7.0	^	4	5.6	^
Clackamas	25	7.5	-2.6	21	6.3	5.1
Clatsop	4	10.5	^	2	5.2	^
Columbia	4	9.4	^	3	6.5	^
Coos	5	6.3	^	4	4.3	^
Crook	1	^	^	1	^	^
Curry	2	7.7	^	2	4.7	^
Deschutes	11	8.9	-1.7	8	6.1	^
Douglas	10	8.1	^	9	7.1	^
Gilliam	0	^	^	0	^	^
Grant	0	^	^	0	^	^
Harney	0	^	^	0	^	^
Hood River	1	^	^	1	^	^
Jackson	13	6.6	-3.2	12	5.5	-2.3
Jefferson	1	^	^	1	^	^
Josephine	7	7.1	^	6	6.4	^
Klamath	4	5.9	^	3	4.7	^
Lake	0	^	^	0	^	^
Lane	23	7.0	-3.3	19	5.7	-1.9
Lincoln	6	10.7	^	4	7.2	^
Linn	7	6.9	^	6	5.1	^
Malheur	1	^	^	1	^	^
Marion	23	8.3	-5.8	15	5.6	0.0
Morrow	1	^	^	1	^	^
Multnomah	46	7.3	2.6	34	5.5	-3.1
Polk	6	8.7	^	4	6.2	^
Sherman	0	^	^	0	^	^
Tillamook	2	6.0	^	2	5.8	^
Umatilla	5	7.5	^	3	4.2	^
Union	1	^	^	1	^	^
Wallowa	1	^	^	0	^	^
Wasco	1	^	^	2	5.7	^
Washington	30	7.7	3.1	21	5.5	-0.5
Wheeler	1	^	^	1	^	^
Yamhill	5	5.5	^	4	4.7	^

Rates are per 100,000 and age-adjusted to the 2000 US Standard Population (19 age group) standard.

APC = Average Annual Percent Change

Counts may not match Center for Health Statistics data tables due to cases in unknown counties.

\* Indicates a statistically significant trend.

^ Rate/Trend is not calculated due to instability of small numbers.

**TABLE 4: LOW INCIDENCE CANCER SITES - CURRENT EIGHT-YEAR AVERAGE**

<b>TABLE 4-B Cervical Cancer Years 1996-2003 Oregon Counties</b>	<b>INCIDENCE</b>			<b>MORTALITY</b>		
	<b>Average Invasive Cases Per Year</b>	<b>Age- Adjusted Rate</b>	<b>Current 8-Year Trend APC</b>	<b>Average Malignant Deaths Per Year</b>	<b>Age- Adjusted Rate</b>	<b>Current 8-Year Trend APC</b>
<b>State</b>	<b>140</b>	<b>7.9</b>	<b>-2.8</b>	<b>44</b>	<b>2.4</b>	<b>-2.6</b>
Baker	1	^	^	0	^	^
Benton	2	6.7	^	1	^	^
Clackamas	9	5.3	^	4	2.3	^
Clatsop	2	9.1	^	1	^	^
Columbia	2	9.2	^	1	^	^
Coos	4	11.7	^	1	^	^
Crook	1	^	^	0	^	^
Curry	2	10.8	^	1	^	^
Deschutes	4	6.2	^	1	^	^
Douglas	5	10.0	^	2	3.0	^
Gilliam	0	^	^	0	^	^
Grant	0	^	^	0	^	^
Harney	1	^	^	0	^	^
Hood River	1	^	^	0	^	^
Jackson	10	10.7	^	3	2.8	^
Jefferson	1	^	^	0	^	^
Josephine	3	7.1	^	1	^	^
Klamath	4	12.1	^	1	^	^
Lake	0	^	^	0	^	^
Lane	11	6.9	7.2*	3	1.8	^
Lincoln	3	11.1	^	1	^	^
Linn	5	8.3	^	1	^	^
Malheur	1	^	^	0	^	^
Marion	11	7.8	-5.4	4	2.9	^
Morrow	1	^	^	0	^	^
Multnomah	28	8.3	-6.9	8	2.2	^
Polk	2	5.0	^	1	^	^
Sherman	0	^	^	0	^	^
Tillamook	1	^	^	1	^	^
Umatilla	4	11.5	^	1	^	^
Union	2	13.1	^	1	^	^
Wallowa	0	^	^	0	^	^
Wasco	1	^	^	1	^	^
Washington	16	7.0	-3.8	4	2.0	^
Wheeler	0	^	^	0	^	^
Yamhill	4	11.0	^	1	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Standard Population (19 age group) standard.

APC = Average Annual Percent Change

Counts may not match Center for Health Statistics data tables due to cases in unknown counties.

\* Indicates a statistically significant trend.

^ Rate/Trend is not calculated due to instability of small numbers.

**TABLE 4: LOW INCIDENCE CANCER SITES - CURRENT EIGHT-YEAR AVERAGE**

<b>TABLE 4-C</b> <b>Corpus/Uterus</b> <b>Cancer</b> <b>Years 1996-2003</b> <b>Oregon Counties</b>	<b>INCIDENCE</b>			<b>MORTALITY</b>		
	<b>Average</b> <b>Invasive</b> <b>Cases</b> <b>Per Year</b>	<b>Age-</b> <b>Adjusted</b> <b>Rate</b>	<b>Current</b> <b>8-Year</b> <b>Trend</b> <b>APC</b>	<b>Average</b> <b>Malignant</b> <b>Deaths</b> <b>Per Year</b>	<b>Age-</b> <b>Adjusted</b> <b>Rate</b>	<b>Current</b> <b>8-Year</b> <b>Trend</b> <b>APC</b>
<b>State</b>	<b>457</b>	<b>24.3</b>	<b>-1.2</b>	<b>81</b>	<b>4.0</b>	<b>-1.7</b>
Baker	3	26.1	^	1	^	^
Benton	12	32.3	*8.6	2	5.0	^
Clackamas	41	22.8	-2.3	7	4.0	^
Clatsop	6	25.0	^	1	^	^
Columbia	7	28.2	^	1	^	^
Coos	13	28.9	6.1	3	5.7	^
Crook	3	22.9	^	1	^	^
Curry	4	19.2	^	1	^	^
Deschutes	14	21.2	-5.2	3	4.5	^
Douglas	17	25.1	-2.2	3	4.3	^
Gilliam	0	^	^	0	^	^
Grant	1	^	^	0	^	^
Harney	1	^	^	0	^	^
Hood River	2	18.5	^	0	^	^
Jackson	30	25.9	-3.3	5	3.9	^
Jefferson	2	19.0	^	1	^	^
Josephine	12	22.5	1.6	2	3.8	^
Klamath	10	25.6	-4.3	2	3.8	^
Lake	1	^	^	0	^	^
Lane	40	21.7	-2.8	7	3.5	^
Lincoln	7	20.9	^	1	^	^
Linn	13	20.6	-3.9	4	5.3	^
Malheur	3	19.2	^	1	^	^
Marion	38	25.7	3.6	7	4.0	^
Morrow	1	^	^	0	^	^
Multnomah	90	26.5	-0.5	17	4.6	3.5
Polk	9	23.6	^	2	3.9	^
Sherman	0	^	^	0	^	^
Tillamook	4	23.8	^	0	^	^
Umatilla	7	20.5	^	1	^	^
Union	4	22.9	^	1	^	^
Wallowa	2	46.3	^	0	^	^
Wasco	4	24.4	^	0	^	^
Washington	47	23.8	-1.5	7	3.3	^
Wheeler	0	^	^	0	^	^
Yamhill	12	27.1	*7.8	1	^	^

Rates are per 100,000 and age-adjusted to the 2000 US Standard Population (19 age group) standard.

APC = Average Annual Percent Change

Counts may not match Center for Health Statistics data tables due to cases in unknown counties.

\* Indicates a statistically significant trend.

^ Rate/Trend is not calculated due to instability of small numbers.

**TABLE 4: LOW INCIDENCE CANCER SITES - CURRENT EIGHT-YEAR AVERAGE**

<b>TABLE 4-D Leukemias</b>	<b>INCIDENCE</b>			<b>MORTALITY</b>		
	<b>Average Invasive Cases Per Year</b>	<b>Age- Adjusted Rate</b>	<b>Current 8-Year Trend APC</b>	<b>Average Malignant Deaths Per Year</b>	<b>Age- Adjusted Rate</b>	<b>Current 8-Year Trend APC</b>
<b>Years 1996-2003 Oregon Counties</b>						
<b>State</b>	<b>384</b>	<b>11.0</b>	<b>-0.1</b>	<b>270</b>	<b>7.7</b>	<b>-1.9</b>
Baker	2	7.7	^	2	8.1	^
Benton	7	9.9	^	5	8.0	^
Clackamas	38	11.7	2.3	27	8.5	-1.2
Clatsop	4	10.0	^	3	6.2	^
Columbia	6	15.3	^	3	7.9	^
Coos	10	11.3	^	8	9.0	^
Crook	1	^	^	1	^	^
Curry	4	10.2	^	3	8.2	^
Deschutes	11	9.6	-1.6	8	6.8	^
Douglas	13	10.6	-1.3	10	7.6	^
Gilliam	1	^	^	0	^	^
Grant	1	^	^	1	^	^
Harney	2	17.1	^	1	^	^
Hood River	2	8.0	^	1	^	^
Jackson	24	11.4	-2.6	18	7.8	-7.7*
Jefferson	2	12.4	^	1	^	^
Josephine	8	8.0	^	6	5.7	^
Klamath	9	13.2	^	5	6.3	^
Lake	1	^	^	1	^	^
Lane	32	9.6	3.5	30	8.7	-5.9
Lincoln	5	7.8	^	3	4.5	^
Linn	10	8.7	^	9	7.7	^
Malheur	4	11.4	^	3	7.7	^
Marion	35	12.4	-3.0	22	7.6	1.6
Morrow	1	^	^	1	^	^
Multnomah	80	12.9	2.1	49	7.9	1.0
Polk	6	9.5	^	6	7.7	^
Sherman	0	^	^	0	^	^
Tillamook	3	9.4	^	4	10.4	^
Umatilla	7	9.7	^	5	7.0	^
Union	3	11.8	^	2	7.2	^
Wallowa	2	17.4	^	1	^	^
Wasco	3	9.9	^	2	4.8	^
Washington	42	11.4	-2.8	27	7.6	-3.5
Wheeler	0	^	^	0	^	^
Yamhill	7	9.2	^	5	6.4	^

Rates are per 100,000 and age-adjusted to the 2000 US Standard Population (19 age group) standard.

APC = Average Annual Percent Change

Counts may not match Center for Health Statistics data tables due to cases in unknown counties.

\* Indicates a statistically significant trend.

^ Rate/Trend is not calculated due to instability of small numbers.

**TABLE 4: LOW INCIDENCE CANCER SITES - CURRENT EIGHT-YEAR AVERAGE**

<b>TABLE 4-E Lymphomas Years 1996-2003 Oregon Counties</b>	<b>INCIDENCE</b>			<b>MORTALITY</b>		
	<b>Average Invasive Cases Per Year</b>	<b>Age- Adjusted Rate</b>	<b>Current 8-Year Trend APC</b>	<b>Average Malignant Deaths Per Year</b>	<b>Age- Adjusted Rate</b>	<b>Current 8-Year Trend APC</b>
<b>State</b>	<b>775</b>	<b>22.2</b>	<b>*1.4</b>	<b>326</b>	<b>9.2</b>	<b>-0.7</b>
Baker	5	20.6	^	3	10.0	^
Benton	13	18.6	-2.7	5	6.8	^
Clackamas	75	22.6	-0.3	32	9.9	-0.2
Clatsop	8	18.5	^	4	8.1	^
Columbia	13	30.6	1.4	5	12.9	^
Coos	20	23.6	1.7	8	9.2	^
Crook	4	19.4	^	2	7.2	^
Curry	6	20.0	^	2	6.2	^
Deschutes	26	21.8	4.6	10	8.2	^
Douglas	29	23.0	-4.8	12	9.0	-7.1
Gilliam	1	^	^	0	^	^
Grant	2	24.7	^	1	^	^
Harney	2	18.8	^	1	^	^
Hood River	5	23.8	^	2	7.8	^
Jackson	53	25.4	*8.1	16	7.4	1.8
Jefferson	4	22.2	^	2	11.2	^
Josephine	23	22.0	4.6	11	9.5	-0.1
Klamath	14	20.2	9.5	7	9.2	^
Lake	3	28.6	^	1	^	^
Lane	72	21.2	*5.6	30	8.8	0.4
Lincoln	12	19.6	2.4	7	11.0	^
Linn	20	17.9	2.7	11	9.5	0.4
Malheur	6	19.6	^	2	6.9	^
Marion	61	21.9	1.1	26	9.1	1.5
Morrow	2	16.8	^	1	^	^
Multnomah	147	23.2	-0.9	61	9.8	-2.6
Polk	14	20.8	1.2	7	10.0	^
Sherman	0	^	^	1	^	^
Tillamook	6	17.2	^	3	7.6	^
Umatilla	13	19.4	-1.4	7	10.5	^
Union	6	21.3	^	3	10.3	^
Wallowa	2	23.0	^	1	^	^
Wasco	8	28.4	^	4	11.6	^
Washington	85	22.7	0.0	33	9.6	-0.9
Wheeler	0	^	^	0	^	^
Yamhill	17	20.8	0.6	7	8.6	^

Rates are per 100,000 and age-adjusted to the 2000 US Standard Population (19 age group) standard.

APC = Average Annual Percent Change

Counts may not match Center for Health Statistics data tables due to cases in unknown counties.

\* Indicates a statistically significant trend.

^ Rate/Trend is not calculated due to instability of small numbers.

**TABLE 4: LOW INCIDENCE CANCER SITES - CURRENT EIGHT-YEAR AVERAGE**

<b>TABLE 4-F Melanomas Years 1996-2003 Oregon Counties</b>	<b>INCIDENCE</b>			<b>MORTALITY</b>		
	<b>Average Invasive Cases Per Year</b>	<b>Age- Adjusted Rate</b>	<b>Current 8-Year Trend APC</b>	<b>Average Malignant Deaths Per Year</b>	<b>Age- Adjusted Rate</b>	<b>Current 8-Year Trend APC</b>
<b>State</b>	<b>754</b>	<b>21.6</b>	<b>2.5</b>	<b>112</b>	<b>3.2</b>	<b>1.3*</b>
Baker	3	13.9	^	0	^	^
Benton	12	17.6	1.5	1	^	^
Clackamas	82	23.9	0.1	11	3.3	2.9
Clatsop	6	13.6	^	2	4.5	^
Columbia	8	16.6	^	2	4.0	^
Coos	23	29.5	-0.6	3	4.1	^
Crook	4	20.1	^	1	^	^
Curry	6	18.5	^	1	^	^
Deschutes	38	31.6	6.0	6	4.8	^
Douglas	37	31.1	2.8	3	2.5	^
Gilliam	1	^	^	0	^	^
Grant	1	^	^	1	^	^
Harney	1	^	^	0	^	^
Hood River	4	19.6	^	1	^	^
Jackson	50	25.4	-1.4	8	3.9	^
Jefferson	2	13.1	^	1	^	^
Josephine	17	18.3	3.9	4	4.0	^
Klamath	8	12.1	^	2	3.4	^
Lake	2	23.5	^	1	^	^
Lane	80	24.0	-1.5	10	3.0	^
Lincoln	8	15.0	^	3	4.8	^
Linn	20	18.0	1.3	3	2.9	^
Malheur	4	11.2	^	1	^	^
Marion	52	18.9	8.6*	9	3.3	^
Morrow	2	23.4	^	1	^	^
Multnomah	135	20.6	5.2*	17	2.7	-0.9
Polk	12	17.8	7.2*	1	^	^
Sherman	0	^	^	0	^	^
Tillamook	7	23.1	^	2	6.1	^
Umatilla	11	16.1	-2.7	2	2.7	^
Union	5	20.5	^	1	^	^
Wallowa	2	20.4	^	0	^	^
Wasco	5	19.9	^	1	^	^
Washington	93	23.3	2.0	11	3.1	5.1
Wheeler	1	^	^	0	^	^
Yamhill	15	18.1	4.1	3	3.5	^

Rates are per 100,000 and age-adjusted to the 2000 US Standard Population (19 age group) standard.

APC = Average Annual Percent Change

Counts may not match Center for Health Statistics data tables due to cases in unknown counties.

\* Indicates a statistically significant trend.

^ Rate/Trend is not calculated due to instability of small numbers.

**TABLE 4: LOW INCIDENCE CANCER SITES - CURRENT EIGHT-YEAR AVERAGE**

<b>TABLE 4-G Oral/Pharynx Cancer Years 1996-2003 Oregon Counties</b>	<b>INCIDENCE</b>			<b>MORTALITY</b>		
	<b>Average Invasive Cases Per Year</b>	<b>Age- Adjusted Rate</b>	<b>Current 8-Year Trend APC</b>	<b>Average Malignant Deaths Per Year</b>	<b>Age- Adjusted Rate</b>	<b>Current 8-Year Trend APC</b>
<b>State</b>	<b>397</b>	<b>11.3</b>	<b>-1.5*</b>	<b>104</b>	<b>2.9</b>	<b>-3.3</b>
Baker	2	9.2	^	1	^	^
Benton	5	7.0	^	1	^	^
Clackamas	38	11.3	1.8	10	3.1	^
Clatsop	4	9.9	^	2	4.1	^
Columbia	6	13.6	^	1	^	^
Coos	12	14.6	1.0	3	3.6	^
Crook	1	^	^	0	^	^
Curry	4	11.6	^	1	^	^
Deschutes	12	9.3	-3.8	3	2.6	^
Douglas	15	11.1	-12.9*	4	3.1	^
Gilliam	1	^	^	0	^	^
Grant	1	^	^	0	^	^
Harney	1	^	^	0	^	^
Hood River	2	7.6	^	1	^	^
Jackson	25	12.0	-0.8	6	2.8	^
Jefferson	2	10.8	^	1	^	^
Josephine	12	11.0	-2.0	4	3.6	^
Klamath	6	8.5	^	3	3.5	^
Lake	1	^	^	0	^	^
Lane	37	10.9	-0.6	8	2.4	^
Lincoln	10	16.2	^	3	4.5	^
Linn	13	11.5	0.3	5	3.9	^
Malheur	3	8.3	^	1	^	^
Marion	30	10.9	-4.9	6	2.3	^
Morrow	2	16.3	^	0	^	^
Multnomah	87	14.1	-1.6	24	3.8	-3.5
Polk	6	8.7	^	2	2.6	^
Sherman	0	14.9	^	0	^	^
Tillamook	4	11.9	^	1	^	^
Umatilla	7	9.8	^	2	2.5	^
Union	2	7.1	^	1	^	^
Wallowa	0	^	^	0	^	^
Wasco	4	11.9	^	1	^	^
Washington	38	10.4	-2.5	8	2.2	^
Wheeler	1	^	^	0	^	^
Yamhill	8	10.2	^	2	2.0	^

Rates are per 100,000 and age-adjusted to the 2000 US Standard Population (19 age group) standard.

APC = Average Annual Percent Change

Counts may not match Center for Health Statistics data tables due to cases in unknown counties.

\* Indicates a statistically significant trend.

^ Rate/Trend is not calculated due to instability of small numbers.

**TABLE 4: LOW INCIDENCE CANCER SITES - CURRENT EIGHT-YEAR AVERAGE**

<b>TABLE 4-H Urinary Bladder Cancer Years 1996-2003 Oregon Counties</b>	<b>INCIDENCE</b>			<b>MORTALITY</b>		
	<b>Average Invasive Cases Per Year</b>	<b>Age- Adjusted Rate</b>	<b>Current 8-Year Trend APC</b>	<b>Average Malignant Deaths Per Year</b>	<b>Age- Adjusted Rate</b>	<b>Current 8-Year Trend APC</b>
<b>State</b>	<b>829</b>	<b>23.6</b>	<b>-0.5</b>	<b>172</b>	<b>4.8</b>	<b>*2.0</b>
Baker	4	17.8	^	2	6.9	^
Benton	13	19.8	-2.7	2	3.0	^
Clackamas	81	25.1	-1.7	17	5.2	7.0
Clatsop	9	21.0	^	3	5.9	^
Columbia	13	31.3	1.8	3	6.4	^
Coos	27	30.5	-2.9	6	6.4	^
Crook	5	24.4	^	1	^	^
Curry	11	27.3	-3.8	3	6.4	^
Deschutes	32	26.5	8.4	5	4.0	^
Douglas	32	23.3	-1.1	7	4.8	^
Gilliam	1	^	^	0	^	^
Grant	2	20.6	^	1	^	^
Harney	2	24.6	^	1	^	^
Hood River	4	17.5	^	1	^	^
Jackson	56	25.0	-0.3	12	5.1	-6.2
Jefferson	3	15.2	^	1	^	^
Josephine	30	25.7	-2.1	7	6.3	^
Klamath	18	24.6	-0.7	3	4.5	^
Lake	2	22.7	^	0	^	^
Lane	78	22.7	2.6	19	5.5	5.6
Lincoln	15	23.0	-9.1	3	4.3	^
Linn	27	23.2	-4.0	7	5.7	^
Malheur	7	19.5	^	1	^	^
Marion	64	22.9	0.2	12	4.1	2.7
Morrow	2	20.0	^	0	^	^
Multnomah	143	23.5	-2.5	30	4.8	-0.2
Polk	14	19.6	-0.1	2	2.9	^
Sherman	1	^	^	0	^	^
Tillamook	10	26.4	-4.5	2	4.3	^
Umatilla	14	20.7	1.3	3	4.7	^
Union	7	25.0	^	1	^	^
Wallowa	2	18.8	^	1	^	^
Wasco	8	24.7	^	1	^	^
Washington	72	21.3	0.5	13	3.9	2.1
Wheeler	0	^	^	0	^	^
Yamhill	21	26.7	-0.6	3	3.7	^

Rates are per 100,000 and age-adjusted to the 2000 US Standard Population (19 age group) standard.

APC = Average Annual Percent Change

Counts may not match Center for Health Statistics data tables due to cases in unknown counties.

\* Indicates a statistically significant trend.

^ Rate/Trend is not calculated due to instability of small numbers.