

850-060-0226**Naturopathic Formulary by Classification**

The following classifications for substances listed in 850-060-0225 have been recommended by the Board of Naturopathic Examiners Formulary Council established by the 65th Oregon Legislature. Substances listed on the formulary compendium can be prescribed in any dosage or any dosage form. Products marked with an asterisk (*) may be used by Naturopathic Physicians, but may not be prescribed. Combination products containing only active ingredients listed in the Formulary may be prescribed. Combination products containing any active ingredient(s), not listed in the Formulary, except non-legend drugs, may not be prescribed. A double asterisk (**) indicates examples include but are not limited to the substances listed.

- | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> (1) Adamantanes**; (a) Amantadine; (b) Memantine; (c) Rimantidine; (2) Amino Acids; (a) Levocarnitine**; (3) Antiestrogens; (a) Nafarelin Acetate; (b) Tibolone; (4) Antigout; (a) Colchicine; (b) allopurinol; (5) Antihistamine (a) Diphenhydramine (6) Anti-Alzheimer; (a) Memantine; (7) Anti-infective Agents; (a) Anthelmintics; (A) Thiabendazole. (B) Oxamniquine. (C) Mebendazole. (b) Antibacterials; (A) Aminoglycosides**; (i) Gentamicin; (ii) Kanamycin Sulfate; (iii) Tobramycin; (B) Cephalosporins**; (i) Cefaclor; (ii) Cefadroxil; (iii) Cefdinir; (iv) Cefditoren; (v) Cefibuten; (vi) Cefixime; (vii) Cefonicid Sodium; (viii) Cefpodoxime Proxetil; (ix) Cefprozil; (x) Ceftibuten; (xi) Cefuroxime; (xii) Cephalexin; (xiii) Cephadrine; | <ul style="list-style-type: none"> (C) Chloramphenicol; (D) Macrolides and Ketolides**; (i) Azithromycin; (ii) Clarithromycin; (iii) Dirithromycin; (iv) Erythromycins; (v) Telithromycin; (vi) Troleandomycin; (E) Penicillins**; (i) Amoxicillin and Clavulanate; (ii) Amoxicillin; (iii) Ampicillin and Sulbactam; (iv) Ampicillin; (v) Bacampicillin; (vi) Cloxacillin; (vii) Dicloxacillin; (viii) Oxacillin; (ix) Penicillin; (F) Quinolones**; (i) Fluoroquinolones; (G) Sulfonamides; (i) Sulfonamide/ Trimethoprim/ Sulfones; (H) Tetracyclines**; (i) Demeclocycline Hydrochloride; (ii) Doxycycline; (iii) Minocycline; (iv) Oxytetracycline; (v) Tetracycline; (I) Misc. antibacterials; (i) Bacitracin; (ii) Clindamycin; (iii) Colistimethate; (iv) Lincomycin; (v) Novobiocin; (vi) Polymyxin B Sulfate; (vii) Spectinomycin; (viii) Vancomycin; (c) Antifungals; (A) Azoles**; |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

- (i) Fluconazole;
- (ii) Itraconazole;
- (iii) Ketoconazole;
- (iv) Tinidazole;
- (B) Amphotericin B;
- (C) Gentian Violet;
- (D) Griseofulvin;
- (E) Nystatin;
- (d) Antimycobacterials;
 - (A) Aminosalicilyc Acid;
 - (B) Cycloserine;
 - (C) Pyrazinamide;
 - (D) Rifabutin;
 - (E) Rifampin;
- (e) Antivirals;
 - (A) Amantadine;
 - (B) Rimantidine;
 - (C) Interferon**;
 - (D) Nucleoside/nucleotide analogs**;
 - (i) Abacavir;
 - (ii) Acyclovir;
 - (iii) Didanosine;
 - (iv) Emtricitabine;
 - (v) Famciclovir;
 - (vi) Ganciclovir;
 - (vii) Lamivudine;
 - (viii) Penciclovir;
 - (ix) Stavudine;
 - (x) Tenofovir;
 - (xi) Valacyclovir;
 - (xii) Viarabine;
 - (xiii) Zalcitabine;
 - (xiv) Zidovudine;
- (f) Antiprotozoal;
 - (A) Iodoquinol;
 - (B) Metronidazole;
 - (C) Quinines;
 - (i) Chloroquine;
 - (ii) Hydroxychloroquine;
 - (iii) Mefloquine;
 - (iv) Quinine Sulfate;
- (g) Misc;
 - (A) Immune Globulins* **;
 - (B) Lindane;
 - (C) Permethrin;
 - (D) Pyrethrins;
- (8) Antineoplastic Agents;
 - (a) Anastrozole;
 - (b) Letrozole;
- (9) Anti-thyroid;
 - (a) Thionamides;
 - (A) Methimazole;
 - (B) Propylthiouracil;
- (10) Autonomic Drugs;
 - (a) Parasympathomimetic;
 - (A) Bethanechol;
 - (B) Galantamine H. Br;
 - (b) Anticholinergic;
 - (A) Atropine Sulfate;
 - (B) Atropine;
 - (C) Belladonna;
 - (D) Flavoxate;
 - (E) Homatropine Hydrobromide*;
 - (F) Hyoscyamine;
 - (G) Meclizine;
 - (H) Methscopolamine;
 - (I) Physostigmine;
 - (J) Pilocarpine;
 - (K) Scopolamine;
 - (c) Sympathomimetic;
 - (A) Ephedrine;
 - (B) Epinephrine*;
 - (C) Epinephrine (auto-inject);
 - (D) Psuedoephedrine;
 - (d) Sympatholytic;
 - (A) Yohimbine;
 - (e) Skeletal Muscle Relaxants;
 - (A) Clostridium botulinum toxin (ab);
 - (B) Baclofen;
 - (f) Misc;
 - (A) Nicotine;
- (11) Beta Adrenergic Blocking Agents**;
- (12) Biologicals;
 - (a) Cytokine;
 - (A) Monoclonal antibodies;
 - (b) Enzymes**;
 - (A) Collagenase;
 - (B) Desoxyribonuclease;
 - (C) Fibrinolysin;
 - (D) Hyaluronidase;
 - (E) Pancrelipase;
 - (F) Papain;
 - (c) Hormones - see hormone;
 - (d) Immune gobulins - see anti-infective, misc;
 - (e) Interferons - see antivirals;
 - (f) Prostaglandins**;
 - (A) Alprostadi;
 - (B) Bimatoprost;
 - (C) Iloprost;
 - (D) Dinoprostone;
 - (E) Misoprostal;

- (g) Blood derivatives;
- (13) Blood Formation and Coagulation;
 - (a) Coumadin;
 - (b) Erythropoietin;
 - (c) Heparin; subcutaneous, sublingual and heparin locks;
- (14) Cardiovascular Drugs;
 - (a) Cardiac;
 - (A) Adenosine Monophosphate;
 - (B) Digitalis;
 - (C) Digitoxin;
 - (D) Digoxin;
 - (E) Quinidine;
 - (b) Antilipemic;
 - (A) HMG CoA Reductase Inhibitors**;
 - (i) Atorvastatin;
 - (ii) Fluvastatin;
 - (iii) Lovastatin;
 - (iv) Pravastatin;
 - (v) Simvastatin;
 - (B) Ezetimibe;
 - (c) Diuretics;
 - (A) Spironolactone;
 - (B) Triamterene;
 - (d) Hypotensive;
 - (A) Lisuride;
 - (B) Rauwolfia Alkaloids;
 - (e) Vasodilating;
 - (A) Nitrates**;
 - (i) Isosorbide Dinitrate;
 - (ii) Mononitrate;
 - (iii) Nitroglycerin;
 - (B) Papavarine;
 - (f) Calcium Channel blockers;
 - (A) Phenylalkylamine**;
 - (i) Verapamil;
 - (g) ACE inhibitors**;
 - (A) Benazepril;
 - (B) Captopril;
 - (C) Enalapril;
 - (D) Fosinopril;
 - (E) Lisinopril;
 - (F) Moexipril;
 - (G) Perindopril;
 - (H) Quinapril;
 - (I) Ramopril;
 - (J) Trandolapril;
- (15) Central Nervous System Agents;
 - (a) Analgesics and Antipyretics;
 - (A) NSAIDS;
 - (i) Amino Aspirins;
 - (ii) Celecoxib;
 - (iii) Mesalamine;
 - (iv) Olsalazine;
 - (v) Oxaprozin;
 - (vi) Propionic Acid Derivatives**;
 - (aa) Fenoprofen;
 - (bb) Flurbiprofen;
 - (cc) Ibuprofen;
 - (dd) Ketoprofen;
 - (ee) Oxaprozin;
 - (ff) Naproxen;
 - (vii) Salicylic Acid;
 - (viii) Salicylamide;
 - (ix) Salicylate Salts;
 - (x) Salsalate;
 - (xi) Sulfasalazine;
 - (B) Opioids**;
 - (i) Buprenorphine;
 - (ii) Butorphanol;
 - (iii) Codeine;
 - (iv) Dextromethorphan;
 - (v) Fentanyl;
 - (vi) Hydrocodone;
 - (vii) Hydromorphone;
 - (viii) Levorphanol;
 - (ix) Methadone;
 - (x) Morphine;
 - (xi) Opium;
 - (xii) Oxycodone;
 - (xiii) Oxymorphone;
 - (xiv) Paregoric;
 - (xv) Tramadol;
- (b) Opioid Antagonists;
 - (A) Naloxone;
 - (B) Naltrexone;
- (c) Anticonvulsants;
 - (A) Gaba Analogues**;
 - (i) Gabapentin;
 - (ii) Pregabalin;
 - (iii) Tigabine;
 - (B) Valproic Acid;
- (d) Anti-Parkinson's;
 - (A) Bromocriptine;
 - (B) Carbidopa;
 - (C) Cabergoline;
 - (D) Levodopa;
 - (E) Pergolide;
 - (F) Selegiline;
- (e) Psychotherapeutic;
 - (A) Anxiolytics, sedatives and hypnotics;

- (i) Benzodiazepines**;
- (ii) Piperazine;
 - (aa) Eszopiclone;
 - (bb) Ranolazine;
 - (cc) Sildenafil Citrate;
 - (dd) Trimetazidine;
 - (ee) Verdenafil HCL;
- (iii) Zolpidem;
- (B) Anti-Manic;
 - (i) Lithium;
- (f) Misc;
 - (A) Gamma-Hydroxy Butyrate;
 - (B) Triptans**;
- (16) Diabetic;
 - (a) Acarbose;
 - (b) Insulin;
 - (c) Metformin;
 - (d) Miglitol;
 - (e) Nateglinide;
- (17) Electrolytic;
 - (a) Ammonium Chloride;
 - (b) Bisphosphonates**;
 - (A) Alendronate;
 - (B) Etidronate;
 - (C) Risendronate;
 - (D) Tiludronate;
 - (c) Cellulose Sodium Phosphate (calcium removing);
 - (d) Dextran;
 - (e) Dextrose;
 - (f) Electrolyte Solutions;
 - (g) Fluorides;
 - (h) Iodine;
 - (i) Iron Preparations;
 - (j) Minerals (Oral & Injectable);
 - (k) Polysaccharide-Iron Complex;
 - (l) Potassium Iodide;
 - (m) Potassium Supplements;
 - (n) Sodium Polystyrene Sulfonate;
- (18) Ergot Derivatives**;
- (a) Dihydroergotamine;
- (b) Ergoloid Mesylates;
- (c) Ergonovine Maleate;
- (d) Ergotamine;
- (19) EENT preparations;
 - (a) Acetic Acid;
 - (b) Ophthalmic Solution (0.03%);
 - (c) Carbamide Peroxide;
 - (d) Natamycin;
 - (e) Phenylephrine;
 - (f) Prostaglandins - see Biologicals;
- (20) GI drugs;
 - (a) Antidiarrhea -see opioids;
 - (b) Cathartics and laxatives;
 - (A) Lactulose;
 - (c) Antiemetics;
 - (A) Dronabinol;
 - (d) Antiulcer and acid suppressants;
 - (A) Misoprostol;
 - (B) Proton Pump Inhibitors**;
 - (i) Omeprazole;
 - (C) Sucralfate;
 - (e) Misc;
 - (A) Citrate Salts;
 - (B) Ursodiol;
- (21) Gold Compounds;
 - (a) Auranofin;
- (22) Heavy Metal antagonists (see 850-060-225 for specific education requirements);
 - (a) Deferoxamine/Desferroxamine;
 - (b) DMPS;
 - (c) DMSA;
 - (d) EDTA;
 - (e) Penicillamine;
 - (f) Sodium Thiosulfate;
- (23) Histamine-1 Antagonists, excluding all 3rd generation antagonists;
- (24) Histamine-2 Antagonists**;
- (25) Hormones and synthetic substitutes**;
- (a) Adrenals;
 - (A) Betamethasone;
 - (B) Budesonide;
 - (C) Cortisone;
 - (D) Dexamethasone;
 - (E) Fludrocortisone Acetate;
 - (F) Flunisolide;
 - (G) Fluticasone Propionate;
 - (H) Hydrocortisone;
 - (I) Paramethasone;
 - (J) Prednisolone;
 - (K) Prednisone;
 - (L) Tibolone;
 - (M) Triamcinolone;
- (b) Androgens;
 - (A) Danazol;
 - (B) Methyltestosterone;
 - (C) Testosterone;
- (c) Contraceptives;
 - (A) Estrogen-Progestin Combinations;
 - (B) Progestins;
- (d) Estrogens and antiestrogens;
 - (A) Cenestin;

- (B) Estradiol;
- (C) Estriol;
- (D) Estrogen, Esterified;
- (E) Estrogens, Conjugated;
- (F) Estrone;
- (G) Estropipate;
- (e) Pituitary;
 - (A) Desmopressin;
 - (B) Human Growth Hormone;
 - (C) Oxytocin;
- (f) Progestins;
 - (A) Medroxyprogesterone;
 - (B) Medrysone;
 - (C) Megestrol Acetate;
 - (D) Methylprednisolone;
 - (E) Progesterone;
 - (F) Progestins;
- (g) Thyroid;
 - (A) Dextrothyroxine;
 - (B) Levonorgestrel;
 - (C) Levothyroxine;
 - (D) Liothyronine;
 - (E) Liotrix;
 - (F) Thyroxine;
- (26) Immunological;
 - (a) Tacrolimus;
 - (b) Rho(D) Immune globulins*;
- (27) Incretin Analogues**;
- (a) Exenatide;
- (28) Local anesthetics**;
- (a) Benzocaine*;
- (b) Betaine;
- (c) Bupivacaine*;
- (d) Chirocaine*;
- (e) Chlorprocaine*;
- (f) Dyclonine*;
- (g) Ethyl Chloride;
- (h) Etidocaine*;
- (i) Hydroxypolyethoxydodecane*;
- (j) Lidocaine (non-injectable dosage form);
- (k) Lidocaine*;
- (l) Mepivocaine*;
- (m) Pramoxine;
- (n) Prilocaine*;
- (o) Procaine*;
- (p) Tetracaine*;
- (29) Prostaglandins - see Biologicals;
- (30) Quinoline;
 - (a) Praziquantel;
- (31) Sclerosing Agents;
 - (a) Sodium Tetradecyl Sulfate;
- (32) Skin and mucous membrane agents;
 - (a) Anti-infectives;
 - (A) Benzoic Acid;
 - (B) Carbol-Fuchsin;
 - (C) Clioquinol;
 - (D) Hexachlorophene;
 - (E) Iodoquinol;
 - (F) Mercury, Ammoniated;
 - (G) Mupirocin;
 - (H) Selenium Sulfide;
 - (I) Silver Nitrate;
 - (J) Undecylenic Acid;
 - (b) Anti-inflammatory;
 - (A) Topical steroids;
 - (c) Antipruritics and local anesthetics;
 - (A) Pentosan;
 - (B) Phenazopyridine;
 - (d) Cell stimulants and proliferants;
 - (A) Anthralin;
 - (B) Tretinoin;
 - (e) Keratolytic;
 - (A) Adapalene;
 - (B) Aminolevulinic Acid;
 - (C) Bichloroacetic Acid;
 - (D) Imiquimod Cream (5%);
 - (E) Isotretinoin;
 - (F) Podophyllum Resin;
 - (G) Trichloroacetic Acid*;
 - (H) Urea;
 - (f) Misc;
 - (A) Acitretin;
 - (B) Ammonium lactate lotion 12%;
 - (C) Azelaic Acid;
 - (D) Becaplermin;
 - (E) Calcipotriene;
 - (F) Condylox;
 - (G) Fluorouracil;
 - (H) Hydroquinone;
 - (I) Methoxsalen;
 - (J) Monobenzone;
 - (K) Pimecrolimus Cream 1%;
 - (L) Tazarotene topical gel;
 - (M) Trioxsalen;
- (33) Skin Tests**;
- (a) Diphtheria*;
- (b) Mumps*;
- (c) Tuberculin*;
- (34) Smoking Cessation;
 - (a) Cytisine
 - (b) Varenicline

(35) Upper Respiratory;

- (a) Acetylcysteine;
- (b) Albuterol Sulfate;
- (c) Benzonatate;
- (d) Cromolyn Sodium;
- (e) Guaifenesin;
- (f) Levalbuteral;
- (g) Nedocromil;
- (h) Xanthines**;
 - (A) Aminophylline;
 - (B) Diphylline;
 - (C) Oxtriphylline;
 - (D) Pentoxifylline;
 - (E) Theophylline;

(36) Vaccines**;

- (a) BCG*;
- (b) Cholera*;
- (c) Diphtheria*;
- (d) DPT*;
- (e) Haemophilus b Conjugate*;
- (f) Hepatitis A Virus*;
- (g) Hepatitis B*;
- (h) Influenza Virus*;
- (i) Japanese Encephalitis Virus*;
- (j) Measles Virus*;
- (k) Mumps Virus*;
- (l) Pertussis*;
- (m) Plague*;
- (n) Pneumococcal*;
- (o) Poliovirus - Inactivated*;
- (p) Poliovirus - Live Oral*;
- (q) Rabies*;
- (r) Rubella*;
- (s) Smallpox*;
- (t) Tetanus IG*;
- (u) Tetanus Toxoid*;
- (v) Typhoid*;
- (w) Varicella*;
- (x) Yellow Fever*;

(37) Vitamins**;

- (a) Calcitonin;
- (b) Calcitriol;
- (c) Cyanocobalamin;
- (d) Doxercalciferol;
- (e) Leucovorin Calcium;
- (f) Vitamins (Oral & Injectable);

(38) Misc;

- (a) Colchicine (gout);
- (b) Dimethyl Sulfone (DMSO);
- (c) Glycerin/Glycerol;
- (d) Hyaluronic Acid;

(e) Hydrogen Peroxide;

- (f) MSM;
- (g) OTC Substances;
- (h) Oxygen;
- (i) Sitagliptin;
- (j) Trazodone;
- (k) Urised;

Stat. Auth.: ORS 685.125

Stats. Implemented: ORS 685.145

Hist.: BNE 1-2002, f. & cert. ef. 2-19-02; BNE 4-2002, f. & cert. ef. 8-8-02; BNE 3-2003, f. & cert. ef. 6-9-03; BNE 5-2003, f. & cert. ef. 12-5-03; BNE 5-2004, f. & cert. ef. 6-10-04; Renumbered from 850-010-0226, BNE 8-2005, f. & cert. ef. 10-27-05