

SECTION 00150 - CONTROL OF WORK

(Follow all instructions. If there are no instructions above a subsection, paragraph, or sentence, then use the subsection, paragraph, or sentence on all projects. All other modifications to this Section will require Department of Justice approval. (See the Specification Manual, Chapter 3.) Remove all instructions before preparing the final document.)

Comply with Section 00150 of the Standard Specifications modified as follows:

(Use the following subsections .15(b) and .15(c) when Section 00305 - Contractor Surveying is included.)

00150.15(b) Agency Responsibilities - Replace this subsection, except for the subsection number and title, with the following:

The Engineer will perform the responsibilities described in 00305.04.

00150.15(c) Contractor Responsibilities - Replace this subsection, except for the subsection number and title, with the following:

The Contractor shall perform the responsibilities described in 00305.05.

(Use the following subsections .50 and (f) when listing utility information.)

00150.50 Cooperation with Utilities - Add the following subsection:

(f) Utility Information:

(Use the following paragraph when no anticipated utility conflicts exist.)

There are no anticipated conflicts with the Utilities listed below. Contact those Utilities having buried facilities and request that they locate and mark them for their protection prior to construction.

| Utility | Contact Person's Name and Phone Number |
|---------|-------------------------------------------|
| 1. | |
| 2. | |
| 3. | |
| 4. | |

(Use the following paragraph when utility adjustments are the responsibility of County or City.)

Arrangements for removing, relocating, or adjusting Utilities on the Project are the responsibility of the County (City). Contact the County (City) for information regarding these arrangements.

(Use the following paragraph on projects with organizations that may be adjusting utilities.)

The following organizations may be adjusting Utilities within the limits of the Project during the period of the Contract with relocation Work estimated to be completed by the following dates (times):

| Utility | Estimated Completion Date (Time) |
|----------------------------------------------------------------------------------|-----------------------------------------|
| 1. (Utility company - "Gas Company") (Contact person's name and phone number) | |

(Use the following paragraph when high pressure gas lines exist On-Site.)

In the immediate area of the high pressure gas lines, when moving any equipment, excavating, driving piles, boring, or other road construction activities, increase the Reasonable Accuracy Zone from 24 inches, as defined in OAR 952-001-010, to 10 feet. Exceptions require written approval from the "Gas Company" and may require an On-Site safety watcher, at no cost to the Contractor.

2. (Repeat as needed. - "Power Company")

(Use the following paragraph when power lines overhang Work areas.)

Energized power lines overhang portions of the Work with a minimum vertical clearance of 18 feet. Contractor shall maintain at least 10 feet of safety clearance.

3.

4.

This Project is located within the Oregon Utility Notification Center area which is a Utilities notification system for notifying owners of Utilities about Work being performed in the vicinity of their facilities. The Utilities notification system telephone number is [811 \(or use the old number which is 1-800-332-2344\)](tel:811).

(Use the following subsection .55 when there is an existing specific ODOT or Local Agency contract that will be performed within the project site and the Contractor is required to cooperate with the other ODOT or Local Agency contractor. List the contract name, the contractor's name, and On-Site contact number, and the estimated time the other specific contract work will be taking place within the project limits. Delete the example.)

00150.55 Cooperation with Other Contractors - The following contract work will be ongoing within the Project site during the following times:

Contract Name (Contractor's Name)

**Estimated Times
(From - To)**

(For Example - Your project's bid opening is July 4, 2005 so:
(OR99E Howell Prairie Rd-Waconda Rd. Aug 2005 to Oct 31, 2005)
(Dewey Cheatum Inc. 541.679.5555 (On-Site))

(Use the following subsection .91 on projects when a mandatory post-construction meeting is required.)

00150.91 Post-Construction Review - Replace this subsection, except for the subsection number and title, with the following:

The Contractor shall attend a Post-Construction Review meeting to be held by the Agency prior to issuance of Third Notification but not earlier than 15 Days following the date of Second Notification. The time and place of this meeting will be announced by the Engineer at least 15 Days prior to the meeting date. The purpose of this meeting is to examine the Project for possible process improvements that may benefit future projects. The Contractor's attendance at the Post-Construction Review meeting is mandatory.