

EXHIBIT O
WATER RESOURCES
OAR 345-021-0010(1)(o)

TABLE OF CONTENTS

	Page
O.1 INTRODUCTION.....	1
O.2 WATER USE	1
O.2.1 Construction.....	1
O.2.2 Operations	2
O.3 SOURCES OF WATER	2
O.4 WATER LOSSES.....	3
O.5 WATER BALANCE DIAGRAM	3
O.6 PERMITS OR TRANSFERS REQUIRED	3
O.7 MITIGATION MEASURES	4
O.8 SUMMARY.....	4

TABLE

O-1 O&M Building Water Use During Operations.....	O-2
---	-----

ATTACHMENTS

O-1 Christmas Valley Water Supply	
O-2 Simplot Water	

O.1 INTRODUCTION

Archway Solar Energy LLC (Applicant) proposes to construct the Archway Solar Energy Facility (Facility) in Lake County, Oregon, with generating capacity of up to 400 megawatts (MW). The Facility may also contain a battery energy component with storage capacity of up to 400 MW and discharge capacity of up to 1,600 megawatt-hours. This Exhibit presents water use as required by OAR 345-021-0010(1)(o).

OAR 345-021-0010(1)(o) *Information about anticipated water use during construction and operation of the proposed facility. The applicant shall include:*

O.2 WATER USE

OAR 345-021-0010(1)(o)(A) *A description of the use of water during construction and operation of the proposed facility.*

Response: Water will be needed during construction and operation of the Archway Solar Energy Facility (Facility). Water will primarily be used during construction for dust suppression, fire prevention, vehicle washing, concrete and soil mixing. No permit is required to construct one well for use during construction and operations, provided that together the well withdraws no more than 5,000 gallons per day. The Facility is a “commercial utility facility for the purpose of generating power for public use by sale” (refer to Oregon Revised Statutes 215.283(2)(g)). Therefore, the Facility’s use of groundwater from a groundwater well qualifies for an exemption under Oregon Revised Statutes 537.545(1)(f). As such, no groundwater permit, surface water permit, or water right transfer is needed for the construction or operation of the Facility.

O.2.1 Construction

Construction water use is estimated at approximately 17.5 million gallons over a 21-month construction period under annual average conditions and 34.1 million gallons under worst-case conditions.

- **Dust suppression.** Approximately 33.6 million gallons of water will be used for dust suppression and soil management during Facility construction, assuming worst-case conditions. During an annual average year, 8 million gallons or less may be used. This water will be applied via tanker truck in a manner that avoids erosion and subsequent sediment discharge, and is consistent with the best management practices presented in the 1200-C Construction Stormwater National Pollutant Discharge Elimination System Permit (see Attachment I-2 in Exhibit I). The quantity and frequency of water used for dust suppression will be highly dependent on site and seasonal conditions. Generally, the quantity of water used for dust suppression will be 40,000 to 80,000 gallons per day (gpd), when warranted. To conservatively estimate the amount of water used for dust suppression, and provide worst-case dry and dusty conditions, it was assumed that 80,000 gpd of water will be used for 20 days out of each of the 21 months of Facility construction.
- **Drinking and Sanitation.** Between 625 and worst-case 1,250 gpd of water will be used for 20 days out of each of the 21 months of Facility construction for drinking water and portable toilet facilities for construction workers. In the worst-case, the Facility will require 525,000 gallons of water for drinking and sanitation over the 21 months of Facility construction.

O.2.2 Operations

Once constructed, there will be limited need for water. Operations water use is estimated at approximately 500,165 gallons per year under annual average conditions and 750,165 gallons per year under worst-case conditions.

- **Office Use.** Water will be used for sinks and toilets at the O&M building. During Facility operations, an estimated two staff members will be employed for O&M activities, and there will be occasional contractors and visitors. Based on a conservative assumption that three people will use the O&M building daily, and based on the standard assumption for commercial office use for each aspect of water usage, the operational water use will be approximately 165 gpd (see Table O-1). This number includes some water for equipment within the O&M building that may be periodically washed down.

Table O-1. O&M Building Water Use During Operations

Use	Frequency (occurrences per day) ^a	Consumption (gallons per occurrence) ^a	Total Consumption (gallons per day)
Sinks	15	2	30
Toilets	15	4	60
Equipment washdown	15	5	75
Total			165

^a Water usage frequency and consumption rates are based on standard commercial facility estimates.

- **Module Washing.** Depending on the effects of solar module dust and dirt on energy production (referred to as soiling), the solar module will be washed. For the purpose of this analysis, it is conservatively assumed that they will be washed twice a year and require 250,000 gallons per wash, for a total of 500,000 gallons per year. A worst-case analysis assumes panel washing three times per year, using a total of 750,000 gallons per year. Water will be applied via tanker truck and, unless deemed necessary, will not have any cleaning solvents in it. Washwater will be discharged by evaporation and seepage into the ground. If during Facility operation the Applicant identifies a need to use cleaning solutions, the Applicant will use only low volatile organic compound (VOC), biodegradable cleaning solutions.

O.3 SOURCES OF WATER

ORAR 345-021-0010(1)(o)(B) *A description of each source of water and the applicant's estimate of the amount of water the facility will need during construction and during operation from each source under annual average and worst-case conditions.*

Response: Water for drinking and sanitation (525,000 gallons; worst-case conditions) will be delivered by vendors in five-gallon drinking water containers and in portable toilets and hand-washing stations. For dust suppression during construction (33.6 million gallons; worst-case conditions) and for module washing during operations (0.75 million gallons; worst-case conditions), the Facility will purchase water either from the Christmas Valley Domestic Water Supply District (Christmas Valley) or Simplot (underlying landowner). Both entities have sufficient water rights to supply the Facility. Applicant is still coordinating with Christmas Valley Domestic Water Supply District for purchase agreement. (see Attachment O-1; Attachment O-2).

Water for the O&M building will be supplied by a new well. The well will be an exempt use pursuant to OAR 537.545(1)(f) by the Oregon Water Resources Department (OWRD) because it will provide approximately 165 gpd, but in no case more than 5,000 gpd, and the well location will be logged pursuant to Oregon Revised Statute (ORS) 537.765. When the Facility is retired and restored, this well could continue to be used by the property owner for other purposes or be reclaimed.

O.4 WATER LOSSES

OAR 345-021-0010(1)(o)(C) *A description of each avenue of water loss or output from the facility site for the uses described in (A), the applicant’s estimate of the amount of water in each avenue under annual average and worst-case conditions and the final disposition of all wastewater.*

Response: During construction, water loss will occur primarily through evaporation from wetted road surfaces and from curing concrete. Because of the dry conditions at the Facility and the relatively low rates of water use and application, it is expected that all water used during construction will be lost within or near the Facility site boundary, primarily through evaporation and infiltration. Because of the cost and time involved in transporting water by tank truck to the work site, water used for road compaction and dust suppression will be applied at the minimum rate needed to perform its function.

During Facility operations, water use will be for sanitary purposes, with final disposition at the onsite septic field. Stormwater will infiltrate into the ground.

O.5 WATER BALANCE DIAGRAM

OAR 345-021-0010(1)(o)(D) *For thermal power plants, a water balance diagram, including the source of cooling water and the estimated consumptive use of cooling water during operation, based on annual average conditions.*

Response: The Facility is not a thermal power plant; therefore, this rule does not apply.

O.6 PERMITS OR TRANSFERS REQUIRED

OAR 345-021-0010(1)(o)(E) *If the proposed facility would not need a groundwater permit, a surface water permit or a water right transfer, an explanation of why no such permit or transfer is required for the construction and operation of the proposed facility.*

Response: As stated in Section O.2, water for the Facility’s construction and module washing during operations will be supplied by one of two providers; and no groundwater permit, surface water permit, or water right transfer is needed for these purposes because they already have the rights to the sources of the water (Attachment O-1; Attachment O-2).

Water used during operations will be minimal and will qualify as an exempt use under ORS 537.545(1)(f), which allows exempt industrial or commercial uses up to 5,000 gpd. Exempt industrial water uses include drinking, flushing toilets, using sinks, and other general industrial uses. Per Senate Bill 788, the Applicant or its contractor will file material (e.g., map, log, fee) for recording in order to allow OWRD to help identify the supply and availability of groundwater.

OAR 345-021-0010(1)(o)(F) *If the proposed facility would need a groundwater permit, a surface water permit or a water right transfer, information to support a determination by the Council that the Water Resources Department should issue the permit or transfer of a water use,*

including information in the form required by the Water Resources Department under OAR Chapter 690, Divisions 310 and 380.

Response: The Facility will not need a groundwater permit, a surface water permit or a water right transfer; therefore this rule does not apply.

O.7 MITIGATION MEASURES

OAR 345-021-0010(1)(o)(G) *A description of proposed actions to mitigate the adverse impacts of water use on affected resources.*

Response: One of the environmental benefits of solar energy facilities is that they require minimal water, particularly during operations. Because construction and operation of the Facility will not create any significant impact on water resources, no mitigation is proposed for water use.

O.8 SUMMARY

The information provided in this Exhibit demonstrates that Facility construction and operation will not result in significant adverse impacts to water resources. Therefore, the Applicant has satisfied the requirements of OAR 345-021-0010(1)(o).

Attachment O-1
Christmas Valley Water Supply

STATE OF OREGON

COUNTY OF LAKE

CERTIFICATE OF WATER RIGHT

This Is to Certify, That CHRISTMAS VALLEY MUTUAL WATER IMPROVEMENT DISTRICT

of Christmas Valley Rural Station, Silver Lake, State of Oregon, has made proof to the satisfaction of the STATE ENGINEER of Oregon, of a right to the use of the waters of Well No. 3

a tributary of Christmas Valley Basin for the purpose of group domestic

under Permit No. G-2440 of the State Engineer, and that said right to the use of said waters has been perfected in accordance with the laws of Oregon; that the priority of the right hereby confirmed dates from June 13, 1963

that the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually beneficially used for said purposes, and shall not exceed 0.25 cubic foot per second

or its equivalent in case of rotation, measured at the point of diversion from the stream. The point of diversion is located in the NW1/4 NE1/4, Section 17, T. 27 S., R. 17 E., W. M. Well located: 1180 feet South and 610 feet East from the NE1/4 Corner, Section 17.

The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to - - - - - of one cubic foot per second per acre.

and shall conform to such reasonable rotation system as may be ordered by the proper state officer.

A description of the place of use under the right hereby confirmed, and to which such right is appurtenant, is as follows:

SW1/2 SW1/4	NE1/2 NE1/4
SE1/2 SW1/4	SW1/4 NE1/4
Section 9	NE1/2 NW1/4
	Section 15
All	NE1/2 NE1/4
Section 10	NE1/2 NW1/4
SW1/4	Section 16
Section 11	NE1/4
	SW1/4
NW1/4	NE1/2 SW1/4
Section 13	SW1/4 SW1/4
	Section 17
NE1/2	All
Section 14	Section 18
	T. 27 S., R. 17 E., W. M.

The right to the use of the water for the purposes aforesaid is restricted to the lands or place of use herein described.

WITNESS the signature of the State Engineer, affixed

this date. June 16, 1970

[Signature] State Engineer

STATE OF OREGON

COUNTY OF LAKE

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

CHRISTMAS VALLEY DOMESTIC WATER SUPPLY DISTRICT
PO BOX 142
CHRISTMAS VALLEY, OREGON 97641

(541) 576-2665

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: G-12865

SOURCE OF WATER: WELL 3 IN FORT ROCK VALLEY BASIN

PURPOSE OR USE: QUASI-MUNICIPAL USE

RATE OF USE: 0.31 CUBIC FOOT PER SECOND

PERIOD OF ALLOWED USE: YEAR ROUND

DATE OF PRIORITY: APRIL 6, 1992

POINT OF DIVERSION LOCATION: NW 1/4 NE 1/4, SECTION 17, T27S, R17E,
W.M.; 1180 FEET SOUTH & 610 FEET EAST FROM N 1/4 CORNER, SECTION 17

THE PLACE OF USE IS LOCATED AS FOLLOWS:

N 1/2 SW 1/4
SECTION 8
E 1/2 NE 1/4
SW 1/4
SECTION 9
ALL
SECTION 10
SW 1/4 NW 1/4
SW 1/4
SE 1/4
SECTION 11
SW 1/4 SW 1/4
SECTION 12
NW 1/4
SECTION 13
N 1/2
N 1/2 SW 1/4
SW 1/4 SW 1/4
SECTION 14

STATE OF OREGON

COUNTY OF LAKE

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

CHRISTMAS VALLEY DOMESTIC WATER SUPPLY DISTRICT
PO BOX 142
CHRISTMAS VALLEY, OREGON 97641

(541) 576-2665

The specific limits for the use are listed below along with conditions of use.

APPLICATION FILE NUMBER: G-12864

SOURCE OF WATER: WELL 4 IN CHRISTMAS LAKE VALLEY BASIN

PURPOSE OR USE: QUASI-MUNICIPAL USE

RATE OF USE: 1.25 CUBIC FEET PER SECOND


PERIOD OF ALLOWED USE: YEAR ROUND

DATE OF PRIORITY: APRIL 6, 1992

POINT OF DIVERSION LOCATION: NW 1/4 NE 1/4, SECTION 14, T27S, R17E, W.M.; 1260 FEET SOUTH & 80 FEET EAST FROM N 1/4 CORNER, SECTION 14

THE PLACE OF USE IS LOCATED AS FOLLOWS:

N 1/2 SW 1/4
SECTION 8
NE 1/4
SW 1/4
SECTION 9
ALL
SECTION 10
SW 1/4 NW 1/4
SW 1/4
SE 1/4
SECTION 11
SW 1/4 SW 1/4
SECTION 12
NW 1/4
SECTION 13
NE 1/4
NW 1/4
N 1/2 SW 1/4
SW 1/4 SW 1/4
N 1/2 SE 1/4
SECTION 14
NE 1/4



STATE OF OREGON

County of LAKE

PERMIT TO APPROPRIATE THE PUBLIC WATERS

This is to certify that I have examined APPLICATION G-11581 and do hereby grant the same SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

This permit is issued to Christmas Valley Domestic Water Supply District of P.O. Box 142, Christmas Valley, Oregon 97641, for the use of water from one well, for the PURPOSE of quasi-municipal.

that the PRIORITY OF THE RIGHT dates from September 11 1986,

and is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.5 cubic feet per second

measured at the point of diversion from the well, or its equivalent in case of rotation with other water users.

The well is to be LOCATED: 400 feet North and 50 feet West from the center of Section 13, being within the SE1/4 NW1/4 of Section 13, Township 27 South, Range 17 East, W.M., in the County of Lake.

A description of the PLACE OF USE under the permit, and to which such right is appurtenant, is as follows:

Township 27 South, Range 17 East, W.M.,	Section 8	W1/2 SW1/4	Quasi-municipal
	Section 9	E1/2 NE1/4	
		S1/2	
	Section 10	All	
	Section 11	SW1/4 NW1/4	
		S1/2	
	Section 12	SW1/4 SW1/4	
	Section 13	NW1/4	
	Section 14	N1/2	
		NE1/4 SW1/4	
		W1/2 SW1/4	
		N1/2 SE1/4	
	Section 15	N1/2	
		N1/2 SE1/4	
		SE1/4 SE1/4	
	Section 16	N1/2	
		W1/2 SW1/4	
	Section 17	All	
	Section 18	All	

Attachment O-2
Simplot Water Supply

Archived: Thursday, June 16, 2022 11:00:04 AM

From: RONALD PARKS

Sent: Wednesday, June 15, 2022 8:03:14 AM

To: Gomez, Mateo

Subject: [EXTERNAL] Re: Archway Solar - Water Purchase

Response requested: No

Importance: Normal

Good morning Mateo

Sorry for the late response. Simplot will sell water to Archway Solar Energy, as available, for the construction of the project at \$3.00 per thousand gallon. I would recommend you have a backup source.

Let me know if you have questions.

Ron

From: Gomez, Mateo <MXGomez@invenergy.com>

Sent: Friday, June 10, 2022 2:49 PM

To: RONALD PARKS <RPARKS46@msn.com>

Subject: Archway Solar - Water Purchase

Hi Ron,

It was nice to meet you in person yesterday. Would you be able to confirm that Simplot would be willing to sell water to Archway Solar Energy LLC for the construction of the facility? The estimated need is up to 85,000 gal / day. Would Simplot be able to provide a portion of or all of that need?

Thanks

Mateo Gomez | Senior Analyst, Renewable Development | He, Him
Invenergy | 959 Southeast Division Street, Suite 350, Portland OR 97214
mxcgomez@invenergy.com | D 971-346-4982 | C 206-487-0773

This electronic message and all contents contain information which may be privileged, confidential or otherwise protected from disclosure. The information is intended to be for the addressee(s) only. If you are not an addressee, any disclosure, copy, distribution or use of the contents of this message is prohibited. If you have received this electronic message in error, please notify the sender by reply e-mail and destroy the original message and all copies.

RECEIVED
APR 1 1973
STATE ENGINEER
SALISBURY, OREGON

Permit No. G- G 5751

APPLICATION FOR A PERMIT

ASSIGNED, See Misc. Rec., Vol. 6 Page 904

To Appropriate the Ground Waters of the State of Oregon

I, Robert A. Baesler for VIEW POINT RANCHES
(Name of applicant)
of P. O. Box 240, Christmas Valley, county of Lake
(Postoffice Address)
state of Oregon 97638, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated none
(Name of stream)

tributary of Fort Rock Basin

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 2,100 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 2660 ft. N and 2110 ft. E from the SW corner of Section 29
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NW 1/4 of Sec. 29, Twp. 27 S., R. 19E, W. M., in the county of Lake

5. The _____ to be _____ miles in length, terminating in the _____ of Sec. _____, Twp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(Canal or pipe line) (Smallest legal subdivision)

6. The name of the well or other works is View Point Well No 3 under Permit No 696 and Permit No 697; 1973 Addition.
DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of _____ having a diameter of _____ inches and an estimated depth of _____ feet. It is estimated that _____ feet of the well will require _____ casing. Depth to water table is estimated _____
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 3 Stage 150 HP VHS

Give horsepower and type of motor or engine to be used 150 HP Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
27 S	19 E	29	SE $\frac{1}{4}$ OF NE $\frac{1}{4}$	14.0
			NE $\frac{1}{4}$ OF SE $\frac{1}{4}$	11.8
			NW $\frac{1}{4}$ OF SE $\frac{1}{4}$ ^{SE$\frac{1}{4}$}	11.4
			SW $\frac{1}{4}$ OF NE $\frac{1}{4}$	11.8
			NW $\frac{1}{4}$ OF NE $\frac{1}{4}$	5.0
			SW $\frac{1}{4}$ OF SE $\frac{1}{4}$	1.0
				35.0

(If more space required, attach separate sheet)

Character of soil Sandy Loam
 Kind of crops raised Alfalfa and Oat hay

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....41,000.00.....
- 15. Construction work will begin on or before ~~APR~~ Feb 1, 1973
- 16. Construction work will be completed on or before April 1, 1973 ✓
- 17. The water will be completely applied to the proposed use on or before May 1, 1973

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Robert A. Baesler
Robert A. Baesler for View Point Rancho
(Signature of applicant)

Remarks: This allocation is in addition to the existing permits No G-696 and No G-697. The pump has been changed and now just additional acreage is being irrigated from the same well, View Point No 3. A pivot irrigation system has been installed to replace some wheel lines but the only thing that has changed is the amount of water we are pumping and the number of acres we are irrigating.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 24, 1973.

WITNESS my hand this 25th day of June, 1973.

RECEIVED
JUL 3 1973
STATE ENGINEER
SALEM, OREGON

CHRIS L. WHEELER
STATE ENGINEER
Thomas E. Shook
By Thomas E. Shook ASSISTANT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.7 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from View Point Well No. 3

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed .3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 9, 1973

Actual construction work shall begin on or before July 28, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1976

Complete application of the water to the proposed use shall be made on or before October 1, 1977

WITNESS my hand this 28th day of July, 1975

James C. [Signature]
Water Resources Director STAFF ENGINEER

Application No. G-6062
Permit No. G-575A

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 28th day of April,
1975, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. _____ of
Ground Water Permits on page G 575A

STATE ENGINEER

Drainage Basin No. 13 page 60

F.H.
e

RECEIVED
MAR 5 1974

STATE ENGINEER
SALEM, OREGON

CERTIFICATE NO. 50753
657598
76042

Permit No. G- G 6051

APPLICATION FOR A PERMIT

DESIGNED See Misc. Rec., Vol. 6 Page 904

To Appropriate the Ground Waters of the State of Oregon

I, New Point Regional
(Name of applicant)
of PO Box 240 Christmas Valley, county of Lake
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated None
(Name of stream)
tributary of Fort Rock Basin

2. The amount of water which the applicant intends to apply to beneficial use is 5510 cubic feet per second or 1350 gpm gallons per minute. 1350 gpm from each well for well # 10, 11, 12 & 15. 740 gpm for well # 2.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located See Remarks ft. (N. or S.) and (E. or W.) from the corner of (Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the (Sec. Twp. R.) of Sec. (Sec. Twp. R.), Twp. (Sec. Twp. R.), R. (Sec. Twp. R.), W. M., in the county of (Sec. Twp. R.)

5. The (Canal or pipe line) to be (miles) in length, terminating in the (Smallest legal subdivision) of Sec. (Sec. Twp. R.), Twp. (Sec. Twp. R.), R. (Sec. Twp. R.), W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is (Name of well or other works)

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 5 wells; wells 10, 11, 12, 15 and # 2 having a diameter of 14 inches and an estimated depth of 300 feet. It is estimated that 120 feet of the well will require Steel casing. Depth to water table is estimated 17
(Kind) (Feet)

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 200,000
- 15. Construction work will begin on or before Oct 1973
- 16. Construction work will be completed on or before June 1974
- 17. The water will be completely applied to the proposed use on or before July 1974

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Remarks:
Report by Douglas
(Signature of applicant)
for View Point Ranch

- Well # 10 S 32° 22' 44" W 1990.68 ft fm. NE Corner Sec 20, T27S R19E
- Well # 11 - S 18° 52' 26" W 1823.50' fm North 1/4 Corner Sec 21 T27S R19E
- Well # 12 N 26° 13' 29" E 1175.58' fm SW Corner Sec 16, T27S R19E
- Well # 13 N 45° 51' 58" E 1426.95 ft fm South 1/4 Corner Sec 16 T27S R19E
- Well # 2 - 2320 S, 2710' EAST fm West 1/4 sec 19, SW
- Valley # 10 SE 1/4 NE 1/4 Sec 20
- # 11 SE 1/4 NW 1/4 Sec 21
- # 12 SW 1/4 SW 1/4 Sec 16
- # 13 SW 1/4 SE 1/4 Sec 16
- # 2 SW 1/4 SE 1/4 Sec 19

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER
By ASSISTANT

Well # 10
 Township 50N
 275 19E

Sec	Tract	Acres
20	NE 1/4 NE 1/4	33.7
	NW 1/4 NE 1/4	26.0
	SW 1/4 NE 1/4	38.4
	SE 1/4 NE 1/4	40.0
	NE 1/4 SE 1/4	15.6
	NW 1/4 SE 1/4	7.5

RECEIVED
 MAR 5 1974
 STATE ENGINEER
 SALEM OREGON

21.	NW 1/4 NW 1/4	5.6
	SW 1/4 NW 1/4	13.0
	NW 1/4 SW 1/4	.5

Well # 11
 275 19E

21.	NW 1/4 NE 1/4	15.7
	NE SW 1/4 NE 1/4	28.0
	NE 1/4 NW 1/4	34.5
	NW 1/4 NW 1/4	12.2
	SW 1/4 NW 1/4	23.6
	SE 1/4 NW 1/4	40.0
	NW 1/4 SW 1/4	3.4
	NE 1/4 SW 1/4	18.2
	<u>NW 1/4 SE 1/4</u>	4.7

Well # 12
 275 19E

16.	NE 1/4 SW 1/4	12.2
	NW 1/4 SW 1/4	37.8
	SW 1/4 SW 1/4	40.0
	SE 1/4 SW 1/4	20.2
17.	NE 1/4 SE 1/4	20.2
	SE 1/4 SE 1/4	79.6
20.	NE 1/4 NE 1/4	4.3
21	NE 1/4 NW 1/4	1.3
	NW 1/4 NW 1/4	14.4

Application No. G-6451
 Permit No.

Well # 13

T27S R19E 16

NE 1/4 SE 1/4 25.1

NW 1/4 SE 1/4 35.1

SW 1/4 SE 1/4 40.0

SE 1/4 SE 1/4 36.2

NE 1/4 SW 1/4 6.7

SE 1/4 SW 1/4 14.0

21. NE 1/4 NE 1/4 7.6

NW 1/4 NE 1/4 14.8

NE 1/4 NW 1/4 .5

720.6

RECEIVED
MAR 5 1974
STATE ENGINEER
SALEM, OREGON

Well # 2

T27S R19E Sec 19

NE 1/4 SE 1/4 10

NW 1/4 SE 1/4 10

TOTAL 790.6

Application No. G-6451
Permit No.

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 9.3 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from 5 wells being 2.25 cfs from each well numbers 10, 11, 12 & 13 and 0.3 cfs from well # 2

The use to which this water is to be applied is for irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 5, 1974

Actual construction work shall begin on or before November 18, 1976 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977

Complete application of the water to the proposed use shall be made on or before October 1, 1978

WITNESS my hand this 18 day of November, 1975

James E. Sepp
Water Resources Director F.H. B

Application No. G-6451
Permit No. G-G 6051

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 5th day of March
1974, at 10:48 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. G 6051
of
Ground Water Permits on page

STATE ENGINEER

Drainage Basin No. 13 page 61

See 4202 B
.25 sheet

CERTIFICATE NO. 50755

RECEIVED

APR 4 1978

WATER RESOURCES DEPT.
SALEM, OREGON

Permit No. G-8120

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Robert A. Baesler for View Point Ranches
(Name of applicant)

of P. O. Box 240, Christmas Valley, county of Lake
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated
(Name of stream)

tributary of Fort Rock Basin

2. The amount of water which the applicant intends to apply to beneficial use is 0.55 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 2650 ft. N. and 2110 ft. E. from the SW corner of Section 29, T 27 S, R 19 E
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE1 NW1 of Sec. 29, Twp. 27 S., R. 19 E., W. M., in the county of Lake

5. The (Canal or pipe line) to be miles in length, terminating in the (Smallest legal subdivision) of Sec. , Twp. , R. , W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is View Point Well No. 3 under permit No 696 and permit no 697; 1977 addition.
DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of (Give number of wells, tunnels, etc.) having a diameter of inches and an estimated depth of feet. It is estimated that feet of the well will require (Kind) casing. Depth to water table is estimated (Feet)

8120

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 5 stage VHS

Give horsepower and type of motor or engine to be used 150 hp turbine

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
27S	19E	30	SE1/4E1	20.5 acres
		30	NE1/4E1	23.5 acres
				43.7

(If more space required, attach separate sheet)

Character of soil sandy loam
 Kind of crops raised alfalfa and pasture

RECEIVED
 DIVISION OF AGRICULTURE
 OREGON


MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$..... 30,000
- 15. Construction work will begin on or before June 1977
- 16. Construction work will be completed on or before June 1977
- 17. The water will be completely applied to the proposed use on or before June 1977.

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. No G 696 and G 697


Robert A. Baesler
(Signature of applicant)

Remarks: Prior to 1977, SW1, SW1, NW1NW1 and portions of the SE1NW1 and NE1SW1 were irrigated by wheel lines. In 1977, View Point replaced the existing wheel lines with a 1/4 mile center pivot with the pivot point located 272 feet east of the SW corner of the NW1, Section 29, T27S, R19E. The total additional acres that are being irrigated with the new system is 50 acres.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19.....

WITNESS my hand this _____ day of _____, 19.....

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.55..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from ...View..... Point Well #3.....

The use to which this water is to be applied is irrigation.....

If for irrigation, this appropriation shall be limited to1/80th..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ...3... acre feet per acre for each acre irrigated during the irrigation season of each year;.....

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit isApril 4, 1978.....

Actual construction work shall begin on or beforeJune 22, 1979..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979.....

Complete application of the water to the proposed use shall be made on or before October 1, 1980.

WITNESS my hand this22nd..... day ofJune....., 1978.

James E. Selman
Water Resources Director

Application No. G- 8714
Permit No. G- 8120

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4th day of April, 1978, at 8 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. of
Ground Water Permits on page

Drainage Basin No. page 1 of 1

5

CERTIFICATE NO. 50757

Application No. G-8716

Permit No. G 8122

STATE OF OREGON WATER RESOURCES DEPARTMENT **RECEIVED**

Application for a Permit to Appropriate Ground Water MAY 15 1978

WATER RESOURCES

I, ROBERT A. BAESLER for ViewPoint Ranches (Name of Applicant) SALEM, OREGON

of P.O. Box 240 Christmas Valley (Mailing Address) 2323 (City)

State of Oregon 97038 (Zip Code) Phone No. 503-576-2265 do hereby

make application for a permit to appropriate the following described ground waters of the State of Oregon:

1. The development will consist of 1 well (Give number of wells, tile lines, infiltration galleries, etc.)

having a diameter of 18" and an estimated depth of 100 feet.

2. The well or other source is to be located 2320 ft. S and 2710 ft. E (N. or S.) (E. or W.)

from the W 1/4 corner of Sec 19 (ViewPoint Well #2 6697) (Public Land Survey Corner)

(If there is more than one well, each must be described)

being within the SW 1/4 of the SE 1/4 1/4 of

Sec. 19 Tp. 27 S R. 19 E, W. M., in the county of LAKE

3. Location of area to be irrigated, or place of use if use other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
<u>27 S</u>	<u>19 E</u>	<u>20</u>	<u>SW 1/4 SW 1/4</u>	<u>5.1</u>
		<u>29</u>	<u>NW 1/4 NW 1/4</u>	<u>3.1</u>
		<u>30</u>	<u>SE 1/4 NE 1/4</u>	<u>3.6</u>
		<u>30</u>	<u>SW 1/4 NE 1/4</u>	<u>15.1</u>
		<u>30</u>	<u>SE 1/4 NW 1/4</u>	<u>2.9</u>
		<u>30</u>	<u>NW 1/4 NE 1/4</u>	<u>7.2</u>
		<u>30</u>	<u>NE 1/4 NW 1/4</u>	<u>18.15</u>
		<u>19</u>	<u>SE 1/4 SW 1/4</u>	<u>1.5</u>
		<u>19</u>	<u>NE 1/4 SW 1/4</u>	<u>3.3</u>
		<u>19</u>	<u>NW 1/4 SE 1/4</u>	<u>16.8</u>
		<u>19</u>	<u>NE 1/4 SE 1/4</u>	<u>6.7</u>

4. It is estimated that 80 feet of the well will require steel casing. (Kind)

5. Depth to water table is estimated 60-80 (Feet) Well drilled by UNKNOWN

6. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 225.0..... gallons per minute. - TOTAL.

7. The use to which the water is to be applied is IRRIGATION

8. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

9. If the location of the well, or other development work is less than one-fourth mile from a natural stream channel, give the distance to the channel and the difference in elevation between the stream bed and the ground surface at the source of development.

10.

DESCRIPTION OF WORKS

Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

VP Well 2 is an existing well. The wheel lines were replaced by a center pivot 1941 in length with approx 100ft being irrigated with a welson 150 end gun. - approx 700ft of 10 inch mainline connects the 150hp motor, 5 stage borehole pump to the center pivot.

11. Construction work will begin on or before 5/77

12. Construction work will be completed on or before 6/77

13. The water will be completely applied to the proposed use on or before 6/77

14. If the ground water supply is supplemental to an existing supply, identify the supply and existing water right.

Application No. G-8716

Permit No. G 8122

E 8135

Remarks: Request a permit for additional irrigation water from UP well #2.

Robert H. Dunbar mgr.
View Point Ranch
Signature of Applicant

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before....., 19.....

WITNESS my hand this day of....., 19.....

Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the

4th day of April, 19 78, at 8:00 o'clock
A.M.

Application No. G-8716 Permit No. G 8122

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same, **SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING MINIMUM FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD** and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.04 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from View Point Well #2.

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;


and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon.
The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.
The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 4, 1978

Actual construction work shall begin on or before June 22, 1979 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1980

WITNESS my hand this 22nd day of June, 1978


Water Resources Director

Application No. G 9763

Permit No. G 8988

CERTIFICATE NO. 50759 65758A 76037

STATE OF OREGON WATER RESOURCES DEPARTMENT RECEIVED
Application for a Permit to Appropriate Ground Water

JUN 3 1980
 WATER RESOURCES DEPT
 SALEM, OREGON

I, View Point Ranches, Inc.
(Name of Applicant)

of P.O. Box 240 Christmas Valley
(Mailing Address) (City)

State of OR, 97638 Phone No. do hereby
(Zip Code)

make application for a permit to appropriate the following described ground waters of the State of Oregon:

1. The development will consist of three wells
(Give number of wells, tile lines, infiltration galleries, etc.)

having a diameter of 12 & 14 inches and an estimated depth of 600 feet.

2. The well ^{No. 6} or other source is to be located 2120 ft. S and 1910 ft. W
(N. or S.) (E. or W.)

from the NE corner of Sec. 19 w/in SW 1/4 NE 1/4 Sec. 19; Well No. 10 is
(Public Land Survey Corner)

1670' S & 1070' W from NE cor. Sec. 20 w/in SE 1/4 NE 1/4 Sec. 20; Well No. 11 is
(If there is more than one well, each must be described)

930' N & 1570' W from SE cor. Sec. 21 being within the SW 1/4 of the SE 1/4 of

Sec. 21 all Tp. 27S R. 19E, W. M., in the county of Lake

3. Location of area to be irrigated, or place of use if use other than irrigation.

Township	Range	Section	List 1/4 1/4 of Section	List use and/or number of acres to be irrigated
27S	19E	19	Well No. 6	
			NW 1/4 NE 1/4	2.5
			NE 1/4 NW 1/4	2.2
			NW 1/4 NW 1/4	1.6
			SW 1/4 NW 1/4	0.5
				subtotal 6.8
			Well No. 10	
		17	SW 1/4 SE 1/4	2.0
			SE 1/4 SE 1/4	0.8
		20	NE 1/4 NE 1/4	12.0
			NW 1/4 NE 1/4	8.9

(continued - see attached sheet)

4. It is estimated that feet of the well will require casing.
(Kind)

5. Depth to water table is estimated Well drilled by.....
(Feet)

See files
 G-2085, G-6451, & G-6669

6. The amount of water which the applicant intends to apply to beneficial use is 1.42 cubic feet per second or gallons per minute. being 0.08 cfs Well No. 6, 1.09 cfs Well No. 10, & 0.25 cfs Well No. 14.

7. The use to which the water is to be applied is irrigation

8. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

N/A

9. If the location of the well, or other development work is less than one-fourth mile from a natural stream channel, give the distance to the channel and the difference in elevation between the stream bed and the ground surface at the source of development.

N/A

10. DESCRIPTION OF WORKS

Include length and dimensions of supply ditch or pipeline, size and type of pump and motor, type of irrigation system to adequately describe the proposed distribution system.

see files G-2085, G-6451, & G-6669

11. Construction work will begin on or before.....

12. Construction work will be completed on or before.....

13. The water will be completely applied to the proposed use on or before..... completed

14. If the ground water supply is supplemental to an existing supply, identify the supply and existing water right. N/A

Application No. G 9763

Permit No. G 8988

ITEM 3 Location of area to be irrigated

Township	Range	Section	1/4 1/4 Section	Acres		
275	19E	20	SE 1/4 NE 1/4	0.9		
			NE 1/4 NW 1/4	8.6		
			SE 1/4 NW 1/4	10.6		
			NE 1/4 SW 1/4	5.3		
			NE 1/4 SE 1/4	12.4		
			NW 1/4 SE 1/4	10.7		
			21	NW 1/4 NW 1/4	3.6	
				SW 1/4 NW 1/4	10.4	
				NW 1/4 SW 1/4	0.8	
				subtotal 82.0		
			Well No. 14			
			21	NE 1/4 SW 1/4	2.1	
				SE 1/4 SW 1/4	3.4	
				NE 1/4 SE 1/4	4.2	
NW 1/4 SE 1/4	2.9					
SE 1/4 SE 1/4	1.7					
28	NE 1/4 NE 1/4	1.6				
	NW 1/4 NE 1/4	3.7				
	NE 1/4 NW 1/4	0.6				
subtotal 20.2						
Total			114.0 acres			

Application No. G-9 763
 Permit No. G 8988

Ex fee 20⁰⁰
 30 ± 10
 84 @ 30 25.20
 55.20

RECEIVED
 JUN 3 1980
 WATER RESOURCES DEPT
 SALEM, OREGON

Remarks: This filing is for lands found irrigated but not included in proofs for permits No. G-6051 & G-6670 & transfer No. 2990

This permit, when issued, is for the beneficial use of water. By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan. It is possible that the land use you propose may not be allowed if it is not in keeping with the goals and the acknowledged plan. Your city or county planning agency can advise you about the land-use plan in your area.

Robert G. Bunker
Signature of Applicant
Myra Jean Bunker
Title

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for.....

In order to retain its priority, this application must be returned to the Water Resources Director with corrections on or before....., 19.....

WITNESS my hand this day of....., 19.....

Water Resources Director

By

This instrument was first received in the office of the Water Resources Director at Salem, Oregon, on the 3rd day of June, 19 80, at 3:30 o'clock P.M.

Application No. G-9763

Permit No. G 8988

Permit to Appropriate the Public Waters of the State of Oregon

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS INCLUDING THE EXISTING MINIMUM FLOW POLICIES ESTABLISHED BY THE WATER POLICY REVIEW BOARD and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed1.42..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from...wells...Nos.... .6, 10 and 14; being 0.08 cfs. from No. 6, 1.09 cfs. from No. 10 and 0.25 cfs. from No. 14.

The use to which this water is to be applied is.....irrigation.....

If for irrigation, this appropriation shall be limited to1/80th..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed3..... acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is..... June 3, 1980.....

Actual construction work shall begin on or before October 14, 1981..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1982.....

Complete application of the water to the proposed use shall be made on or before October 1, 1983.....

WITNESS my hand this14th..... day of..... October....., 1980.....

John H. Keeler
DEPUTY Water Resources Director

047 5

STATE OF OREGON

COUNTY OF LAKE

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

J.R. SIMPLOT CO.
RONALD N. GRAVES
P.O. BOX 27
BOISE, ID 83707

PHONE: (208) 336-2110

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-14611

SOURCE OF WATER: TWO WELLS IN THE CHEWAUCAN RIVER BASIN

PURPOSE OR USE: IRRIGATION OF 321.7 ACRES

MAXIMUM RATE: 4.0 CUBIC FEET PER SECOND

PERIOD OF USE: MARCH 1 THROUGH OCTOBER 31

DATE OF PRIORITY: SEPTEMBER 19, 1997

POINT OF DIVERSION LOCATION: SE 1/4 SW 1/4, SECTION 7, SW 1/4 NW 1/4, SECTION 17, T33S, R19E, W.M.; NEW WELL - 1200 FEET NORTH & 1500 FEET EAST OF SW CORNER, SECTION 7; EXISTING WELL - 2600 FEET SOUTH & 50 FEET EAST OF NW CORNER, SECTION 17

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

SW 1/4 SE 1/4 40.0 ACRES
SE 1/4 SE 1/4 40.0 ACRES
SECTION 7
SW 1/4 SW 1/4 5.0 ACRES
SECTION 8
NW 1/4 NW 1/4 2.0 ACRES
SECTION 17
NE 1/4 NE 1/4 33.0 ACRES
NW 1/4 NE 1/4 40.0 ACRES
SW 1/4 NE 1/4 12.0 ACRES
SE 1/4 NE 1/4 1.7 ACRES
NE 1/4 NW 1/4 40.0 ACRES
NW 1/4 NW 1/4 35.0 ACRES

Application G-14611 Water Resources Department

PERMIT G-13505

SW 1/4 NW 1/4 35.0 ACRES
SE 1/4 NW 1/4 38.0 ACRES
SECTION 18
TOWNSHIP 33 SOUTH, RANGE 19 EAST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

In the event of a request for a change in point of appropriation, an additional point of appropriation or alteration of the appropriation facility associated with this authorized diversion, the quantity of water allowed herein, together with any other right, shall not exceed the capacity of the facility at the time of perfection of this right.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

To monitor the effect of water use from the well(s) authorized under this permit, the Department requires the water user to make and report annual static water level measurements. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

Measurements must be made according to the following schedule:

Before Use of Water Takes Place

Initial and Annual Measurements

The Department requires the permittee to submit an initial water level measurement in the month specified above once well construction is complete and annually thereafter until use of water begins; and

After Use of Water has BegunSeven Consecutive Annual Measurements

Following the first year of water use, the user shall submit seven consecutive annual reports of static water level measurements. The first of these seven annual measurements will establish the reference level against which future annual measurements will be compared. Based on an analysis of the data collected, the Director may require that the user obtain and report additional annual static water level measurements beyond the seven year minimum reporting period. The additional measurements may be required in a different month. If the measurement requirement is stopped, the Director may restart it at any time.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board and be submitted to the Department on forms provided by the Department. The Department requires the individual performing the measurement to:

- (A) Identify each well with its associated measurement; and
- (B) Measure and report water levels to the nearest tenth of a foot as depth-to-water below ground surface; and
- (C) Specify the method used to obtain each well measurement; and
- (D) Certify the accuracy of all measurements and calculations submitted to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if annual water level measurements reveal any of the following events:

- (A) An average water level decline of three or more feet per year for five consecutive years; or
- (B) A water level decline of 15 or more feet in fewer than five consecutive years; or
- (C) A water level decline of 25 or more feet; or
- (D) Hydraulic interference leading to a decline of 25 or more feet in any neighboring well with senior priority.

The period of non or restricted use shall continue until the annual water level rises above the decline level which triggered the action or until the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

STANDARD CONDITIONS

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction of the well shall begin by July 29, 1999. Complete application of water to the use shall be made on or before October 1, 2002. Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Issued October 7, 1998



Martha O. Pagel, Director
Water Resources Department

Application G-14611
Basin 13
LKS

Water Resources Department
Volume 2 CHEWAUCAN R
MGMT.CODES 7BG 7BR 7CG 7CR

PERMIT G-13505
District 12

STATE OF OREGON

COUNTY OF LAKE

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

J.R. SIMPLOT
J.R. SIMPLOT SD REVOCABLE TRUST
P.O. BOX 27
BOISE, ID 83707

PHONE: (208) 336-2110

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-14870

SOURCE OF WATER: TWO WELLS IN THE CHEWANCAN RIVER BASIN

PURPOSE OR USE: IRRIGATION OF 399.0 ACRES

MAXIMUM RATE: 4.99 CUBIC FEET PER SECOND

PERIOD OF USE: MARCH 1 THROUGH OCTOBER 31

DATE OF PRIORITY: NOVEMBER 30, 1998

POINT OF DIVERSION LOCATION: SE 1/4 SW 1/4, SECTION 5, NE 1/4 NE 1/4, SECTION 8, T33S, R19E, W.M.; WELL 4 - 950 FEET NORTH & 2320 FEET EAST FROM SW CORNER, SECTION 5; WELL 3 - 900 FEET SOUTH & 880 FEET WEST FROM NE CORNER, SECTION 8

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

NE 1/4 SW 1/4 38.0 ACRES
NW 1/4 SW 1/4 16.0 ACRES
SW 1/4 SW 1/4 16.0 ACRES
SE 1/4 SW 1/4 40.0 ACRES
NW 1/4 SE 1/4 34.0 ACRES
SW 1/4 SE 1/4 39.0 ACRES
SE 1/4 SE 1/4 15.0 ACRES
SECTION 5

NE 1/4 NE 1/4 38.0 ACRES
 NW 1/4 NE 1/4 40.0 ACRES
 SW 1/4 NE 1/4 23.0 ACRES
 SE 1/4 NE 1/4 37.0 ACRES
 NE 1/4 NW 1/4 27.0 ACRES
 NW 1/4 NW 1/4 2.0 ACRES
 SE 1/4 NW 1/4 2.0 ACRES
 NE 1/4 SE 1/4 1.0 ACRE

SECTION 8

NW 1/4 NW 1/4 16.0 ACRES
 SW 1/4 NW 1/4 15.0 ACRES

SECTION 9

TOWNSHIP 33 SOUTH, RANGE 19 EAST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

STANDARD CONDITIONS

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include

an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Actual construction of the well shall begin by June 18, 2000. Complete application of water to the use shall be made on or before October 1, 2003. Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Issued July 30, 1999



Martha O. Pagel, Director
Water Resources Department

Application G-14870
Basin 13
LKS

Water Resources Department
Volume 2 CHEWAUCAN R
MGMT.CODES 7BG 7BR

PERMIT G-13714
District 12

322-02

STATE OF OREGON

COUNTY OF LAKE

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

J R SIMPLOT SELF DECLARATION REVOCABLE TRUST
PO BOX 27
BOISE, ID 83707

(208) 336-2110

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-15510

SOURCE OF WATER: FOUR WELLS IN CHEWAUCAN RIVER BASIN

PURPOSE OR USE: IRRIGATION OF 402.0 ACRES

MAXIMUM RATE: 5.03 CUBIC FEET PER SECOND, IN ANY COMBINATION FROM FOUR WELLS (WELLS #1, #2, #3, AND #4), FURTHER LIMITED TO NO MORE THAN 5.0 CFS FROM WELL #1

PERIOD OF USE: MARCH 1 THROUGH OCTOBER 31

DATE OF PRIORITY: MAY 24, 2001

WELL LOCATIONS:

WELL 1 - SW $\frac{1}{4}$ NW $\frac{1}{4}$, SECTION 17. 2350 FEET SOUTH AND 110 FEET EAST FROM THE NW CORNER OF SECTION 17, T33S, R19E, W.M.

WELL 2 - NE $\frac{1}{4}$ SE $\frac{1}{4}$, SECTION 7. 1550 FEET NORTH AND 400 FEET WEST FROM THE SE CORNER OF SECTION 7, T33S, R19E, W.M.

WELL 3 - SE $\frac{1}{4}$ NE $\frac{1}{4}$, SECTION 8. 2060 FEET SOUTH AND 400 FEET WEST FROM THE NE CORNER OF SECTION 8, T33S, R19E, W.M.

WELL 4 - NW $\frac{1}{4}$ NW $\frac{1}{4}$, SECTION 8. 400 FEET SOUTH AND 470 FEET EAST FROM THE NW CORNER OF SECTION 8, T33S, R19E, W.M.

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

SW $\frac{1}{4}$ SW $\frac{1}{4}$ 17.0 ACRES
SECTION 5

NE $\frac{1}{4}$ SE $\frac{1}{4}$ 11.0 ACRES
NW $\frac{1}{4}$ SE $\frac{1}{4}$ 4.0 ACRES
SW $\frac{1}{4}$ SE $\frac{1}{4}$ 37.0 ACRES
SE $\frac{1}{4}$ SE $\frac{1}{4}$ 40.0 ACRES
SECTION 6

NE $\frac{1}{4}$ NE $\frac{1}{4}$ 40.0 ACRES
NW $\frac{1}{4}$ NE $\frac{1}{4}$ 26.0 ACRES
SW $\frac{1}{4}$ NE $\frac{1}{4}$ 31.0 ACRES
SE $\frac{1}{4}$ NE $\frac{1}{4}$ 38.0 ACRES
NE $\frac{1}{4}$ SE $\frac{1}{4}$ 32.0 ACRES
NW $\frac{1}{4}$ SE $\frac{1}{4}$ 24.0 ACRES
SECTION 7

NE $\frac{1}{4}$ NW $\frac{1}{4}$ 8.0 ACRES
NW $\frac{1}{4}$ NW $\frac{1}{4}$ 9.0 ACRES
SW $\frac{1}{4}$ NW $\frac{1}{4}$ 37.0 ACRES
SE $\frac{1}{4}$ NW $\frac{1}{4}$ 32.0 ACRES
NE $\frac{1}{4}$ SW $\frac{1}{4}$ 7.0 ACRES
NW $\frac{1}{4}$ SW $\frac{1}{4}$ 9.0 ACRES
SECTION 8

TOWNSHIP 33 SOUTH, RANGE 19 EAST, W.M.

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where the meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

To monitor the effect of water use from the well(s) authorized under this permit, the Department requires the water user to make and report annual static water level measurements. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

Measurements must be made according to the following schedule:

Before Use of Water Takes Place

Initial and Annual Measurements

The Department requires the permittee to submit an initial water level measurement in the month specified above once well construction is complete and annually thereafter until use of water begins; and

After Use of Water has Begun

Reference Water Level Determination

Following the first year of water use, the user shall submit one static water level measurement in the month specified above which will establish the reference level against which future annual measurements will be compared. The water user is not required to measure additional water levels after the reference level has been determined unless required by the Director. The additional measurements may be required in a different month. If the measurement requirement is stopped, the Director may restart it at any time.

All measurements shall be made by a certified water rights examiner, registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board and be submitted to the Department on forms provided by the Department. The Department requires the individual performing the measurement to:

- (A) Identify each well with its associated measurement; and
- (B) Measure and report water levels to the nearest tenth of a foot as depth-to-water below ground surface; and
- (C) Specify the method used to obtain each well measurement; and
- (D) Certify the accuracy of all measurements and calculations submitted to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if annual water level measurements reveal any of the following events:

- (A) An average water level decline of three or more feet per year for five consecutive years; or
- (B) A water level decline of 15 or more feet in fewer than five consecutive years; or
- (C) A water level decline of 25 or more feet; or
- (D) Hydraulic interference leading to a decline of 25 or more feet in any neighboring well with senior priority.

The period of non or restricted use shall continue until the annual water level rises above the decline level which triggered the action or until the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more

than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

STANDARD CONDITIONS

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit the results of a pump test meeting the department's standards, to the Water Resources Department. The Director may require water level or pump test results every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restrictions on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.

By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.


The use of water shall be limited when it interferes with any prior surface or ground water rights.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

Complete application of the water to the use shall be made on or before October 1, 2006. If the water is not completely applied before this date, and the permittee wishes to continue development under the permit, the permittee must submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after complete application of water to the proposed use, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Issued March 22, 2002



Paul R. Cleary, Director
Water Resources Department

NOTE: Pursuant to ORS 537.330, in any transaction for the conveyance of real estate that includes any portion of the lands described in this permit, the seller of the real estate shall, upon accepting an offer to purchase that real estate, also inform the purchaser in writing whether any permit, transfer approval order, or certificate evidencing the water right is available and that the seller will deliver any permit, transfer approval order or certificate to the purchaser at closing, if the permit, transfer approval order or certificate is available.

STATE OF OREGON

COUNTY OF LAKE

PERMIT TO APPROPRIATE THE PUBLIC WATERS

THIS PERMIT IS HEREBY ISSUED TO

JRS PROPERTIES III, LP
PO BOX 27
BOISE, ID 83707

This superseding permit is issued to describe an amendment for additional points of appropriation proposed under Permit Amendment Application T-12631 and approved by Special Order Vol. 114, Page 1212, entered December 18, 2019, and to describe an extension of time for complete application of water approved August 14, 2015, and March 1, 2019. This permit supersedes Permit G-15548.

The specific limits and conditions of the use are listed below.

APPLICATION FILE NUMBER: G-15996

SOURCE OF WATER: FOUR WELLS IN CHEWAUCAN RIVER BASIN

PURPOSE OR USE: SUPPLEMENTAL IRRIGATION OF 4442.14 ACRES

MAXIMUM RATE: 5.57 CUBIC FEET PER SECOND

PERIOD OF USE: YEAR-ROUND

DATE OF PRIORITY: DECEMBER 6, 2013

WELL LOCATIONS:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
33 S	19 E	WM	7	NE SE	WELL #2 - 1690 FEET NORTH AND 770 FEET WEST FROM THE SE CORNER OF SECTION 7
33 S	19 E	WM	8	SE NE	WELL #3 - 2048 FEET SOUTH AND 563 FEET WEST FROM THE NE CORNER OF SECTION 8
33 S	19 E	WM	8	NW NW	WELL #4 - 325 FEET SOUTH AND 4704 FEET WEST FROM THE NE CORNER OF SECTION 8
33 S	19 E	WM	9	NE SW	RED HOUSE WELL - 1615 FEET NORTH AND 1512 FEET EAST FROM THE SW CORNER OF SECTION 9

The amount of water used for irrigation under this right, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

THE PLACE OF USE IS LOCATED AS FOLLOWS:

SUPPLEMENTAL IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
33 S	19 E	WM	14	SW SW	26.22
33 S	19 E	WM	14	SE SW	9.51
33 S	19 E	WM	15	SW NW	15.55
33 S	19 E	WM	15	SE NW	1.51
33 S	19 E	WM	15	NE SW	38.15
33 S	19 E	WM	15	NW SW	40.00
33 S	19 E	WM	15	SW SW	40.00
33 S	19 E	WM	15	SE SW	40.00
33 S	19 E	WM	15	NE SE	4.31
33 S	19 E	WM	15	NW SE	22.28
33 S	19 E	WM	15	SW SE	40.00
33 S	19 E	WM	15	SE SE	38.65
33 S	19 E	WM	16	NE NE	0.20
33 S	19 E	WM	16	NW NE	10.23
33 S	19 E	WM	16	SW NE	40.00
33 S	19 E	WM	16	SE NE	32.51
33 S	19 E	WM	16	NE NW	5.67
33 S	19 E	WM	16	SE NW	4.10
33 S	19 E	WM	16	NE SE	40.00
33 S	19 E	WM	16	NW SE	39.48
33 S	19 E	WM	16	SW SE	39.77
33 S	19 E	WM	16	SE SE	40.00
33 S	19 E	WM	21	NE NE	40.00
33 S	19 E	WM	21	NW NE	28.66
33 S	19 E	WM	21	SW NE	17.81
33 S	19 E	WM	21	SE NE	40.00
33 S	19 E	WM	21	NE SE	17.14
33 S	19 E	WM	21	NW SE	1.93
33 S	19 E	WM	22	NE NE	40.00
33 S	19 E	WM	22	NW NE	40.00
33 S	19 E	WM	22	SW NE	40.00
33 S	19 E	WM	22	SE NE	40.00
33 S	19 E	WM	22	NE NW	40.00
33 S	19 E	WM	22	NW NW	40.00
33 S	19 E	WM	22	SW NW	40.00
33 S	19 E	WM	22	SE NW	40.00
33 S	19 E	WM	22	NE SW	40.00
33 S	19 E	WM	22	NW SW	36.56
33 S	19 E	WM	22	SW SW	8.75
33 S	19 E	WM	22	SE SW	40.00
33 S	19 E	WM	22	NE SE	40.00
33 S	19 E	WM	22	NW SE	40.00
33 S	19 E	WM	22	SW SE	40.00
33 S	19 E	WM	22	SE SE	40.00
33 S	19 E	WM	23	NW NE	18.40
33 S	19 E	WM	23	SW NE	38.54
33 S	19 E	WM	23	SE NE	8.50
33 S	19 E	WM	23	NE NW	40.00
33 S	19 E	WM	23	NW NW	40.00
33 S	19 E	WM	23	SW NW	40.00

SUPPLEMENTAL IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
33 S	19 E	WM	23	SE NW	40.00
33 S	19 E	WM	23	NE SW	40.00
33 S	19 E	WM	23	NW SW	40.00
33 S	19 E	WM	23	SW SW	40.00
33 S	19 E	WM	23	SE SW	40.00
33 S	19 E	WM	23	NE SE	32.20
33 S	19 E	WM	23	NW SE	40.00
33 S	19 E	WM	23	SW SE	40.00
33 S	19 E	WM	23	SE SE	40.00
33 S	19 E	WM	24	NW SW	1.00
33 S	19 E	WM	24	SW SW	13.20
33 S	19 E	WM	25	NW NW	29.90
33 S	19 E	WM	25	SW NW	37.90
33 S	19 E	WM	25	SE NW	5.30
33 S	19 E	WM	25	NE SW	18.80
33 S	19 E	WM	25	NW SW	40.00
33 S	19 E	WM	25	SW SW	40.00
33 S	19 E	WM	25	SE SW	26.30
33 S	19 E	WM	26	NE NE	40.00
33 S	19 E	WM	26	NW NE	40.00
33 S	19 E	WM	26	SW NE	40.00
33 S	19 E	WM	26	SE NE	40.00
33 S	19 E	WM	26	NE NW	40.00
33 S	19 E	WM	26	NW NW	40.00
33 S	19 E	WM	26	SW NW	40.00
33 S	19 E	WM	26	SE NW	40.00
33 S	19 E	WM	26	NE SW	40.00
33 S	19 E	WM	26	NW SW	40.00
33 S	19 E	WM	26	SW SW	40.00
33 S	19 E	WM	26	SE SW	40.00
33 S	19 E	WM	26	NE SE	40.00
33 S	19 E	WM	26	NW SE	40.00
33 S	19 E	WM	26	SW SE	40.00
33 S	19 E	WM	26	SE SE	40.00
33 S	19 E	WM	27	NE NE	40.00
33 S	19 E	WM	27	NW NE	40.00
33 S	19 E	WM	27	SW NE	36.80
33 S	19 E	WM	27	SE NE	40.00
33 S	19 E	WM	27	NE NW	24.47
33 S	19 E	WM	27	SE NW	2.56
33 S	19 E	WM	27	NE SE	40.00
33 S	19 E	WM	27	NW SE	24.82
33 S	19 E	WM	27	SW SE	7.77
33 S	19 E	WM	27	SE SE	40.00
33 S	19 E	WM	34	NE NE	34.40
33 S	19 E	WM	34	NW NE	0.05
33 S	19 E	WM	34	SE NE	20.24
33 S	19 E	WM	34	NE SE	5.09
33 S	19 E	WM	35	NE NE	40.00
33 S	19 E	WM	35	NW NE	40.00
33 S	19 E	WM	35	SW NE	40.00

SUPPLEMENTAL IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
33 S	19 E	WM	35	SE NE	40.00
33 S	19 E	WM	35	NE NW	40.00
33 S	19 E	WM	35	NW NW	40.00
33 S	19 E	WM	35	SW NW	40.00
33 S	19 E	WM	35	SE NW	40.00
33 S	19 E	WM	35	NE SW	40.00
33 S	19 E	WM	35	NW SW	37.52
33 S	19 E	WM	35	SW SW	26.21
33 S	19 E	WM	35	SE SW	40.00
33 S	19 E	WM	35	NE SE	40.00
33 S	19 E	WM	35	NW SE	40.00
33 S	19 E	WM	35	SW SE	40.00
33 S	19 E	WM	35	SE SE	40.00
33 S	19 E	WM	36	NE NW	24.80
33 S	19 E	WM	36	NW NW	40.00
33 S	19 E	WM	36	SW NW	40.00
33 S	19 E	WM	36	SE NW	15.60
33 S	19 E	WM	36	NW SW	40.00
33 S	19 E	WM	36	SW SW	40.00
33 S	19 E	WM	36	SE SW	10.60
34 S	19 E	WM	1	NE NW	17.00
34 S	19 E	WM	1	NW NW	40.00
34 S	19 E	WM	1	SW NW	40.00
34 S	19 E	WM	1	SE NW	22.30
34 S	19 E	WM	1	NE SW	38.60
34 S	19 E	WM	1	NW SW	40.00
34 S	19 E	WM	1	SW SW	2.90
34 S	19 E	WM	1	SE SW	4.49
34 S	19 E	WM	1	NW SE	6.90
34 S	19 E	WM	1	SW SE	1.69
34 S	19 E	WM	2	NE NE	40.00
34 S	19 E	WM	2	NW NE	40.00
34 S	19 E	WM	2	SW NE	40.00
34 S	19 E	WM	2	SE NE	40.00
34 S	19 E	WM	2	NE NW	40.00
34 S	19 E	WM	2	NW NW	11.23
34 S	19 E	WM	2	SW NW	0.27
34 S	19 E	WM	2	SE NW	28.79
34 S	19 E	WM	2	NE SW	6.42
34 S	19 E	WM	2	NE SE	40.00
34 S	19 E	WM	2	NW SE	40.00
34 S	19 E	WM	2	SE SE	1.59
Total:					4442.14

Permit Amendment T-12631 Conditions:

The combined quantity of water diverted at the new points of appropriation (Wells 2, 3, and 4), together with that diverted at the old point of appropriation (Red House Well), shall not exceed the quantity of water lawfully available at the original point of appropriation (Red House Well).

Water use measurement conditions:

- a) Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each point of appropriation.
- b) The water user shall maintain the meters or measuring devices in good working order.
- c) The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.

Water shall be acquired from the same aquifer as the original point of appropriation.

Original Permit Conditions:

Measurement, recording and reporting conditions:

- A. Before water use may begin under this permit, the permittee shall install a meter or other suitable measuring device as approved by the Director. The permittee shall maintain the meter or measuring device in good working order, shall keep a complete record of the amount of water used each month and shall submit a report of the amount of water used each month and shall submit a report which includes the recorded water use measurements to the Department annually or more frequently as may be required by the Director. Further, the Director may require the permittee to report general water use information, including the place and nature of use of water under the permit.
- B. The permittee shall allow the watermaster access to the meter or measuring device; provided however, where any meter or measuring device is located within a private structure, the watermaster shall request access upon reasonable notice.

To monitor the effect of water use from the wells authorized under this permit, the Department requires the water user to make and report annual static water level measurements. The static water level shall be measured in the month of March. Reports shall be submitted to the Department within 30 days of measurement.

Measurements must be made according to the following schedule:

Before Use of Water Takes Place

Initial and Annual Measurements

The Department requires the permittee to report an initial water level measurement in the month specified above once well construction is complete and annually thereafter until use of water begins; and

After Use of Water has BegunReference Water Level Determination

Following the first year of water use, the user shall submit one static water level measurement in the month specified above which will establish the reference level against which future annual measurements will be compared. The water user is not required to measure additional water levels after the reference level has been determined unless required by the Director. The additional measurements may be required in a different month. If the measurement required is stopped, the Director may restart it at any time.

All measurements shall be made by a certified water rights examiner; registered professional geologist, registered professional engineer, licensed well constructor or pump installer licensed by the Construction Contractors Board and be submitted to the Department on forms provided by the Department. The Department requires the individual performing the measurement to:

- A. Identify each well with its associated measurement; and
- B. Measure and report water levels to the nearest tenth of a foot as depth-to-water below ground surface; and
- C. Specify the method used to obtain each well measurement; and
- D. Certify the accuracy of all measurements and calculations reported to the Department.

The water user shall discontinue use of, or reduce the rate or volume of withdrawal from, the well(s) if annual water level measurements and calculations reveal any of the following events:

- A. An average water level decline of three or more feet per year for five consecutive years; or
- B. A water level decline of 15 or more feet in fewer than five consecutive years; or
- C. A water level decline of 25 or more feet; or
- D. Hydraulic interference leads to a decline of 25 or more feet in any neighboring well with senior priority.

The period of non or restricted use shall continue until the annual water level rises above the decline level which triggered the action or until the Department determines, based on the permittee's and/or the Department's data and analysis, that no action is necessary because the aquifer in question can sustain the observed declines without adversely impacting the resource or senior water rights. The water user shall in no instance allow excessive decline, as defined in Commission rules, to occur within the aquifer as a result of use under this permit. If more than one well is involved, the water user may submit an alternative measurement and reporting plan for review and approval by the Department.

STANDARD CONDITIONS

If substantial interference with a senior water right occurs due to withdrawal of water from any well listed on this permit, then use of water from the well(s) shall be discontinued or reduced and/or the schedule of withdrawal shall be regulated until or unless the Department approves or implements an alternative administrative action to mitigate the interference. The Department encourages junior and senior appropriators to jointly develop plans to mitigate interferences.

The wells shall be constructed in accordance with the General Standards for the Construction and Maintenance of Water Wells in Oregon. The works shall be equipped with a usable access port, and may also include an air-line and pressure gauge adequate to determine water level elevation in the well at all times.

The use shall conform to such reasonable rotation system as may be ordered by the proper state officer.

Prior to receiving a certificate of water right, the permit holder shall submit to the Water Resources Department the results of a pump test meeting the Department's standards for each point of appropriation (well), unless an exemption has been obtained in writing under OAR 690-217. The Director may require water-level or pump-test data every ten years thereafter.

Failure to comply with any of the provisions of this permit may result in action including, but not limited to, restriction on the use, civil penalties, or cancellation of the permit.

This permit is for the beneficial use of water without waste. The water user is advised that new regulations may require the use of best practical technologies or conservation practices to achieve this end.


By law, the land use associated with this water use must be in compliance with statewide land-use goals and any local acknowledged land-use plan.

By law, the land use shall be limited when it interferes with any prior surface or ground water rights.

The Director finds that the proposed use(s) of water described by this permit, as conditioned, will not impair or be detrimental to the public interest.

The original permit was issued January 16, 2004. Complete application of the water to the use was to be made on or before October 1, 2008. By Extension of Time Final Order dated March 1, 2019, the deadline for complete application of water to the use was extended to October 1, 2023. If the water is not completely applied before this date, and the permittee wishes to continue development under the permit, the permittee must submit an application for extension of time, which may be approved based upon the merit of the application.

Within one year after making beneficial use of water, the permittee shall submit a claim of beneficial use, which includes a map and report, prepared by a Certified Water Rights Examiner (CWRE).

Issued DEC 18 2019 ;


Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
THOMAS M. BYLER, DIRECTOR
Oregon Water Resources Department

REAL ESTATE TRANSACTIONS: Pursuant to ORS 537.330, in any transaction for the conveyance of real estate that includes any portion of the lands described in this permit, the seller of the real estate shall, upon accepting an offer to purchase that real estate, also inform the purchaser in writing whether any permit, transfer approval order, or certificate evidencing the water right is available and that the seller will deliver any permit, transfer approval order or certificate to the purchaser at closing, if the permit, transfer approval order or certificate is available.

CULTURAL RESOURCES PROTECTION LAWS: Permittees involved in ground disturbing activities should be aware of federal and state cultural resources protection law. ORS 358.920 prohibits the excavation, injury, destruction or alteration of an archeological site or object, or removal of archeological objects from public and private lands without an archeological permit issued by the State Historic Preservation Office. 16 USC 470. Section 106, National Historic Preservation Act of 1966 requires a federal agency, prior to any undertaking to take into account the effect of the undertaking that is included on or eligible for inclusion in the National Register. For further information, contact the State Historic Preservation Office at 503-986-0690

Permit No. G-662

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, George Brewer (Name of applicant) of 1305 LUCIO LANE, Sacramento (Postoffice Address), county of ... state of California, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated ... JNA River (Name of stream) tributary of Summer Lake

2. The amount of water which the applicant intends to apply to beneficial use is ... cubic feet per second or 3000 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 10 ft. S and 10 ft. W from the North 1/4 corner of Sec. 32 - T27S 1219 E WNW (Section or subdivision) (If preferable, give distance and bearing to section corner)

being within the NE NW of Sec. 32, Twp. 27S, R. 19E, W. M., in the county of LAKE - On property owned by Eugene Hughes

5. The 1/4 mile (Canal or pipe line) to be (1/4 mile) miles in length, terminating in the SE NENE + SENW of Sec. 32, Twp. 27S, R. 19E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is VIEWPOINT NO. 4.

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of One (Give number of wells, tunnels, etc.) having a diameter of 12 inches and an estimated depth of 250 feet. It is estimated that 90 feet of the well will require steel (Kind) casing. Depth to water table is estimated 30 (Feet)

CANAL SYSTEM OR PIPE LINE *←*

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type *x 75 Turbine*

Give horsepower and type of motor or engine to be used *75*

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<i>27S</i>	<i>19E</i>	28 <i>29</i>	<i>SE SW</i>	<i>40</i>
			<i>SW SE</i>	<i>40</i>

(If more space required, attach separate sheet)

Character of soil *L. sand*

Kind of crops raised *Wheat*

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Viewpoint Well #4

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is October 1, 1957

Actual construction work shall begin on or before October 25, 1958 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 25th day of October 1957

Lewis A. Stanley

STATE ENGINEER

Application No. G- 776

Permit No. G- 662

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of October, 1957, at 11:00 o'clock A.M.

Returned to applicant:

Approved:

October 25, 1957

Recorded in book No. 3 of

662

Ground Water Permits on page

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 13 page 54

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Transfer Application)	FINAL ORDER APPROVING AN
T-12583, Lake County)	ADDITIONAL POINT OF
)	APPROPRIATION, CHANGES IN
)	POINTS OF APPROPRIATION AND
)	PLACES OF USE

Authority

Oregon Revised Statutes (ORS) 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to transfer the point of appropriation, place of use, or character of use authorized under an existing water right. Oregon Administrative Rules (OAR) Chapter 690, Division 380 implement the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

JRS PROPERTIES III LP
PO BOX 27
BOISE, ID 83707

Findings of Fact

1. On January 31, 2017, JRS PROPERTIES III LP, filed an application to change the points of appropriation and to change the places of use under Certificates 34169, 34170, 34171, 50751, 50755, 50757, 50760, 50917, 50918, 65758, and 65759. The Department assigned the application number T-12583.
2. Notice of the application for transfer was published on February 7, 2017, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
3. On January 15, 2020, the Department contacted the applicant by written correspondence to notify the applicant of deficiencies in the application. Table 2 under Certificate 65759 needed to be more clearly defined regarding the acres proposed for changing place of use, as the rate authorized is well specific. The Department requested that the deficiencies be resolved by March 2, 2020.

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

4. On January 17, 2020, the applicant submitted a revised Table 1 and Table 2 for Certificate 65759 and added a request for an additional point of appropriation, resolving the deficiencies.
5. On February 10, 2020, the Department mailed a copy of the draft Preliminary Determination proposing to approve Transfer Application T-12583 to the applicant. The draft Preliminary Determination cover letter set forth a deadline of March 12, 2020, for the applicant to respond. The applicant's agent identified a discrepancy in the acres proposed for transfer from Well #11 and Well #12 under Certificate 65759.
6. On February 11, 2020, the applicant's agent submitted a revised Table 2 for Certificate 65759, further clarifying the acres proposed for transfer from Well #11 and Well #12. The applicant requested that the Department proceed with issuance of a Preliminary Determination and provided the necessary information to demonstrate that the applicant is authorized to pursue the transfer.
7. On May 28, 2020, the Department issued a Preliminary Determination proposing to approve Transfer T-12583 and mailed a copy to the applicant. Additionally, notice of the Preliminary Determination for the transfer application was published on the Department's weekly notice on June 2, 2020, and in the Lake County Examiner newspaper on June 3, and June 10, 2020 pursuant to ORS 540.520 and OAR 690-380-4020. No protests were filed in response to the notice.

8. The portion of the first right to be transferred is as follows:

Certificate: 34169 in the name of WEST SACRAMENTO ENTERPRISES, INC.
(perfected under Permit G-662)

Use: IRRIGATION of 7.0 ACRES

Priority Date: OCTOBER 1, 1957

Rate: 0.09 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELL NO. 4 a tributary of ANA RIVER (SUMMER LAKE)

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	32 th	NE NW	VIEWPOINT WELL NO. 4 - 20 FEET SOUTH AND 2580 FEET EAST FROM THE NW CORNER OF SECTION 32

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	29	SW SW	1.0
27 S	19 E	WM	29	SE SW	3.5
27 S	19 E	WM	29	SW SE	2.3

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	29	SE SE	0.2
Total					7.0

9. Transfer Application T-12583 proposes to move the authorized point of appropriation approximately 1.1 miles from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28

10. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	28	NW NE	0.7
27 S	19 E	WM	28	SW NE	1.5
27 S	19 E	WM	28	NE NW	1.5
27 S	19 E	WM	28	NW NW	0.1
27 S	19 E	WM	28	SW NW	1.3
27 S	19 E	WM	28	NE SW	1.4
27 S	19 E	WM	28	NW SE	0.5
Total					7.0

11. The portion of the second right to be transferred is as follows:

Certificate: 34170 in the name of WEST SACRAMENTO ENTERPRISES, INC.
(perfected under Permit G-676)

Use: IRRIGATION of 8.4 ACRES

Priority Date: OCTOBER 1, 1957

Rate: 0.105 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELL NO. 4 a tributary of ANA RIVER (SUMMER LAKE)

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	32	NE NW	VIEWPOINT WELL NO. 4 - 20 FEET SOUTH AND 2580 FEET EAST FROM THE NW CORNER OF SECTION 32

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	32	NE NE	0.3
27 S	19 E	WM	32	NW NE	3.0
27 S	19 E	WM	32	NE NW	4.4
27 S	19 E	WM	32	NW NW	0.7
Total					8.4

12. Transfer Application T-12583 proposes to move the authorized point of appropriation approximately 1.1 miles from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28

13. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	28	NW NE	0.9
27 S	19 E	WM	28	SW NE	1.7
27 S	19 E	WM	28	NE NW	1.7
27 S	19 E	WM	28	NW NW	0.2
27 S	19 E	WM	28	SW NW	1.5
27 S	19 E	WM	28	NE SW	1.6
27 S	19 E	WM	28	NW SW	0.1
27 S	19 E	WM	28	NW SE	0.7
Total					8.4

14. The portion of the third right to be transferred is as follows:

Certificate: 34171 in the name of WEST SACRAMENTO ENTERPRISES, INC.
(perfected under Permit G-696)

Use: IRRIGATION of 11.0 ACRES

Priority Date: AUGUST 14, 1957

Rate: 0.137 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELL NO. 3 a tributary of ANA RIVER (SUMMER LAKE)

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	29	SE NW	VIEWPOINT WELL NO. 3 - 2660 FEET NORTH AND 2110 FEET EAST FROM THE SW CORNER OF SECTION 29

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	29	SE NW	11.0

15. Transfer Application T-12583 proposes to move the authorized point of appropriation approximately 1.0 mile from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28

16. Transfer Application T-12583 also proposes to change the place of use of the right to:

Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	28	NW NE	0.8
27 S	19 E	WM	28	SW NE	2.7
27 S	19 E	WM	28	NE NW	2.4
27 S	19 E	WM	28	SW NW	1.4
27 S	19 E	WM	28	SE NW	1.1
27 S	19 E	WM	28	NE SW	2.1
27 S	19 E	WM	28	NW SE	0.5
Total					11.0

17. The portion of the fourth right to be transferred is as follows:

Certificate: 50751 in the name of ALDER CREEK RANCHES, INC. (perfected under Permit G-5754)

Use: IRRIGATION of 8.2 ACRES

Priority Date: APRIL 9, 1973

Rate: 0.10 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELL 3 a tributary of FORT ROCK BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	29	SE NW	VIEWPOINT WELL 3 - 2610 SOUTH AND 2080 FEET EAST FROM THE NW CORNER OF SECTION 29

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	29	NE NE	0.2
27 S	19 E	WM	29	NW NE	1.3
27 S	19 E	WM	29	SE NE	4.0
27 S	19 E	WM	29	NE SE	2.5
27 S	19 E	WM	29	NW SE	0.2
Total					8.2

18. Transfer Application T-12583 proposes to move the authorized point of appropriation approximately 1.0 mile from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28

19. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	28	NW NE	1.0
27 S	19 E	WM	28	SW NE	1.3
27 S	19 E	WM	28	NE NW	1.3
27 S	19 E	WM	28	NW NW	0.7
27 S	19 E	WM	28	SW NW	1.3
27 S	19 E	WM	28	NE SW	1.2
27 S	19 E	WM	28	NW SW	0.5
27 S	19 E	WM	28	NW SE	0.9
Total					8.2

20. The portion of the fifth right to be transferred is as follows:

Certificate: 50755 in the name of ALDER CREEK RANCHES, INC. (perfected under Permit G-8120)

Use: IRRIGATION of 4.2 ACRES

Priority Date: APRIL 4, 1978

Rate: 0.05 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELL 3 a tributary of FORT ROCK BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	29	SE NW	VIEWPOINT WELL 3 - 2610 FEET SOUTH AND 2080 FEET EAST FROM THE NW CORNER OF SECTION 29

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	29	NW NE	1.90
27 S	19 E	WM	29	NE NW	0.80
27 S	19 E	WM	30	SE NE	1.50
Total					4.2

21. Transfer Application T-12583 proposes to move the authorized point of appropriation approximately 1.0 mile from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28

22. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	28	NW NE	0.6
27 S	19 E	WM	28	SW NE	0.6
27 S	19 E	WM	28	NE NW	0.7
27 S	19 E	WM	28	NW NW	0.3
27 S	19 E	WM	28	SW NW	0.6
27 S	19 E	WM	28	NE SW	0.6
27 S	19 E	WM	28	NW SW	0.3
27 S	19 E	WM	28	NW SE	0.5
Total					4.2

23. The portion of the sixth right to be transferred is as follows:

Certificate: 50757 in the name of ALDER CREEK RANCHES, INC. (perfected under Permit G-8122)

Use: IRRIGATION of 27.8 ACRES

Priority Date: APRIL 4, 1978

Rate: 0.347 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELL 2 a tributary of FORT ROCK BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	19	SW SE	VIEWPOINT WELL 2 - 320 FEET NORTH AND 2600 FEET WEST FROM THE SE CORNER OF SECTION 19

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	19	NE SW	1.2
27 S	19 E	WM	19	SE SW	1.5
27 S	19 E	WM	19	NE SE	0.6
27 S	19 E	WM	19	NW SE	3.0
27 S	19 E	WM	20	SW SW	2.4
27 S	19 E	WM	29	NW NW	1.2
27 S	19 E	WM	30	NW NE	0.2
27 S	19 E	WM	30	SE NE	3.8
27 S	19 E	WM	30	NE NW	13.9
Total					27.8

24. Transfer Application T-12583 proposes to move the authorized point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances	Approximated distance from the original point of appropriation in miles (mi.)
27 S	19 E	WM	20	SW NW	WELL #8 - 1860 FEET SOUTH AND 240 FEET EAST FROM NW CORNER OF SECTION 20	0.8 mi.
27 S	19 E	WM	20	SE SW	WELL #6A - 240 FEET NORTH AND 1670 FEET EAST FROM THE SW CORNER OF SECTION 20	0.8 mi.
27 S	19 E	WM	20	SE SE	WELL #7 - 120 FEET NORTH AND 350 FEET WEST FROM THE SE CORNER OF SECTION 20	1.4 mi.

25. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	Acres	POA
27 S	19 E	WM	19	NE NE	1.8	#8
27 S	19 E	WM	19	NW NE	0.2	#8
27 S	19 E	WM	19	SW NE	1.4	#8
27 S	19 E	WM	19	SE NE	0.2	#8
27 S	19 E	WM	19	NE SE	1.9	#8
27 S	19 E	WM	20	NE NW	1.0	#8
27 S	19 E	WM	20	NW NW	1.6	#8
27 S	19 E	WM	20	SE NW	1.8	#8
27 S	19 E	WM	20	NE SW	1.7	#6A AND #8
27 S	19 E	WM	20	NW SW	2.4	#6A AND #8
27 S	19 E	WM	20	SW SW	1.1	#6A
27 S	19 E	WM	20	NE SE	1.1	#7
27 S	19 E	WM	20	NW SE	0.4	#6A AND #7
27 S	19 E	WM	20	SW SE	2.1	#6A AND #7
27 S	19 E	WM	21	NW SW	0.7	#7
27 S	19 E	WM	21	SW SW	1.3	#7
27 S	19 E	WM	28	NW NW	1.5	#7
27 S	19 E	WM	28	SW NW	0.1	#7
27 S	19 E	WM	29	NE NE	0.3	#7
27 S	19 E	WM	29	NW NE	2.1	#6A AND #7

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	Acres	POA
27 S	19 E	WM	29	SE NE	0.5	#7
27 S	19 E	WM	29	NE NW	1.3	#6A
27 S	19 E	WM	29	NW NW	1.3	#6A
Total					27.8	

26. The portion of the seventh right to be transferred is as follows:

Certificate: 50760 in the name of ALDER CREEK RANCH (perfected under Permit G-1915)

Use: IRRIGATION of 34.6 ACRES

Priority Date: AUGUST 3, 1961

Rate: 0.43 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELL 6 a tributary of FORT ROCK BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	19	SW NE	VIEWPOINT WELL 6 - 460 FEET NORTH AND 3380 FEET EAST FROM THE W1/4 CORNER OF SECTION 19.

Authorized Place of Use:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
27 S	19 E	WM	19	NW NE		4.2
27 S	19 E	WM	19	SW NE		7.0
27 S	19 E	WM	19	NE NW		0.1
27 S	19 E	WM	19	SW NW	2	2.3
27 S	19 E	WM	19	NE SW		9.2
27 S	19 E	WM	19	NW SW	3	5.8
27 S	19 E	WM	19	NW SE		6.0
Total						34.6

27. Transfer Application T-12583 proposes to move the authorized point of appropriation approximately 2.0 miles from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28

28. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	28	NW NE	4.2
27 S	19 E	WM	28	SW NE	6.1

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	28	NE NW	6.0
27 S	19 E	WM	28	NW NW	1.9
27 S	19 E	WM	28	SW NW	5.9
27 S	19 E	WM	28	NE SW	6.0
27 S	19 E	WM	28	NW SW	1.0
27 S	19 E	WM	28	NW SE	3.5
Total					34.6

29. The portion of the eighth right to be transferred is as follows:

Certificate: 50917 in the name of ALDER CREEK RANCH (perfected under Permit G-697)

Use: IRRIGATION of 77.4 ACRES

Priority Date: AUGUST 14, 1957

Rate: 0.970 CUBIC FOOT PER SECOND, BEING 0.485 CFS FROM WELL 2, 0.155 CFS FROM WELL 1, AND 0.330 CFS FROM WELL 3

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELLS 1, 2, AND 3 a tributary of ANA RIVER

Authorized Points of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	18	SW SW	VIEWPOINT WELL 1 - 3260 FEET NORTH AND 80 FEET EAST FROM THE W1/4 CORNER OF SECTION 19
27 S	19 E	WM	19	SW SE	VIEWPOINT WELL 2 - 2320 FEET SOUTH AND 2710 FEET EAST FROM THE W1/4 CORNER OF SECTION 19
27 S	19 E	WM	29	SE NW	VIEWPOINT WELL 3 - 2110 FEET EAST AND 2660 FEET NORTH FROM THE SW CORNER OF SECTION 29

Authorized Place of Use:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
27 S	18 E	WM	13	NE SE		9.3
27 S	18 E	WM	13	SE SE		4.0
27 S	18 E	WM	24	NE NE		10.7
27 S	19 E	WM	19	NW NW	1	8.8
27 S	19 E	WM	19	NW SW	3	0.1
27 S	19 E	WM	19	SE SW		8.2
27 S	19 E	WM	19	NE SE		3.5
27 S	19 E	WM	19	SE SE		1.5
27 S	19 E	WM	29	SW NW		4.4
27 S	19 E	WM	29	NE SW		17.0
27 S	19 E	WM	29	NW SW		2.3
27 S	19 E	WM	29	NW SE		1.4
27 S	19 E	WM	30	NE NE		4.2

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
27 S	19 E	WM	30	SE NE		1.4
27 S	19 E	WM	30	NE NW		0.6
Total						77.4

30. Transfer Application T-12583 proposes to move the authorized points of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28

31. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
27 S	19 E	WM	28	NW NE		2.0
27 S	19 E	WM	28	SW NE		16.0
27 S	19 E	WM	28	NE NW		10.1
27 S	19 E	WM	28	SW NW		2.4
27 S	19 E	WM	28	SE NW		39.8
27 S	19 E	WM	28	NE SW		6.1
27 S	19 E	WM	28	NW SE		1.0
Total						77.4

32. The portion of the ninth right to be transferred is as follows:

Certificate: 50918 in the name of ALDER CREEK RANCH (perfected under Permit G-1997)

Use: IRRIGATION of 13.6 ACRES

Priority Date: NOVEMBER 24, 1961

Rate: 0.14 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELL 1 a tributary of FORT ROCK BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances
27 S	19 E	WM	18	SW SW	4	VIEWPOINT WELL 1 - 3260 FEET NORTH AND 80 FEET EAST FROM THE W1/4 CORNER OF SECTION 19

Authorized Place of Use:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
27 S	19 E	WM	18	NE SW		7.2
27 S	19 E	WM	18	NW SW	3	0.7
27 S	19 E	WM	18	SW SW	4	1.0

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
27 S	19 E	WM	18	SE SW		3.4
27 S	19 E	WM	18	SW SE		1.3
Total						13.6

33. Transfer Application T-12583 proposes to move the authorized point of appropriation approximately 2.8 miles from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28

34. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	28	NW NE	1.6
27 S	19 E	WM	28	SW NE	2.2
27 S	19 E	WM	28	NE NW	2.1
27 S	19 E	WM	28	NW NW	1.0
27 S	19 E	WM	28	SW NW	2.2
27 S	19 E	WM	28	NE SW	2.1
27 S	19 E	WM	28	NW SW	0.8
27 S	19 E	WM	28	NW SE	1.6
Total					13.6

35. The portion of the tenth right to be transferred is as follows:

Certificate: 65758 in the name of ZX RANCH (perfected under Permit G-8988)

Use: IRRIGATION of 12.7 ACRES

Priority Date: JUNE 3, 1980

Rate: 0.16 CUBIC FOOT PER SECOND, BEING 0.01 CFS FROM WELL 6A AND 0.15 CFS FROM WELL 10

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

Source: 2 WELLS in the FORT ROCK BASIN

Authorized Points of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	19	SW NE	WELL 6A - 2120 FEET SOUTH AND 1910 FEET WEST FROM THE NE CORNER OF SECTION 19
27 S	19 E	WM	20	SE NE	WELL 10 - 1620 FEET SOUTH AND 1070 FEET WEST FROM THE NE CORNER OF SECTION 20

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	17	SW SE	0.8
27 S	19 E	WM	17	SE SE	0.4
27 S	19 E	WM	19	NE NW	1.3
27 S	19 E	WM	19	NW NW	1.6
27 S	19 E	WM	19	SW NW	0.5
27 S	19 E	WM	20	NE NE	0.6
27 S	19 E	WM	20	NW NE	0.4
27 S	19 E	WM	20	NE NW	1.1
27 S	19 E	WM	20	SE NW	1.1
27 S	19 E	WM	20	NE SW	0.7
27 S	19 E	WM	20	NE SE	1.1
27 S	19 E	WM	20	NW SE	1.1
27 S	19 E	WM	21	NW NW	0.8
27 S	19 E	WM	21	SW NW	1.0
27 S	19 E	WM	21	NW SW	0.2
Total					12.7

36. Transfer Application T-12583 proposes to move the authorized points of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances	Approximate distance from original points of appropriation in miles (mi.)	
27 S	19 E	WM	20	SW NW	WELL #8 - 1860 FEET SOUTH AND 240 FEET EAST FROM THE NW CORNER OF SECTION 20	WELL 6A	WELL 10
						0.4 mi.	0.7 mi.
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28	2.0 mi.	1.2 mi.

37. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	Acres	POA
27 S	19 E	WM	19	NE NE	0.9	#8
27 S	19 E	WM	19	NW NE	0.1	#8
27 S	19 E	WM	19	SW NE	0.7	#8
27 S	19 E	WM	19	SE NE	0.1	#8
27 S	19 E	WM	19	NE SE	0.9	#8
27 S	19 E	WM	20	NE NW	0.5	#8
27 S	19 E	WM	20	NW NW	0.8	#8
27 S	19 E	WM	20	SE NW	0.9	#8
27 S	19 E	WM	20	NE SW	0.3	#8
27 S	19 E	WM	20	NW SW	0.9	#8
27 S	19 E	WM	28	NW NE	0.9	#15
27 S	19 E	WM	28	SW NE	1.0	#15
27 S	19 E	WM	28	NE NW	1.0	#15
27 S	19 E	WM	28	NW NW	0.6	#15
27 S	19 E	WM	28	SW NW	1.0	#15
27 S	19 E	WM	28	NE SW	0.9	#15

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	Acres	POA
27 S	19 E	WM	28	NW SW	0.5	#15
27 S	19 E	WM	28	NW SE	0.7	#15
Total					12.7	

38. The portion of the eleventh right to be transferred is as follows:

Certificate: 65759 in the name of ZX RANCH (perfected under Permit G-6051)

Use: IRRIGATION of 181.7 ACRES

Priority Date: MARCH 5, 1974

Rate: 2.27 CUBIC FEET PER SECOND BEING; 0.02 CFS FROM WELL 11 AND 2.25 CFS FROM WELL 12

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

Source: 2 WELLS in the FORT ROCK BASIN

Authorized Points of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	16	SW SW	WELL 12 - 1080 FEET NORTH AND 570 FEET EAST FROM THE SW CORNER OF SECTION 16
27 S	19 E	WM	21	SE NW	WELL 11 - 1740 FEET SOUTH AND 640 FEET WEST FROM THE N1/4 CORNER OF SECTION 21

Authorized Place of Use:

IRRIGATION – WELL 11 POA/POU					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	21	NW NE	0.2
27 S	19 E	WM	21	SW NE	0.3
27 S	19 E	WM	21	NE NW	0.3
27 S	19 E	WM	21	NW NW	0.3
27 S	19 E	WM	21	SW NW	0.2
27 S	19 E	WM	21	NE SW	0.2
27 S	19 E	WM	21	NW SW	0.1
27 S	19 E	WM	21	NW SE	0.1
Total					1.7

IRRIGATION – WELL 12 POA/POU					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	16	NE SW	0.9
27 S	19 E	WM	16	NW SW	0.9
27 S	19 E	WM	16	SE SW	0.9
27 S	19 E	WM	17	NE SE	1.0
27 S	19 E	WM	17	SE SE	0.9
27 S	19 E	WM	20	NE NE	0.4
27 S	19 E	WM	21	NE NW	0.3
27 S	19 E	WM	21	NW NW	0.8
Total					6.1

IRRIGATION – WELL 12 APOA ONLY					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	16	NE SW	12.6
27 S	19 E	WM	16	NW SW	36.9
27 S	19 E	WM	16	SW SW	40.0
27 S	19 E	WM	16	SE SW	20.7
27 S	19 E	WM	17	NE SE	18.5
27 S	19 E	WM	17	SE SE	27.3
27 S	19 E	WM	20	NE NE	3.0
27 S	19 E	WM	21	NE NW	1.4
27 S	19 E	WM	21	NW NW	13.5
Total					173.9

39. Transfer Application T-12583 proposes to move the authorized points of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances	Approximate distance from original points of appropriation in feet (ft.) or miles (mi.)	
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28	WELL 1	WELL 12
						1.0 mi.	1.6 mi.

40. Transfer Application T-12583 proposes an additional point of appropriation to Well 12 approximately 87.0 feet from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	16	SW SW	WELL 12A - 1000 FEET NORTH AND 535 FEET EAST FROM THE SW CORNER OF SECTION 16

41. Transfer Application T-12583 also proposes to change a portion of the place of use of the right to:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	Acres	POA
27 S	19 E	WM	28	NW NE	1.0	#15
27 S	19 E	WM	28	SW NE	1.2	#15
27 S	19 E	WM	28	NE NW	1.2	#15
27 S	19 E	WM	28	NW NW	0.7	#15
27 S	19 E	WM	28	SW NW	1.2	#15
27 S	19 E	WM	28	NE SW	1.1	#15
27 S	19 E	WM	28	NW SW	0.5	#15
27 S	19 E	WM	28	NW SE	0.9	#15
Total					7.8	

Transfer Review Criteria (OAR 690-380-4010)

42. Water has been used within the last five years according to the terms and conditions of the rights. There is no information in the record that would demonstrate that the rights are subject to forfeiture under ORS 540.610.

43. A pump, pipeline, and sprinkler system sufficient to use the full amount of water allowed under the existing rights were present within the five-year period prior to submittal of Transfer Application T-12583.
44. The proposed change would not result in enlargement of the rights.
45. The proposed change would not result in injury to other water rights.
46. All other application requirements are met.

Conclusions of Law

The changes in points of appropriation and changes in places of use proposed in Transfer Application T-12583 are consistent with the requirements of ORS 537.705 and 540.505 to 540.580 and OAR 690-380-5000.


Now, therefore, it is ORDERED:

1. The changes in points of appropriation and changes in places of use proposed in Transfer Application T-12583 are approved.
2. The right to the use of the water is restricted to beneficial use at the place of use described, and is subject to all other conditions and limitations contained in Certificates 34169, 34170, 34171, 50751, 50755, 50757, 50760, 50917, 50918, 65758, and 65759 and any related decree.
3. Water right Certificates 34169, 34170, 34171, 50751, 50755, 50757, 50760, 50917, 50918, 65758, and 65759 are cancelled. New certificates will be issued describing those portions of the rights not affected by this transfer.
4. The quantity of water, authorized under the rights described by Certificates 34169 and 34170, diverted at the new point of appropriation (Well #15), shall not exceed the quantity of water lawfully available at the original point of appropriation (Viewpoint Well No. 4).
5. The quantity of water, authorized under the rights described by Certificates 34171, 50751, and 50755 diverted at the new point of appropriation (Well #15), shall not exceed the quantity of water lawfully available at the original point of appropriation (Viewpoint Well No. 3).
6. The quantity of water, authorized under the right described by Certificate 50757 diverted at the new points of appropriation (Wells #6A, #7, and #8), shall not exceed the quantity of water lawfully available at the original point of appropriation (Viewpoint Well 2).
7. The quantity of water, authorized under the right described by Certificate 50760 diverted at the new point of appropriation (Well #15), shall not exceed the quantity of water lawfully available at the original point of appropriation (Viewpoint Well 6).

8. The quantity of water, authorized under the right described by Certificate 50917 diverted at the new point of appropriation (Well #15), shall not exceed the quantity of water lawfully available at the original points of appropriation (Viewpoint Wells 1, 2, and 3).
9. The quantity of water, authorized under the right described by Certificate 50918 diverted at the new point of appropriation (Well #15), shall not exceed the quantity of water lawfully available at the original point of appropriation (Viewpoint Well 1).
10. The quantity of water, authorized under the right described by Certificate 65758 diverted at the new points of appropriation (Well #8 and Well #15), shall not exceed the quantity of water lawfully available at the original points of appropriation (Wells 6A and 10).
11. The quantity of water, authorized under the right described by Certificate 65759 diverted at the new additional point of appropriation (Well 12A), together with that diverted at the original point of appropriation (Well 12), shall not exceed the quantity of water lawfully available at the original point of appropriation (Well 12).
12. The quantity of water, authorized under the right described by Certificate 65759 diverted at the new point of appropriation (Well #15), shall not exceed the quantity of water lawfully available at the original points of appropriation (Wells 11 and 12).
13. Water use measurement conditions:
 - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each new point of appropriation.
 - b. The water user shall maintain the meters or measuring devices in good working order.
 - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.
14. Water shall be acquired from the same aquifer (water source) as the original points of appropriation.
15. The former places of use of the transferred rights shall no longer receive water under the rights.
16. Full beneficial use of the water shall be made, consistent with the terms of this order, on or before **October 1, 2021**. A Claim of Beneficial Use prepared by a Certified Water Right Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the changes and full beneficial use of the water.

17. After satisfactory proof of beneficial use is received, new certificates confirming the rights transferred will be issued.

Dated in Salem, Oregon on **AUG 10 2020**


Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
THOMAS M BYLER, DIRECTOR
Oregon Water Resources Department

Mailing date: **AUG 11 2020**

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Transfer Application)	FINAL ORDER APPROVING AN
T-12583, Lake County)	ADDITIONAL POINT OF
)	APPROPRIATION, CHANGES IN
)	POINTS OF APPROPRIATION AND
)	PLACES OF USE

Authority

Oregon Revised Statutes (ORS) 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to transfer the point of appropriation, place of use, or character of use authorized under an existing water right. Oregon Administrative Rules (OAR) Chapter 690, Division 380 implement the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

JRS PROPERTIES III LP
PO BOX 27
BOISE, ID 83707

Findings of Fact

1. On January 31, 2017, JRS PROPERTIES III LP, filed an application to change the points of appropriation and to change the places of use under Certificates 34169, 34170, 34171, 50751, 50755, 50757, 50760, 50917, 50918, 65758, and 65759. The Department assigned the application number T-12583.
2. Notice of the application for transfer was published on February 7, 2017, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
3. On January 15, 2020, the Department contacted the applicant by written correspondence to notify the applicant of deficiencies in the application. Table 2 under Certificate 65759 needed to be more clearly defined regarding the acres proposed for changing place of use, as the rate authorized is well specific. The Department requested that the deficiencies be resolved by March 2, 2020.

This final order is subject to judicial review by the Court of Appeals under ORS 183.482. Any petition for judicial review must be filed within the 60-day time period specified by ORS 183.482(1). Pursuant to ORS 536.075 and OAR 137-003-0675, you may petition for judicial review or petition the Director for reconsideration of this order. A petition for reconsideration may be granted or denied by the Director, and if no action is taken within 60 days following the date the petition was filed, the petition shall be deemed denied.

4. On January 17, 2020, the applicant submitted a revised Table 1 and Table 2 for Certificate 65759 and added a request for an additional point of appropriation, resolving the deficiencies.
5. On February 10, 2020, the Department mailed a copy of the draft Preliminary Determination proposing to approve Transfer Application T-12583 to the applicant. The draft Preliminary Determination cover letter set forth a deadline of March 12, 2020, for the applicant to respond. The applicant's agent identified a discrepancy in the acres proposed for transfer from Well #11 and Well #12 under Certificate 65759.
6. On February 11, 2020, the applicant's agent submitted a revised Table 2 for Certificate 65759, further clarifying the acres proposed for transfer from Well #11 and Well #12. The applicant requested that the Department proceed with issuance of a Preliminary Determination and provided the necessary information to demonstrate that the applicant is authorized to pursue the transfer.
7. On May 28, 2020, the Department issued a Preliminary Determination proposing to approve Transfer T-12583 and mailed a copy to the applicant. Additionally, notice of the Preliminary Determination for the transfer application was published on the Department's weekly notice on June 2, 2020, and in the Lake County Examiner newspaper on June 3, and June 10, 2020 pursuant to ORS 540.520 and OAR 690-380-4020. No protests were filed in response to the notice.
8. The portion of the first right to be transferred is as follows:

Certificate: 34169 in the name of WEST SACRAMENTO ENTERPRISES, INC.
(perfected under Permit G-662)

Use: IRRIGATION of 7.0 ACRES

Priority Date: OCTOBER 1, 1957

Rate: 0.09 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELL NO. 4 a tributary of ANA RIVER (SUMMER LAKE)

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	32 th	NE NW	VIEWPOINT WELL NO. 4 - 20 FEET SOUTH AND 2580 FEET EAST FROM THE NW CORNER OF SECTION 32

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	29	SW SW	1.0
27 S	19 E	WM	29	SE SW	3.5
27 S	19 E	WM	29	SW SE	2.3

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	29	SE SE	0.2
Total					7.0

9. Transfer Application T-12583 proposes to move the authorized point of appropriation approximately 1.1 miles from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28

10. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	28	NW NE	0.7
27 S	19 E	WM	28	SW NE	1.5
27 S	19 E	WM	28	NE NW	1.5
27 S	19 E	WM	28	NW NW	0.1
27 S	19 E	WM	28	SW NW	1.3
27 S	19 E	WM	28	NE SW	1.4
27 S	19 E	WM	28	NW SE	0.5
Total					7.0

11. The portion of the second right to be transferred is as follows:

Certificate: 34170 in the name of WEST SACRAMENTO ENTERPRISES, INC.
(perfected under Permit G-676)

Use: IRRIGATION of 8.4 ACRES

Priority Date: OCTOBER 1, 1957

Rate: 0.105 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELL NO. 4 a tributary of ANA RIVER (SUMMER LAKE)

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	32	NE NW	VIEWPOINT WELL NO. 4 - 20 FEET SOUTH AND 2580 FEET EAST FROM THE NW CORNER OF SECTION 32

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	32	NE NE	0.3
27 S	19 E	WM	32	NW NE	3.0
27 S	19 E	WM	32	NE NW	4.4
27 S	19 E	WM	32	NW NW	0.7
Total					8.4

12. Transfer Application T-12583 proposes to move the authorized point of appropriation approximately 1.1 miles from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28

13. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	28	NW NE	0.9
27 S	19 E	WM	28	SW NE	1.7
27 S	19 E	WM	28	NE NW	1.7
27 S	19 E	WM	28	NW NW	0.2
27 S	19 E	WM	28	SW NW	1.5
27 S	19 E	WM	28	NE SW	1.6
27 S	19 E	WM	28	NW SW	0.1
27 S	19 E	WM	28	NW SE	0.7
Total					8.4

14. The portion of the third right to be transferred is as follows:

Certificate: 34171 in the name of WEST SACRAMENTO ENTERPRISES, INC.
(perfected under Permit G-696)

Use: IRRIGATION of 11.0 ACRES

Priority Date: AUGUST 14, 1957

Rate: 0.137 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELL NO. 3 a tributary of ANA RIVER (SUMMER LAKE)

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	29	SE NW	VIEWPOINT WELL NO. 3 - 2660 FEET NORTH AND 2110 FEET EAST FROM THE SW CORNER OF SECTION 29

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	29	SE NW	11.0

15. Transfer Application T-12583 proposes to move the authorized point of appropriation approximately 1.0 mile from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28

16. Transfer Application T-12583 also proposes to change the place of use of the right to:

Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	28	NW NE	0.8
27 S	19 E	WM	28	SW NE	2.7
27 S	19 E	WM	28	NE NW	2.4
27 S	19 E	WM	28	SW NW	1.4
27 S	19 E	WM	28	SE NW	1.1
27 S	19 E	WM	28	NE SW	2.1
27 S	19 E	WM	28	NW SE	0.5
Total					11.0

17. The portion of the fourth right to be transferred is as follows:

Certificate: 50751 in the name of ALDER CREEK RANCHES, INC. (perfected under Permit G-5754)

Use: IRRIGATION of 8.2 ACRES

Priority Date: APRIL 9, 1973

Rate: 0.10 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELL 3 a tributary of FORT ROCK BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	29	SE NW	VIEWPOINT WELL 3 - 2610 SOUTH AND 2080 FEET EAST FROM THE NW CORNER OF SECTION 29

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	29	NE NE	0.2
27 S	19 E	WM	29	NW NE	1.3
27 S	19 E	WM	29	SE NE	4.0
27 S	19 E	WM	29	NE SE	2.5
27 S	19 E	WM	29	NW SE	0.2
Total					8.2

18. Transfer Application T-12583 proposes to move the authorized point of appropriation approximately 1.0 mile from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28

19. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	28	NW NE	1.0
27 S	19 E	WM	28	SW NE	1.3
27 S	19 E	WM	28	NE NW	1.3
27 S	19 E	WM	28	NW NW	0.7
27 S	19 E	WM	28	SW NW	1.3
27 S	19 E	WM	28	NE SW	1.2
27 S	19 E	WM	28	NW SW	0.5
27 S	19 E	WM	28	NW SE	0.9
Total					8.2

20. The portion of the fifth right to be transferred is as follows:

Certificate: 50755 in the name of ALDER CREEK RANCHES, INC. (perfected under Permit G-8120)

Use: IRRIGATION of 4.2 ACRES

Priority Date: APRIL 4, 1978

Rate: 0.05 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELL 3 a tributary of FORT ROCK BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	29	SE NW	VIEWPOINT WELL 3 - 2610 FEET SOUTH AND 2080 FEET EAST FROM THE NW CORNER OF SECTION 29

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	29	NW NE	1.90
27 S	19 E	WM	29	NE NW	0.80
27 S	19 E	WM	30	SE NE	1.50
Total					4.2

21. Transfer Application T-12583 proposes to move the authorized point of appropriation approximately 1.0 mile from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28

22. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	28	NW NE	0.6
27 S	19 E	WM	28	SW NE	0.6
27 S	19 E	WM	28	NE NW	0.7
27 S	19 E	WM	28	NW NW	0.3
27 S	19 E	WM	28	SW NW	0.6
27 S	19 E	WM	28	NE SW	0.6
27 S	19 E	WM	28	NW SW	0.3
27 S	19 E	WM	28	NW SE	0.5
Total					4.2

23. The portion of the sixth right to be transferred is as follows:

Certificate: 50757 in the name of ALDER CREEK RANCHES, INC. (perfected under Permit G-8122)

Use: IRRIGATION of 27.8 ACRES

Priority Date: APRIL 4, 1978

Rate: 0.347 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELL 2 a tributary of FORT ROCK BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	19	SW SE	VIEWPOINT WELL 2 - 320 FEET NORTH AND 2600 FEET WEST FROM THE SE CORNER OF SECTION 19

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	19	NE SW	1.2
27 S	19 E	WM	19	SE SW	1.5
27 S	19 E	WM	19	NE SE	0.6
27 S	19 E	WM	19	NW SE	3.0
27 S	19 E	WM	20	SW SW	2.4
27 S	19 E	WM	29	NW NW	1.2
27 S	19 E	WM	30	NW NE	0.2
27 S	19 E	WM	30	SE NE	3.8
27 S	19 E	WM	30	NE NW	13.9
Total					27.8

24. Transfer Application T-12583 proposes to move the authorized point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances	Approximated distance from the original point of appropriation in miles (mi.)
27 S	19 E	WM	20	SW NW	WELL #8 - 1860 FEET SOUTH AND 240 FEET EAST FROM NW CORNER OF SECTION 20	0.8 mi.
27 S	19 E	WM	20	SE SW	WELL #6A - 240 FEET NORTH AND 1670 FEET EAST FROM THE SW CORNER OF SECTION 20	0.8 mi.
27 S	19 E	WM	20	SE SE	WELL #7 - 120 FEET NORTH AND 350 FEET WEST FROM THE SE CORNER OF SECTION 20	1.4 mi.

25. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	Acres	POA
27 S	19 E	WM	19	NE NE	1.8	#8
27 S	19 E	WM	19	NW NE	0.2	#8
27 S	19 E	WM	19	SW NE	1.4	#8
27 S	19 E	WM	19	SE NE	0.2	#8
27 S	19 E	WM	19	NE SE	1.9	#8
27 S	19 E	WM	20	NE NW	1.0	#8
27 S	19 E	WM	20	NW NW	1.6	#8
27 S	19 E	WM	20	SE NW	1.8	#8
27 S	19 E	WM	20	NE SW	1.7	#6A AND #8
27 S	19 E	WM	20	NW SW	2.4	#6A AND #8
27 S	19 E	WM	20	SW SW	1.1	#6A
27 S	19 E	WM	20	NE SE	1.1	#7
27 S	19 E	WM	20	NW SE	0.4	#6A AND #7
27 S	19 E	WM	20	SW SE	2.1	#6A AND #7
27 S	19 E	WM	21	NW SW	0.7	#7
27 S	19 E	WM	21	SW SW	1.3	#7
27 S	19 E	WM	28	NW NW	1.5	#7
27 S	19 E	WM	28	SW NW	0.1	#7
27 S	19 E	WM	29	NE NE	0.3	#7
27 S	19 E	WM	29	NW NE	2.1	#6A AND #7

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	Acres	POA
27 S	19 E	WM	29	SE NE	0.5	#7
27 S	19 E	WM	29	NE NW	1.3	#6A
27 S	19 E	WM	29	NW NW	1.3	#6A
Total					27.8	

26. The portion of the seventh right to be transferred is as follows:

Certificate: 50760 in the name of ALDER CREEK RANCH (perfected under Permit G-1915)

Use: IRRIGATION of 34.6 ACRES

Priority Date: AUGUST 3, 1961

Rate: 0.43 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELL 6 a tributary of FORT ROCK BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	19	SW NE	VIEWPOINT WELL 6 - 460 FEET NORTH AND 3380 FEET EAST FROM THE W1/4 CORNER OF SECTION 19.

Authorized Place of Use:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
27 S	19 E	WM	19	NW NE		4.2
27 S	19 E	WM	19	SW NE		7.0
27 S	19 E	WM	19	NE NW		0.1
27 S	19 E	WM	19	SW NW	2	2.3
27 S	19 E	WM	19	NE SW		9.2
27 S	19 E	WM	19	NW SW	3	5.8
27 S	19 E	WM	19	NW SE		6.0
Total						34.6

27. Transfer Application T-12583 proposes to move the authorized point of appropriation approximately 2.0 miles from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28

28. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	28	NW NE	4.2
27 S	19 E	WM	28	SW NE	6.1

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	28	NE NW	6.0
27 S	19 E	WM	28	NW NW	1.9
27 S	19 E	WM	28	SW NW	5.9
27 S	19 E	WM	28	NE SW	6.0
27 S	19 E	WM	28	NW SW	1.0
27 S	19 E	WM	28	NW SE	3.5
Total					34.6

29. The portion of the eighth right to be transferred is as follows:

Certificate: 50917 in the name of ALDER CREEK RANCH (perfected under Permit G-697)

Use: IRRIGATION of 77.4 ACRES

Priority Date: AUGUST 14, 1957

Rate: 0.970 CUBIC FOOT PER SECOND, BEING 0.485 CFS FROM WELL 2, 0.155 CFS FROM WELL 1, AND 0.330 CFS FROM WELL 3

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELLS 1, 2, AND 3 a tributary of ANA RIVER

Authorized Points of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	18	SW SW	VIEWPOINT WELL 1 - 3260 FEET NORTH AND 80 FEET EAST FROM THE W1/4 CORNER OF SECTION 19
27 S	19 E	WM	19	SW SE	VIEWPOINT WELL 2 - 2320 FEET SOUTH AND 2710 FEET EAST FROM THE W1/4 CORNER OF SECTION 19
27 S	19 E	WM	29	SE NW	VIEWPOINT WELL 3 - 2110 FEET EAST AND 2660 FEET NORTH FROM THE SW CORNER OF SECTION 29

Authorized Place of Use:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
27 S	18 E	WM	13	NE SE		9.3
27 S	18 E	WM	13	SE SE		4.0
27 S	18 E	WM	24	NE NE		10.7
27 S	19 E	WM	19	NW NW	1	8.8
27 S	19 E	WM	19	NW SW	3	0.1
27 S	19 E	WM	19	SE SW		8.2
27 S	19 E	WM	19	NE SE		3.5
27 S	19 E	WM	19	SE SE		1.5
27 S	19 E	WM	29	SW NW		4.4
27 S	19 E	WM	29	NE SW		17.0
27 S	19 E	WM	29	NW SW		2.3
27 S	19 E	WM	29	NW SE		1.4
27 S	19 E	WM	30	NE NE		4.2

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
27 S	19 E	WM	30	SE NE		1.4
27 S	19 E	WM	30	NE NW		0.6
Total						77.4

30. Transfer Application T-12583 proposes to move the authorized points of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28

31. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
27 S	19 E	WM	28	NW NE		2.0
27 S	19 E	WM	28	SW NE		16.0
27 S	19 E	WM	28	NE NW		10.1
27 S	19 E	WM	28	SW NW		2.4
27 S	19 E	WM	28	SE NW		39.8
27 S	19 E	WM	28	NE SW		6.1
27 S	19 E	WM	28	NW SE		1.0
Total						77.4

32. The portion of the ninth right to be transferred is as follows:

Certificate: 50918 in the name of ALDER CREEK RANCH (perfected under Permit G-1997)

Use: IRRIGATION of 13.6 ACRES

Priority Date: NOVEMBER 24, 1961

Rate: 0.14 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELL 1 a tributary of FORT ROCK BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances
27 S	19 E	WM	18	SW SW	4	VIEWPOINT WELL 1 - 3260 FEET NORTH AND 80 FEET EAST FROM THE W1/4 CORNER OF SECTION 19

Authorized Place of Use:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
27 S	19 E	WM	18	NE SW		7.2
27 S	19 E	WM	18	NW SW	3	0.7
27 S	19 E	WM	18	SW SW	4	1.0

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
27 S	19 E	WM	18	SE SW		3.4
27 S	19 E	WM	18	SW SE		1.3
Total						13.6

33. Transfer Application T-12583 proposes to move the authorized point of appropriation approximately 2.8 miles from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28

34. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	Acres	
27 S	19 E	WM	28	NW NE	1.6	
27 S	19 E	WM	28	SW NE	2.2	
27 S	19 E	WM	28	NE NW	2.1	
27 S	19 E	WM	28	NW NW	1.0	
27 S	19 E	WM	28	SW NW	2.2	
27 S	19 E	WM	28	NE SW	2.1	
27 S	19 E	WM	28	NW SW	0.8	
27 S	19 E	WM	28	NW SE	1.6	
Total						13.6

35. The portion of the tenth right to be transferred is as follows:

Certificate: 65758 in the name of ZX RANCH (perfected under Permit G-8988)

Use: IRRIGATION of 12.7 ACRES

Priority Date: JUNE 3, 1980

Rate: 0.16 CUBIC FOOT PER SECOND, BEING 0.01 CFS FROM WELL 6A AND 0.15 CFS FROM WELL 10

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

Source: 2 WELLS in the FORT ROCK BASIN

Authorized Points of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	19	SW NE	WELL 6A - 2120 FEET SOUTH AND 1910 FEET WEST FROM THE NE CORNER OF SECTION 19
27 S	19 E	WM	20	SE NE	WELL 10 - 1620 FEET SOUTH AND 1070 FEET WEST FROM THE NE CORNER OF SECTION 20

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	17	SW SE	0.8
27 S	19 E	WM	17	SE SE	0.4
27 S	19 E	WM	19	NE NW	1.3
27 S	19 E	WM	19	NW NW	1.6
27 S	19 E	WM	19	SW NW	0.5
27 S	19 E	WM	20	NE NE	0.6
27 S	19 E	WM	20	NW NE	0.4
27 S	19 E	WM	20	NE NW	1.1
27 S	19 E	WM	20	SE NW	1.1
27 S	19 E	WM	20	NE SW	0.7
27 S	19 E	WM	20	NE SE	1.1
27 S	19 E	WM	20	NW SE	1.1
27 S	19 E	WM	21	NW NW	0.8
27 S	19 E	WM	21	SW NW	1.0
27 S	19 E	WM	21	NW SW	0.2
Total					12.7

36. Transfer Application T-12583 proposes to move the authorized points of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances	Approximate distance from original points of appropriation in miles (mi.)	
27 S	19 E	WM	20	SW NW	WELL #8 - 1860 FEET SOUTH AND 240 FEET EAST FROM THE NW CORNER OF SECTION 20	WELL 6A	WELL 10
						0.4 mi.	0.7 mi.
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28	2.0 mi.	1.2 mi.

37. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	Acres	POA
27 S	19 E	WM	19	NE NE	0.9	#8
27 S	19 E	WM	19	NW NE	0.1	#8
27 S	19 E	WM	19	SW NE	0.7	#8
27 S	19 E	WM	19	SE NE	0.1	#8
27 S	19 E	WM	19	NE SE	0.9	#8
27 S	19 E	WM	20	NE NW	0.5	#8
27 S	19 E	WM	20	NW NW	0.8	#8
27 S	19 E	WM	20	SE NW	0.9	#8
27 S	19 E	WM	20	NE SW	0.3	#8
27 S	19 E	WM	20	NW SW	0.9	#8
27 S	19 E	WM	28	NW NE	0.9	#15
27 S	19 E	WM	28	SW NE	1.0	#15
27 S	19 E	WM	28	NE NW	1.0	#15
27 S	19 E	WM	28	NW NW	0.6	#15
27 S	19 E	WM	28	SW NW	1.0	#15
27 S	19 E	WM	28	NE SW	0.9	#15

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	Acres	POA
27 S	19 E	WM	28	NW SW	0.5	#15
27 S	19 E	WM	28	NW SE	0.7	#15
Total					12.7	

38. The portion of the eleventh right to be transferred is as follows:

Certificate: 65759 in the name of ZX RANCH (perfected under Permit G-6051)

Use: IRRIGATION of 181.7 ACRES

Priority Date: MARCH 5, 1974

Rate: 2.27 CUBIC FEET PER SECOND BEING; 0.02 CFS FROM WELL 11 AND 2.25 CFS FROM WELL 12

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

Source: 2 WELLS in the FORT ROCK BASIN

Authorized Points of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	16	SW SW	WELL 12 - 1080 FEET NORTH AND 570 FEET EAST FROM THE SW CORNER OF SECTION 16
27 S	19 E	WM	21	SE NW	WELL 11 - 1740 FEET SOUTH AND 640 FEET WEST FROM THE N1/4 CORNER OF SECTION 21

Authorized Place of Use:

IRRIGATION – WELL 11 POA/POU					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	21	NW NE	0.2
27 S	19 E	WM	21	SW NE	0.3
27 S	19 E	WM	21	NE NW	0.3
27 S	19 E	WM	21	NW NW	0.3
27 S	19 E	WM	21	SW NW	0.2
27 S	19 E	WM	21	NE SW	0.2
27 S	19 E	WM	21	NW SW	0.1
27 S	19 E	WM	21	NW SE	0.1
Total					1.7

IRRIGATION – WELL 12 POA/POU					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	16	NE SW	0.9
27 S	19 E	WM	16	NW SW	0.9
27 S	19 E	WM	16	SE SW	0.9
27 S	19 E	WM	17	NE SE	1.0
27 S	19 E	WM	17	SE SE	0.9
27 S	19 E	WM	20	NE NE	0.4
27 S	19 E	WM	21	NE NW	0.3
27 S	19 E	WM	21	NW NW	0.8
Total					6.1

IRRIGATION – WELL 12 APOA ONLY					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	16	NE SW	12.6
27 S	19 E	WM	16	NW SW	36.9
27 S	19 E	WM	16	SW SW	40.0
27 S	19 E	WM	16	SE SW	20.7
27 S	19 E	WM	17	NE SE	18.5
27 S	19 E	WM	17	SE SE	27.3
27 S	19 E	WM	20	NE NE	3.0
27 S	19 E	WM	21	NE NW	1.4
27 S	19 E	WM	21	NW NW	13.5
Total					173.9

39. Transfer Application T-12583 proposes to move the authorized points of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances	Approximate distance from original points of appropriation in feet (ft.) or miles (mi.)	
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28	WELL 1	WELL 12
						1.0 mi.	1.6 mi.

40. Transfer Application T-12583 proposes an additional point of appropriation to Well 12 approximately 87.0 feet from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	16	SW SW	WELL 12A - 1000 FEET NORTH AND 535 FEET EAST FROM THE SW CORNER OF SECTION 16

41. Transfer Application T-12583 also proposes to change a portion of the place of use of the right to:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	Acres	POA
27 S	19 E	WM	28	NW NE	1.0	#15
27 S	19 E	WM	28	SW NE	1.2	#15
27 S	19 E	WM	28	NE NW	1.2	#15
27 S	19 E	WM	28	NW NW	0.7	#15
27 S	19 E	WM	28	SW NW	1.2	#15
27 S	19 E	WM	28	NE SW	1.1	#15
27 S	19 E	WM	28	NW SW	0.5	#15
27 S	19 E	WM	28	NW SE	0.9	#15
Total					7.8	

Transfer Review Criteria (OAR 690-380-4010)

42. Water has been used within the last five years according to the terms and conditions of the rights. There is no information in the record that would demonstrate that the rights are subject to forfeiture under ORS 540.610.

43. A pump, pipeline, and sprinkler system sufficient to use the full amount of water allowed under the existing rights were present within the five-year period prior to submittal of Transfer Application T-12583.
44. The proposed change would not result in enlargement of the rights.
45. The proposed change would not result in injury to other water rights.
46. All other application requirements are met.

Conclusions of Law

The changes in points of appropriation and changes in places of use proposed in Transfer Application T-12583 are consistent with the requirements of ORS 537.705 and 540.505 to 540.580 and OAR 690-380-5000.


Now, therefore, it is ORDERED:

1. The changes in points of appropriation and changes in places of use proposed in Transfer Application T-12583 are approved.
2. The right to the use of the water is restricted to beneficial use at the place of use described, and is subject to all other conditions and limitations contained in Certificates 34169, 34170, 34171, 50751, 50755, 50757, 50760, 50917, 50918, 65758, and 65759 and any related decree.
3. Water right Certificates 34169, 34170, 34171, 50751, 50755, 50757, 50760, 50917, 50918, 65758, and 65759 are cancelled. New certificates will be issued describing those portions of the rights not affected by this transfer.
4. The quantity of water, authorized under the rights described by Certificates 34169 and 34170, diverted at the new point of appropriation (Well #15), shall not exceed the quantity of water lawfully available at the original point of appropriation (Viewpoint Well No. 4).
5. The quantity of water, authorized under the rights described by Certificates 34171, 50751, and 50755 diverted at the new point of appropriation (Well #15), shall not exceed the quantity of water lawfully available at the original point of appropriation (Viewpoint Well No. 3).
6. The quantity of water, authorized under the right described by Certificate 50757 diverted at the new points of appropriation (Wells #6A, #7, and #8), shall not exceed the quantity of water lawfully available at the original point of appropriation (Viewpoint Well 2).
7. The quantity of water, authorized under the right described by Certificate 50760 diverted at the new point of appropriation (Well #15), shall not exceed the quantity of water lawfully available at the original point of appropriation (Viewpoint Well 6).

8. The quantity of water, authorized under the right described by Certificate 50917 diverted at the new point of appropriation (Well #15), shall not exceed the quantity of water lawfully available at the original points of appropriation (Viewpoint Wells 1, 2, and 3).
9. The quantity of water, authorized under the right described by Certificate 50918 diverted at the new point of appropriation (Well #15), shall not exceed the quantity of water lawfully available at the original point of appropriation (Viewpoint Well 1).
10. The quantity of water, authorized under the right described by Certificate 65758 diverted at the new points of appropriation (Well #8 and Well #15), shall not exceed the quantity of water lawfully available at the original points of appropriation (Wells 6A and 10).
11. The quantity of water, authorized under the right described by Certificate 65759 diverted at the new additional point of appropriation (Well 12A), together with that diverted at the original point of appropriation (Well 12), shall not exceed the quantity of water lawfully available at the original point of appropriation (Well 12).
12. The quantity of water, authorized under the right described by Certificate 65759 diverted at the new point of appropriation (Well #15), shall not exceed the quantity of water lawfully available at the original points of appropriation (Wells 11 and 12).
13. Water use measurement conditions:
 - a. Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each new point of appropriation.
 - b. The water user shall maintain the meters or measuring devices in good working order.
 - c. The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.
14. Water shall be acquired from the same aquifer (water source) as the original points of appropriation.
15. The former places of use of the transferred rights shall no longer receive water under the rights.
16. Full beneficial use of the water shall be made, consistent with the terms of this order, on or before **October 1, 2021**. A Claim of Beneficial Use prepared by a Certified Water Right Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the changes and full beneficial use of the water.

17. After satisfactory proof of beneficial use is received, new certificates confirming the rights transferred will be issued.

Dated in Salem, Oregon on **AUG 10 2020**


Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
THOMAS M BYLER, DIRECTOR
Oregon Water Resources Department

Mailing date: **AUG 11 2020**



ALL POINTS
ENGINEERING & SURVEYING, INC.
P.O. Box 767 (CRR)
Terrebonne, Oregon 97760

TRANSMITTAL

To: Oregon Water Resources Dept
725 Summer St NE, Suite A
Salem, OR 97301-1266

Date: 01/25/17
Attention: Transfers
RE: Permanent Water Right Transfer

Prints Plans Plat Specifications.

Attached is the Application for Permanent Water Right Transfer for JRS Properties III on Certificates C-34169, 34170, 34171, 50751, 50755, 50755, 50757, 50760, 50917, 50918, 65758 & 65759.

If you have any questions please call or email me.

Copies	No.	Description
1	1	Application for Permanent Transfer (43 pages letter bond)
1	2	Application maps (23 pages letter bond – 1 legal)
1	3	Well logs (21 pages letter bond)
1	4	Land Use Form (2 pages letter bond)
1	5	Evidence of Use (3 pages letter bond) Additional supporting documents In Temporary Transfer T-11991
1	6	Check for \$7250
1	7	Aerial imagery (1 page letter bond)

Signed: Deuse Mouton

RECEIVED BY OWRD

JAN 31 2017

SALEM, OR

T 12583



State of Oregon
 Water Resources Department
 725 Summer Street NE, Suite A
 Salem, Oregon 97301-1266
 (503) 986-0900

Application for Permanent Water Right Transfer

Part 1 of 5 – Minimum Requirements Checklist

This transfer application will be returned if Parts 1 through 5 and all required attachments are not completed and included.

For questions, please call (503) 986-0900, and ask for Transfer Section. **RECEIVED BY OWRD**

Check all items included with this application. (N/A = Not Applicable)

JAN 31 2017

- Part 1 – Completed Minimum Requirements Checklist.
- Part 2 – Completed Transfer Application Map Checklist. **SALEM, OR**
- Part 3 – Application Fee, payable by check to the Oregon Water Resources Department, and completed Fee Worksheet, page 3. Try the new online fee calculator at: http://apps.wrd.state.or.us/apps/misc/wrd_fee_calculator. If you have questions, call Customer Service at (503) 986-0801.
- Part 4 – Completed Applicant Information and Signature.
- Part 5 – Information about Water Rights to be Transferred: **How many water rights are to be transferred? 11 List them here: C-34169, 34170, 34171, 50751, 50755, 50757, 50760, 50917, 50918, 65758, & 65759**
 Please include a separate Part 5 for each water right. (See instructions on page 6)

Attachments:

- Completed Transfer Application Map.
- Completed Evidence of Use Affidavit and supporting documentation.
- N/A Affidavit(s) of Consent from Landowner(s) (if the applicant does not own the land the water right is on.)
- N/A Supplemental Form D – For water rights served by or issued in the name of an irrigation district. Complete when the transfer applicant is not the irrigation district.
- N/A Land Use Information Form with approval and signature (or signed land use form receipt stub). Not required if water is to be diverted, conveyed, and/or used only on federal lands or if **all** of the following apply: a) a change in place of use only, b) no structural changes, c) the use of water is for irrigation only, and d) the use is located within an irrigation district or an exclusive farm use zone.
- N/A Water Well Report/Well Log for changes in point(s) of appropriation (well(s)) or additional point(s) of appropriation.
- N/A Geologist Report for a change from a surface water point of diversion to a ground water point of appropriation (well), if the proposed well is more than 500' from the surface water source and more than 1000' upstream or downstream from the point of diversion. See OAR 690-380-2130 for requirements and applicability.

(For Staff Use Only)

WE ARE RETURNING YOUR APPLICATION FOR THE FOLLOWING REASON(S):

- Application fee not enclosed/insufficient Map not included or incomplete
- Land Use Form not enclosed or incomplete Part _____ is incomplete
- Additional signature(s) required

Other/Explanation _____

Staff: _____ 503-986-0 _____ Date: ____/____/____

Part 2 of 5 – Transfer Application Map Checklist

Your transfer application will be returned if any of the map requirements listed below are not met.

Please be sure that the transfer application map you submit includes all the required items and matches the existing water right map. Check all boxes that apply.

- N/A Certified Water Right Examiner (CWRE) Stamp and Original Signature. For a list of CWREs, see http://apps.wrd.state.or.us/apps/wr/cwre_license_view/. CWRE stamp and signature are not required for substitutions.
- N/A If **more than three** water rights are involved, separate maps are needed for each water right.
- Permanent quality printed with dark ink on good quality paper.
- The size of the map can be 8½ x 11 inches, 8½ x 14 inches, 11 x 17 inches, or up to 30 x 30 inches. For 30 x 30 inch maps, one extra copy is required.
- A north arrow, a legend, and scale.
- The scale of the map must be: 1 inch = 400 feet, 1 inch = 1,320 feet, the scale of the Final Proof/Claim of Beneficial Use Map (the map used when the permit was certificated), the scale of the county assessor map if the scale is not smaller than 1 inch = 1,320 feet, or a scale that has been pre-approved by the Department.
- Township, Range, Section, ¼ ¼, DLC, Government Lot, and other recognized public land survey lines.
- Tax lot boundaries (property lines) are required. Tax lot numbers are recommended.
- Major physical features including rivers and creeks showing direction of flow, lakes and reservoirs, roads, and railroads.
- Major water delivery system features from the point(s) of diversion/appropriation such as main pipelines, canals, and ditches.
- Existing place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions. If less than the entirety of the water right is being changed, a separate hachuring is needed for lands left unchanged.
- N/A Proposed place of use that includes separate hachuring for each water right, priority date, and use including number of acres in each quarter-quarter section, government lot, or in each quarter-quarter section as projected within government lots, donation land claims, or other recognized public land survey subdivisions.
- Existing point(s) of diversion or well(s) with distance and bearing or coordinates from a recognized survey corner. This information can be found in your water right certificate or permit.
- N/A If you are proposing a change in point(s) of diversion or well(s), show the proposed location and label it clearly with distance and bearing or coordinates. If GPS coordinates are used, latitude-longitude coordinates may be expressed as either degrees-minutes-seconds with at least one digit after the decimal (example – 42°32'15.5") or degrees-decimal with five or more digits after the decimal (example – 42.53764°).

RECEIVED BY OWRD

JAN 31 2017

Revised 7/1/2013

Permanent Transfer Application Form – Page 2 of 43

SALEM, OR

T 12583

TACS

Part 4 of 5 – Applicant Information and Signature

Applicant Information

APPLICANT/BUSINESS NAME JRS Properties III LP			PHONE NO. 208-336-2110	ADDITIONAL CONTACT NO.
ADDRESS PO Box 27			FAX NO.	
CITY Boise	STATE ID	ZIP 83707	E-MAIL vic.conrad@simplot.com	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Agent Information – The agent is authorized to represent the applicant in all matters relating to this application.

AGENT/BUSINESS NAME			PHONE NO.	ADDITIONAL CONTACT NO.
ADDRESS			FAX NO.	
CITY	STATE	ZIP	E-MAIL	
BY PROVIDING AN E-MAIL ADDRESS, CONSENT IS GIVEN TO RECEIVE ALL CORRESPONDENCE FROM THE DEPARTMENT ELECTRONICALLY. COPIES OF THE FINAL ORDER DOCUMENTS WILL ALSO BE MAILED.				

Explain in your own words what you propose to accomplish with this transfer application, and why: POU proposed to change after removing end guns from existing center pivots converting hand & wheel line fields to center pivot sprinkler fields.

If you need additional space, continue on a separate piece of paper and attach to the application as "Attachment 1".

Check this box if this project is fully or partially funded by the American Recovery and Reinvestment Act. (Federal stimulus dollars)

Check One Box

- By signing this application, I understand that, upon receipt of the draft preliminary determination and prior to Department approval of the transfer, I will be required to provide landownership information and evidence that I am authorized to pursue the transfer as identified in OAR 690-380-4010(5); **OR**
- I affirm the applicant is a municipality as defined in ORS 540.510(3)(b) and that the right is in the name of the municipality or a predecessor; **OR**
- I affirm the applicant is an entity with the authority to condemn property and is acquiring by condemnation the property to which the water right proposed for transfer is appurtenant and have supporting documentation.

I understand that prior to Department approval of the transfer application, I may be required to submit payment to the Department for publication of a notice in a newspaper with general circulation in the area where the water right is located, once per week for two consecutive weeks. If more than one qualifying newspaper is available, I suggest publishing the notice in the following newspaper: Lake County Examiner.

I (we) **affirm that the information contained in this application is true and accurate.**

RECEIVED BY OWRD



Applicant signature

By: **JRS Management LLC**
Print Name (and Title if applicable)

Date 1/6/17

JAN 31 2017

Applicant signature _____

By: **Scott R. Simplot, Manager**
Print Name (and Title if applicable)

Date _____

SALEM, OR

Is the applicant the sole owner of the land on which the water right, or portion thereof, proposed for transfer is located? Yes No *If NO, include signatures of all deeded landowners (and mailing and/or e-mail addresses if different than the applicant's) or attach affidavits of consent (and mailing and/or e-mail addresses) from all landowners or individuals/entities to which the water right(s) were conveyed.*

Check the following boxes that apply:

- The applicant is responsible for completion of change(s). Notices and correspondence should continue to be sent to the applicant.
- The receiving landowner will be responsible for completing the proposed change(s) after the final order is issued. Copies of notices and correspondence should be sent to this landowner.
- Both the receiving landowner and applicant will be responsible for completion of change(s). Copies of notices and correspondence should be sent to this landowner and the applicant.

At this time, are the lands in this transfer application in the process of being sold? Yes No

If YES, and you know who the new landowner will be, please complete the receiving landowner information table below. If you do not know who the new landowner will be, then a request for assignment will have to be filed for at a later date.

If a property sells, the certificated water right(s) located on the land belong to the new owner, unless a sale agreement or other document states otherwise. For more information see:

<http://www.oregon.gov/owrd/docs/transfer-propertytransactions.pdf>

RECEIVING LANDOWNER NAME NA			PHONE NO.	ADDITIONAL CONTACT NO.
ADDRESS				FAX NO.
CITY	STATE	ZIP	E-MAIL	


Describe any special ownership circumstances here: _____

- Check here if any of the water rights proposed for transfer are or will be located within or served by an irrigation or other water district. (**Tip:** Complete and attach Supplemental Form D.)

IRRIGATION DISTRICT NAME NA	ADDRESS	
CITY	STATE	ZIP

- Check here if water for any of the rights supplied under a water service agreement or other contract for stored water with a federal agency or other entity.

ENTITY NAME NA	ADDRESS	
CITY	STATE	ZIP



To meet State Land Use Consistency Requirements, you must list all county, city, municipal corporation, or tribal governments within whose jurisdiction water will be diverted, conveyed or used.

ENTITY NAME Lake County	ADDRESS 513 Center Street	
CITY Lakeview	STATE OR	ZIP 97630

ENTITY NAME	ADDRESS	
CITY	STATE	ZIP

RECEIVED BY OWRD

T 12583

JAN 31 2017

Part 5 of 5 – Water Right Information

Please use a separate Part 5 for each water right being changed. See instructions on page 6, to copy and paste additional Part 5s, or to add additional rows to tables within the form.

CERTIFICATE # 34169

Description of Water Delivery System

System capacity: **0.09** cubic feet per second (cfs) OR
 _____ gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines and sprinklers used to divert, convey and apply the water at the authorized place of use. **Well piped to center pivot sprinkler**

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
#4	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	LAKE 1201	27	S	19	E	32	NE	NW		2580' East & 20' South from the NW cor, Sec 32
#15	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	LAKE 1196	27	S	19	E	28	SE	NW		1910' South & 3110' West from the Northeast cor, Sec 28

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|--|---|
| <input checked="" type="checkbox"/> Place of Use (POU) | <input type="checkbox"/> Supplemental Use to Primary Use (S to P) |
| <input type="checkbox"/> Character of Use (USE) | <input checked="" type="checkbox"/> Point of Appropriation/Well (POA) |
| <input type="checkbox"/> Point of Diversion (POD) | <input type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Substitution (SUB) |
| <input type="checkbox"/> Surface Water POD to Ground Water POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

RECEIVED BY OWRD

JAN 31 2017

SALEM, OR

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 34169 change is proposed, specify the acreage associated with each change.
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

Additional remarks: _____.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.												Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.												
Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Twp		Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date			
27	S	19	E	29	SW	SW		1.0	IR	#4	1957	POU/POA	27	S	19	E	28	NW	NW	2200		0.1	IR	#15	1957
27	S	19	E	29	SE	SW		3.5	IR	#4	1957	POU/POA	27	S	19	E	28	NE	NW	2200		1.5	IR	#15	1957
27	S	19	E	29	SW	SE		2.3	IR	#4	1957	POU/POA	27	S	19	E	28	NW	NE	2200		0.7	IR	#15	1957
27	S	19	E	29	SE	SE		0.2	IR	#4	1957	POU/POA	27	S	19	E	28	SW	NW	2200		1.3	IR	#15	1957
												POU/POA	27	S	19	E	28	SW	NE	2200		1.5	IR	#15	1957
												POU/POA	27	S	19	E	28	NE	SW	3501		1.4	IR	#15	1957
												POU/POA	27	S	19	E	28	NW	SE	3501		0.5	IR	#15	1957
TOTAL ACRES:							7.0						TOTAL ACRES:							7.0					

RECEIVED BY OWRD

JAN 31 2017

SALEM, OR

1
12583

For Place of Use or Character of Use Changes

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? Yes No

If YES, list the certificate, water use permit, or ground water registration numbers

Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)

Ground water supplemental Permit or Certificate # _____;
Surface water primary Certificate # _____.

RECEIVED BY OWRD

JAN 31 2017

For a change from Supplemental Irrigation Use to Primary Irrigation Use

Identify the primary certificate to be cancelled. Certificate # _____

SALEM, OR

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

- Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

Tip: You may search for well logs on the Department's web page at:
http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx

AND/OR

- Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L-	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right
See well logs										

CERTIFICATE # 34170

Description of Water Delivery System

System capacity: **0.11** cubic feet per second (cfs) **OR**
 _____ gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines and sprinklers used to divert, convey and apply the water at the authorized place of use. **Well piped to center pivot sprinkler**

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
#4	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	LAKE 1201	27	S	19	E	32	NE	NW		2580' East & 20' South from the NW cor, Sec 32
#15	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	LAKE 1196	27	S	19	E	28	SE	NW		1910' South & 3110' West from the Northeast cor, Sec 28

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|--|---|
| <input checked="" type="checkbox"/> Place of Use (POU) | <input type="checkbox"/> Supplemental Use to Primary Use (S to P) |
| <input type="checkbox"/> Character of Use (USE) | <input checked="" type="checkbox"/> Point of Appropriation/Well (POA) |
| <input type="checkbox"/> Point of Diversion (POD) | <input type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Substitution (SUB) |
| <input type="checkbox"/> Surface Water POD to Ground Water POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

RECEIVED BY OWRD

JAN 31 2017

SALEM, OR

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 34170 change is proposed, specify the acreage associated with each change.
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

Additional remarks: _____.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.												Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.													
Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Twp		Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date				
27	S	19	E	32	NE	NE	2800		0.3	IR	#4	1957	POU/POA	27	S	19	E	28	NW	NE	2200		0.9	IR	#15	1957
27	S	19	E	32	NW	NE	2800		3.0	IR	#4	1957	POU/POA	27	S	19	E	28	SW	NE	2200		1.7	IR	#15	1957
27	S	19	E	32	NE	NW	2800		4.4	IR	#4	1957	POU/POA	27	S	19	E	28	NE	NW	2200		1.7	IR	#15	1957
27	S	19	E	32	NW	NW	2800		0.7	IR	#4	1957	POU/POA	27	S	19	E	28	NW	NW	2200		0.2	IR	#15	1957
													POU/POA	27	S	19	E	28	SW	NW	3501		1.5	IR	#15	1957
													POU/POA	27	S	19	E	28	NE	SW	3501		1.6	IR	#15	1957
													POU/POA	27	S	19	E	28	NW	SW	2200		0.1	IR	#15	1957
													POU/POA	27	S	19	E	28	NW	SE	2200		0.7	IR	#15	1957
TOTAL ACRES:								8.4	TOTAL ACRES:												8.4					

T
1
2
5
8
3

RECEIVED BY OWRD

JAN 31 2017

SALEM, OR

For Place of Use or Character of Use Changes

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? Yes No

If YES, list the certificate, water use permit, or ground water registration numbers: .

Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)

Ground water supplemental Permit or Certificate # ____;
Surface water primary Certificate # ____.

RECEIVED BY OWRD

JAN 31 2017

For a change from Supplemental Irrigation Use to Primary Irrigation Use

Identify the primary certificate to be cancelled. Certificate # ____

SALEM, OR

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

Tip: You may search for well logs on the Department's web page at:
http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx

AND/OR

Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L-	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right
See well logs										

CERTIFICATE # 34171

Description of Water Delivery System

System capacity: **0.14** cubic feet per second (cfs) **OR**
 _____ gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines and sprinklers used to divert, convey and apply the water at the authorized place of use. **Hand lines pumped from well 3 were used in 2013. The area has been under temporary transfer since 2014.**

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)

(Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
#3	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	LAKE 1197	27	S	19	E	29	SE	NW		2660' North & 2110' East from the Southwest cor, Sec 29
#15	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	LAKE 1196	27	S	19	E	28	SE	NW		1910' South & 3110' West from the Northeast cor, Sec 28

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|--|---|
| <input checked="" type="checkbox"/> Place of Use (POU) | <input type="checkbox"/> Supplemental Use to Primary Use (S to P) |
| <input type="checkbox"/> Character of Use (USE) | <input checked="" type="checkbox"/> Point of Appropriation/Well (POA) |
| <input type="checkbox"/> Point of Diversion (POD) | <input type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Substitution (SUB) |
| <input type="checkbox"/> Surface Water POD to Ground Water POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

RECEIVED BY OWRD

JAN 31 2017

SALEM, OR

T 12583

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 34171

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change.
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.											Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.														
Twp	Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Twp		Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date						
EXAMPLE																										
27	S	19	E	29	SE	NW	2800		11.0	IR	#3	1957	POU, POA,	27	S	19	E	28	NE	NW	2200		2.4	IR	#15	1957
													POU, POA,	27	S	19	E	28	NW	NE	2200		0.8	IR	#15	1957
													POU, POA,	27	S	19	E	28	SW	NE	2200		2.7	IR	#15	1957
													POU, POA,	27	S	19	E	28	SE	NW	2200		1.1	IR	#15	1957
													POU, POA,	27	S	19	E	28	SW	NW	2200		1.4	IR	#15	1957
													POU, POA,	27	S	19	E	28	NE	SW	3501		2.1	IR	#15	1957
													POU, POA,	27	S	19	E	28	NW	SE	3501		0.5	IR	#15	1957
TOTAL ACRES:							11.0						TOTAL ACRES:							11.0						

Additional remarks: _____.

T 12583

RECEIVED BY OWRD
JAN 31 2017
SALEM, OR

For Place of Use or Character of Use Changes

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? Yes No

If YES, list the certificate, water use permit, or ground water registration numbers: .

Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)

Ground water supplemental Permit or Certificate # _____;
Surface water primary Certificate # _____.

RECEIVED BY OWRD

JAN 31 2017

For a change from Supplemental Irrigation Use to Primary Irrigation Use

Identify the primary certificate to be cancelled. Certificate # _____

SALEM, OR

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

Tip: You may search for well logs on the Department's web page at:
http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx

AND/OR

Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L-	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right
See well logs										

CERTIFICATE # 50751

Description of Water Delivery System

System capacity: **0.10** cubic feet per second (cfs) **OR**
 _____ gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines and sprinklers used to divert, convey and apply the water at the authorized place of use. **Well piped to center pivot sprinkler**

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-____)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
#3	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	LAKE 1197	27	S	19	E	29	SE	NW		2610' South & 2080' East from the NW cor, Sec 29
#15	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	LAKE 1196	27	S	19	E	28	SE	NW		1910' South & 3110' West from the Northeast cor, Sec 28

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|--|---|
| <input checked="" type="checkbox"/> Place of Use (POU) | <input type="checkbox"/> Supplemental Use to Primary Use (S to P) |
| <input type="checkbox"/> Character of Use (USE) | <input checked="" type="checkbox"/> Point of Appropriation/Well (POA) |
| <input type="checkbox"/> Point of Diversion (POD) | <input type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Substitution (SUB) |
| <input type="checkbox"/> Surface Water POD to Ground Water POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

RECEIVED BY OWRD

JAN 31 2017

SALEM, OR

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 50751 change is proposed, specify the acreage associated with each change.
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

Additional remarks: _____.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.											Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.														
Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date		Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date				
27	S	19	E	29	NE	NE	2800		0.2	IR	#3	1973	POU/POA	27	S	19	E	28	NW	NE	2200		1.0	IR	#15	1973
27	S	19	E	29	NW	NE	2800		1.3	IR	#3	1973	POU/POA	27	S	19	E	28	SW	NE	2200		1.3	IR	#15	1973
27	S	19	E	29	SE	NE	2800		4.0	IR	#3	1973	POU/POA	27	S	19	E	28	NE	NW	2200		1.3	IR	#15	1973
27	S	19	E	29	NE	SE	2800		2.5	IR	#3	1973	POU/POA	27	S	19	E	28	NW	NW	2200		0.7	IR	#15	1973
27	S	19	E	29	NW	SE	2800		0.2	IR	#3	1973	POU/POA	27	S	19	E	28	SW	NW	2200		1.3	IR	#15	1973
													POU/POA	27	S	19	E	28	NE	SW	2200		1.2	IR	#15	1973
													POU/POA	27	S	19	E	28	NW	SW	2200		0.5	IR	#15	1973
													POU/POA	27	S	19	E	28	NW	SE	2200		0.9	IR	#15	1973
TOTAL ACRES:								8.2						TOTAL ACRES:								8.2				

RECEIVED BY OWRD

JAN 31 2017

SALEM, OR

1
12583

For Place of Use or Character of Use Changes

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? Yes No

If YES, list the certificate, water use permit, or ground water registration numbers

Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)

Ground water supplemental Permit or Certificate # _____;
Surface water primary Certificate # _____.

RECEIVED BY OWRD

JAN 31 2017

For a change from Supplemental Irrigation Use to Primary Irrigation Use

Identify the primary certificate to be cancelled. Certificate # _____

SALEM, OR

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

- Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

Tip: You may search for well logs on the Department's web page at:
http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx

AND/OR

- Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L-	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right
See well logs										

T 12583

CERTIFICATE # 50755

Description of Water Delivery System

System capacity: 0.05 cubic feet per second (cfs) **OR**
 _____ gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines and sprinklers used to divert, convey and apply the water at the authorized place of use. **Well piped to center pivot sprinklers.**

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
#3	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	LAKE 1197	27	S	19	E	29	SE	NW		2610' South & 2080' East from the NW cor, Sec 29
#15	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	LAKE 1196	27	S	19	E	28	SE	NW		1910' South & 3110' West from the Northeast cor, Sec 28

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|--|---|
| <input checked="" type="checkbox"/> Place of Use (POU) | <input type="checkbox"/> Supplemental Use to Primary Use (S to P) |
| <input type="checkbox"/> Character of Use (USE) | <input checked="" type="checkbox"/> Point of Appropriation/Well (POA) |
| <input type="checkbox"/> Point of Diversion (POD) | <input type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Substitution (SUB) |
| <input type="checkbox"/> Surface Water POD to Ground Water POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

RECEIVED BY OWRD

JAN 31 2017

SALEM, OR

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 50755 change is proposed, specify the acreage associated with each change.
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

Additional remarks: _____.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.											Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.														
Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date		Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date				
27	S	19	E	29	NW	NE	2200		1.9	IR	#3	1978	POU/POA	27	S	19	E	28	NW	NE	2200		0.6	IR	#15	1978
27	S	19	E	29	NE	NW	2200		0.8	IR	#3	1978	POU/POA	27	S	19	E	28	SW	NE	2200		0.6	IR	#15	1978
27	S	19	E	30	SE	NE	2200		1.5	IR	#3	1978	POU/POA	27	S	19	E	28	NE	NW	2200		0.7	IR	#15	1978
													POU/POA	27	S	19	E	28	NW	NW	2200		0.3	IR	#15	1978
													POU/POA	27	S	19	E	28	SW	NW	2200		0.6	IR	#15	1978
													POU/POA	27	S	19	E	28	NE	SW	3501		0.6	IR	#15	1978
													POU/POA	27	S	19	E	28	NW	SW	3501		0.3	IR	#15	1978
													POU/POA	27	S	19	E	28	NW	SE	3501		0.5	IR	#15	1978
TOTAL ACRES:								4.2						TOTAL ACRES:					4.2							

RECEIVED BY OWRD

JAN 31 2017

SALEM, OR

1
12583

For Place of Use or Character of Use Changes

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? Yes No

If YES, list the certificate, water use permit, or ground water registration numbers:

Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)

Ground water supplemental Permit or Certificate # _____;
Surface water primary Certificate # _____.

RECEIVED BY OWRD

JAN 31 2017

For a change from Supplemental Irrigation Use to Primary Irrigation Use

Identify the primary certificate to be cancelled. Certificate # _____

SALEM, OR

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

Tip: You may search for well logs on the Department's web page at:
http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx

AND/OR

Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L-	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right
See well logs										

CERTIFICATE # 50757

Description of Water Delivery System

System capacity: **0.35** cubic feet per second (cfs) OR
 _____ gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines and sprinklers used to divert, convey and apply the water at the authorized place of use. **Well piped to center pivot sprinkler.**

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
#2	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	LAKE 1178	27	S	19	E	19	SW	SE		2320' South & 2710' East from the West ¼ cor, Sec 19
#6A	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	LAKE 1186	27	S	19	E	20	SE	SW		240' North & 1670' East from the SW cor, sec 20
#7	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	LAKE 1179	27	S	19	E	20	SE	SE		120' North & 350' West from the SE cor, Sec 20
#8	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	UNK	27	S	19	E	20	SW	NW		1860' South & 240' East from the NW cor, Sec 20

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|--|---|
| <input checked="" type="checkbox"/> Place of Use (POU) | <input type="checkbox"/> Supplemental Use to Primary Use (S to P) |
| <input type="checkbox"/> Character of Use (USE) | <input checked="" type="checkbox"/> Point of Appropriation/Well (POA) |
| <input type="checkbox"/> Point of Diversion (POD) | <input type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Substitution (SUB) |
| <input type="checkbox"/> Surface Water POD to Ground Water POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

RECEIVED BY OWRD

JAN 31 2017

SALEM, OR

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 50757 change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.											Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.														
Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date		Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date				
27	S	19	E	19	NE	SW	2800		1.2	IR	#2	1978	POU/POA	27	S	19	E	19	NE	NE	2800		1.8	IR	#8	1978
27	S	19	E	19	SE	SW	2800		1.5	IR	#2	1978	POU/POA	27	S	19	E	19	NW	NE	2800		0.2	IR	#8	1978
27	S	19	E	19	NE	SE	2800		0.6	IR	#2	1978	POU/POA	27	S	19	E	19	SW	NE	2800		1.4	IR	#8	1978
27	S	19	E	19	NW	SE	2800		3.0	IR	#2	1978	POU/POA	27	S	19	E	19	SE	NE	2800		0.2	IR	#8	1978
27	S	19	E	20	SW	SW	2800		2.4	IR	#2	1978	POU/POA	27	S	19	E	19	NE	SE	2800		1.9	IR	#8	1978
27	S	19	E	29	NW	NW	2800		1.2	IR	#2	1978	POU/POA	27	S	19	E	20	NE	NW	2800		1.0	IR	#8	1978
27	S	19	E	30	NE	NW	2800		13.9	IR	#2	1978	POU/POA	27	S	19	E	20	NW	NW	2800		1.6	IR	#8	1978
27	S	19	E	30	NW	NE	2800		0.2	IR	#2	1978	POU/POA	27	S	19	E	20	SE	NW	2800		1.8	IR	#8	1978
27	S	19	E	30	SE	NE	2800		3.8	IR	#2	1978	POU/POA	27	S	19	E	20	NE	SW	2800		1.7	IR	#6A & 8	1978
													POU/POA	27	S	19	E	20	NW	SW	2800		2.4	IR	#6A & 8	1978
													POU/POA	27	S	19	E	20	SW	SW	2800		1.1	IR	#6A	1978
													POU/POA	27	S	19	E	20	NE	SE	2800		1.1	IR	#7	1978
													POU/POA	27	S	19	E	20	NW	SE	2800		0.4	IR	#6A & 7	1978
														27	S	19	E	20	SW	SE	2800		2.1	IR	#6A & 7	1978

RECEIVED BY OWRD

JAN 31 2017

SALEM, OR

T 12583

For Place of Use or Character of Use Changes

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? Yes No

If YES, list the certificate, water use permit, or ground water registration numbers:



Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)

Ground water supplemental Permit or Certificate # _____;
Surface water primary Certificate # _____.

RECEIVED BY OWRD

For a change from Supplemental Irrigation Use to Primary Irrigation Use

JAN 31 2017

Identify the primary certificate to be cancelled. Certificate # _____

SALEM, OR

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

- Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

Tip: You may search for well logs on the Department's web page at:
http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx

AND/OR

- Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L-	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right
See well logs										

CERTIFICATE # 50760

Description of Water Delivery System

System capacity: 0.43 cubic feet per second (cfs) **OR**
 _____ gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines and sprinklers used to divert, convey and apply the water at the authorized place of use. **Well #6 was pumped to hand lines in 2013. Wells 6 & 10 are piped to center pivot sprinklers.**

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)

(Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
#6	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	LAKE 1182	27	S	19	E	19	SW	NE	2200	460' North & 3380' East from the West ¼ cor, sec 19
#15	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	LAKE 1196	27	S	19	E	28	SE	NW	2800	1910' South & 3110' West from the Northeast cor, Sec 28

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|--|---|
| <input checked="" type="checkbox"/> Place of Use (POU) | <input type="checkbox"/> Supplemental Use to Primary Use (S to P) |
| <input type="checkbox"/> Character of Use (USE) | <input checked="" type="checkbox"/> Point of Appropriation/Well (POA) |
| <input type="checkbox"/> Point of Diversion (POD) | <input type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Substitution (SUB) |
| <input type="checkbox"/> Surface Water POD to Ground Water POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

RECEIVED BY OWRD

JAN 31 2017

SALEM, OR

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 50760

List the change proposed for the acreage in each ¼ ¼. If more than one change is proposed, specify the acreage associated with each change.
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.												Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.									
Twp	Rng	Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Twp	Rng		Sec	¼ ¼	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date		
EXAMPLE																						
27	S	19	E 19 NE NW	2800		0.1	IR	#6	1961	POU, POA,	27	S	19	E 28 NE NW	2200		6.0	IR	#15	1961		
27	S	19	E 19 SW NW	2800	2	2.3	IR	#6	1961	POU, POA,	27	S	19	E 28 NW NW	2200		1.9	IR	#15	1961		
27	S	19	E 19 NE SW	2800		9.2	IR	#6	1961	POU, POA,	27	S	19	E 28 SW NW	2200		5.9	IR	#15	1961		
27	S	19	E 19 NW SW	2800	3	5.8	IR	#6	1961	POU, POA,	27	S	19	E 28 NW NE	2200		4.2	IR	#15	1961		
27	S	19	E 19 NW NE	2800		4.2	IR	#6	1961	POU, POA,	27	S	19	E 28 SW NE	2200		6.1	IR	#15	1961		
27	S	19	E 19 SW NE	2800		7.0	IR	#6	1961	POU, POA,	27	S	19	E 28 NE SW	3501		6.0	IR	#15	1961		
27	S	19	E 19 NW SE	2800		6.0	IR	#6	1961	POU, POA,	27	S	19	E 28 NW SW	3501		1.0	IR	#15	1961		
										POU, POA,	27	S	19	E 28 NW SE	2200		3.5	IR	#15	1961		

RECEIVED BY OWRD

JAN 31 2017

SALEM, OR

1 12583

TOTAL ACRES:	34.6			TOTAL ACRES:	34.6	
--------------	------	--	--	--------------	------	--

RECEIVED BY OWRD

JAN 31 2017

SALEM, OR

T
1
2
5
8
3

For Place of Use or Character of Use Changes

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? Yes No

If YES, list the certificate, water use permit, or ground water registration numbers:

Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)

Ground water supplemental Permit or Certificate # _____;
Surface water primary Certificate # _____.

RECEIVED BY OWRD

JAN 31 2017

For a change from Supplemental Irrigation Use to Primary Irrigation Use

Identify the primary certificate to be cancelled. Certificate # _____

SALEM, OR

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

Tip: You may search for well logs on the Department's web page at:

http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx

AND/OR

Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L-	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right
See well logs										

CERTIFICATE # 50917

Description of Water Delivery System

System capacity: 0.97 cubic feet per second (cfs) OR
 _____ gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines and sprinklers used to divert, convey and apply the water at the authorized place of use. **Well #1 is piped to wheel lines. Wells 2 & 3 are piped to center pivot sprinklers. In 2013, wells 1, 2, & 3 were piped to hand lines.**

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp	Rng	Sec	¼	¼	Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
#1	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	LAKE 4434	27 S	19 E	18	SW	SW	4	3260' North & 80' East from the West ¼ cor, Sec 19
#2	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	LAKE 1178	27 S	19 E	19	SW	SE		2320' South & 2710' East from the West ¼ cor, Sec 19
#3	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	LAKE 1197	27 S	19 E	29	SE	NW		2660' North & 2110' East from the SW cor, Sec 29
#15	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	LAKE 1196	27 S	19 E	28	SE	NW		1910' South & 3110' West from the Northeast cor, Sec 28

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|--|---|
| <input checked="" type="checkbox"/> Place of Use (POU) | <input type="checkbox"/> Supplemental Use to Primary Use (S to P) |
| <input type="checkbox"/> Character of Use (USE) | <input checked="" type="checkbox"/> Point of Appropriation/Well (POA) |
| <input type="checkbox"/> Point of Diversion (POD) | <input type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Substitution (SUB) |
| <input type="checkbox"/> Surface Water POD to Ground Water POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

RECEIVED BY OWRD

JAN 31 2017

SALEM, OR

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 50917 change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.											Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.														
Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date		Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date				
27	S	18	E	13	NE	SE	3200		9.3	IR	#1	1957	POU/POA	27	S	19	E	28	NW	NE	2200		2.0	IR	#15	1957
27	S	18	E	13	SE	SE	3200		4.0	IR	#1	1957	POU/POA	27	S	19	E	28	SW	NE	2200		16.0	IR	#15	1957
27	S	18	E	24	NE	NE	3200		10.7	IR	#1	1957	POU/POA	27	S	19	E	28	NE	NW	2200		10.1	IR	#15	1957
27	S	19	E	19	NW	NW	2800	1	8.8	IR	#1	1957	POU/POA	27	S	19	E	28	SW	NW	2200		2.4	IR	#15	1957
27	S	19	E	19	NW	SW	2800	3	0.1	IR	#2	1957	POU/POA	27	S	19	E	28	SE	NW	2200		39.8	IR	#15	1957
27	S	19	E	19	SE	SW	2800		8.2	IR	#2	1957	POU/POA	27	S	19	E	28	NE	SW	3501		6.1	IR	#15	1957
27	S	19	E	19	NE	SE	2800		3.5	IR	#2	1957	POU/POA	27	S	19	E	28	NW	SE	3501		1.0	IR	#15	1957
27	S	19	E	19	SE	SE	2800		1.5	IR	#2	1957	POU/POA													
27	S	19	E	29	SW	NW	2800		4.4	IR	#3	1957	POU/POA													
27	S	19	E	29	NW	SW	2800		2.3	IR	#3	1957	POU/POA													
27	S	19	E	29	NE	SW	2800		17.0	IR	#3	1957	POU/POA													
27	S	19	E	29	NW	SE	2800		1.4	IR	#3	1957	POU/POA													
27	S	19	E	30	NE	NW	2800		0.6	IR	#2	1957	POU/POA													
27	S	19	E	30	NE	NE	2800		4.2	IR	#2	1957	POU/POA													

RECEIVED BY OWRD

For Place of Use or Character of Use Changes

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? Yes No

If YES, list the certificate, water use permit, or ground water registration numbers: _____

Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)

Ground water supplemental Permit or Certificate # _____;
Surface water primary Certificate # _____.

RECEIVED BY OWRD

JAN 31 2017

For a change from Supplemental Irrigation Use to Primary Irrigation Use

Identify the primary certificate to be cancelled. Certificate # _____

SALEM, OR

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

Tip: You may search for well logs on the Department's web page at:
http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx

AND/OR

Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L-	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right
See well logs										

CERTIFICATE # 50918

Description of Water Delivery System

System capacity: 0.17 cubic feet per second (cfs) **OR**
 _____ gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines and sprinklers used to divert, convey and apply the water at the authorized place of use. **Well 1 is piped to a center pivot sprinkler.**

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
#1	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	LAKE 4434	27	S	19	E	18	SW	SW	4	3260' North & 80' East from the West ¼ cor, sec 19
#15	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	LAKE 1196	27	S	19	E	28	SE	NW		1910' South & 3110' West from the Northeast cor, Sec 28

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|--|---|
| <input checked="" type="checkbox"/> Place of Use (POU) | <input type="checkbox"/> Supplemental Use to Primary Use (S to P) |
| <input type="checkbox"/> Character of Use (USE) | <input checked="" type="checkbox"/> Point of Appropriation/Well (POA) |
| <input type="checkbox"/> Point of Diversion (POD) | <input type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Substitution (SUB) |
| <input type="checkbox"/> Surface Water POD to Ground Water POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

RECEIVED BY OWRD

JAN 31 2017

SALEM, OR

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 50918 change is proposed, specify the acreage associated with each change.
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

Additional remarks: _____.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.												Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.													
Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Twp		Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date				
27	S	19	E	18	NE	SW	2800		7.2	IR	#1	1961	POU/POA	27	S	19	E	28	NW	NE	2200		1.6	IR	#15	1961
27	S	19	E	18	NW	SW	2800	3	0.7	IR	#1	1961	POU/POA	27	S	19	E	28	SW	NE	2200		2.2	IR	#15	1961
27	S	19	E	18	SW	SW	2800	4	1.0	IR	#1	1961	POU/POA	27	S	19	E	28	NE	NW	2200		2.1	IR	#15	1961
27	S	19	E	18	SE	SW	2800		3.4	IR	#1	1961	POU/POA	27	S	19	E	28	NW	NW	2200		1.0	IR	#15	1961
27	S	19	E	18	SW	SE	3100		1.3	IR	#1	1961	POU/POA	27	S	19	E	28	SW	NW	2200		2.2	IR	#15	1961
													POU/POA	27	S	19	E	28	NE	SW	3501		2.1	IR	#15	1961
													POU/POA	27	S	19	E	28	NW	SW	3501		0.8	IR	#15	1961
													POU/POA	27	S	19	E	28	NW	SE	3501		1.6	IR	#15	1961
TOTAL ACRES:								13.6	TOTAL ACRES:															13.6		

RECEIVED BY OWRD

JAN 31 2017

SALEM, OR

T
1
2583

For Place of Use or Character of Use Changes

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? Yes No

If YES, list the certificate, water use permit, or ground water registration numbers,

Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)

Ground water supplemental Permit or Certificate # _____;
Surface water primary Certificate # _____.

RECEIVED BY OWRD

JAN 31 2017

For a change from Supplemental Irrigation Use to Primary Irrigation Use

Identify the primary certificate to be cancelled. Certificate # _____

SALEM, OR

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

Tip: You may search for well logs on the Department's web page at:
http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx

AND/OR

Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L-	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right
See well logs										

CERTIFICATE # 65758

Description of Water Delivery System

System capacity: **1.16** cubic feet per second (cfs) **OR**
 _____ gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines and sprinklers used to divert, convey and apply the water at the authorized place of use. **Wells 6 & 10 are piped to center pivot sprinklers.**

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
#6	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	LAKE 1182	27	S	19	E	19	SW	NE		2120' South & 1910' West from the NE cor, Sec 19
#8	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	UNK	27	S	19	E	20	SW	NW		1860' South & 240' East from the NW cor, Sec 20
#10	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	LAKE 1183	27	S	19	E	20	SE	NE		1620' South & 1070' West from the NE cor, Sec 20
#15	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	LAKE 1196	27	S	19	E	28	SE	NW		1910' South & 3110' West from the Northeast cor, Sec 28

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|--|---|
| <input checked="" type="checkbox"/> Place of Use (POU) | <input type="checkbox"/> Supplemental Use to Primary Use (S to P) |
| <input type="checkbox"/> Character of Use (USE) | <input checked="" type="checkbox"/> Point of Appropriation/Well (POA) |
| <input type="checkbox"/> Point of Diversion (POD) | <input type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Substitution (SUB) |
| <input type="checkbox"/> Surface Water POD to Ground Water POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

RECEIVED BY OWRD

JAN 31 2017

SALEM, OR

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 65758 change is proposed, specify the acreage associated with each change.
If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.											Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.													
Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date		Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date			
27	S	19	E	19	NE	NW		1.3	IR	#6	1980	POU/POA	27	S	19	E	19	NE	NE	2800		0.9	IR	#8	1980
27	S	19	E	19	NW	NW		1.6	IR	#6	1980	POU/POA	27	S	19	E	19	NW	NE	2800		0.1	IR	#8	1980
27	S	19	E	19	SW	NW		0.5	IR	#6	1980	POU/POA	27	S	19	E	19	SW	NE	2800		0.7	IR	#8	1980
27	S	19	E	17	SW	SE		0.8	IR	#10	1980	POU/POA	27	S	19	E	19	SE	NE	2800		0.1	IR	#8	1980
27	S	19	E	17	SE	SE		0.4	IR	#10	1980	POU/POA	27	S	19	E	19	NE	SE	2800		0.9	IR	#8	1980
27	S	19	E	20	NE	NE		0.6	IR	#10	1980	POU/POA	27	S	19	E	20	NE	NW	2800		0.5	IR	#8	1980
27	S	19	E	20	NW	NE		0.4	IR	#10	1980	POU/POA	27	S	19	E	20	NW	NW	2800		0.8	IR	#8	1980
27	S	19	E	20	NE	NW		1.1	IR	#10	1980	POU/POA	27	S	19	E	20	SE	NW	2800		0.9	IR	#8	1980
27	S	19	E	20	SE	NW		1.1	IR	#10	1980	POU/POA	27	S	19	E	20	NE	SW	2800		0.3	IR	#8	1980
27	S	19	E	20	NE	SW		0.7	IR	#10	1980	POU/POA	27	S	19	E	20	NW	SW	2800		0.9	IR	#8	1980
27	S	19	E	20	NE	SE		1.1	IR	#10	1980	POU/POA	27	S	19	E	28	NW	NE	2200		0.9	IR	#15	1980
27	S	19	E	20	NW	SE		1.1	IR	#10	1980	POU/POA	27	S	19	E	28	SW	NE	2200		1.0	IR	#15	1980
27	S	19	E	21	NW	NW		0.8	IR	#10	1980	POU/POA	27	S	19	E	28	NE	NW	2200		1.0	IR	#15	1980
27	S	19	E	21	SW	NW		1.0	IR	#10	1980		27	S	19	E	28	NW	NW	2200		0.6	IR	#15	1980

RECEIVED BY OWRD

Additional remarks: _____.

27	S	19	E	21	NW	SW		0.2	IR	#10	1980	POU/POA	27	S	19	E	28	SW	NW	2200		1.0	IR	#15	1980					
												POU/POA	27	S	19	E	28	NE	SW	3501		0.9	IR	#15	1980					
												POU/POA	27	S	19	E	28	NW	SW	3501		0.5	IR	#15	1980					
												POU/POA	27	S	19	E	28	NW	SE	3501		0.7	IR	#15	1980					
TOTAL ACRES:								12.7													TOTAL ACRES:	12.7								

1
12583

RECEIVED BY OWRD

JAN 31 2017

SALEM, OR

For Place of Use or Character of Use Changes

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? Yes No

If YES, list the certificate, water use permit, or ground water registration numbers: .

Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)

Ground water supplemental Permit or Certificate # _____;
Surface water primary Certificate # _____.

RECEIVED BY OWRD

For a change from Supplemental Irrigation Use to Primary Irrigation Use

JAN. 31 2017

Identify the primary certificate to be cancelled. Certificate # _____

SALEM, OR

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

- Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

Tip: You may search for well logs on the Department's web page at:
http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx

AND/OR

- Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L-	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right
See well logs										

CERTIFICATE # 65759

Description of Water Delivery System

System capacity: 0.10 cubic feet per second (cfs) OR
 _____ gallons per minute (gpm)

Describe the current water delivery system or the system that was in place at some time within the last five years. Include information on the pumps, canals, pipelines and sprinklers used to divert, convey and apply the water at the authorized place of use. **Wells 10, 11, & 12 are piped to 3 center pivot sprinklers.**

Table 1. Location of Authorized and Proposed Point(s) of Diversion (POD) or Appropriation (POA)
 (Note: If the POD/POA name is not specified on the certificate, assign it a name or number here.)

POD/POA Name or Number	Is this POD/POA Authorized on the Certificate or is it Proposed?	If POA, OWRD Well Log ID# (or Well ID Tag # L-___)	Twp		Rng		Sec	¼ ¼		Tax Lot, DLC or Gov't Lot	Measured Distances (from a recognized survey corner)
#10	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	LAKE 1183	27	S	19	E	20	SE	NE	2200	1620' South & 1070' West from the NE cor, Sec 20
#11	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	LAKE 1188	27	S	19	E	21	SE	NW	2200	1740' South & 640' West from the N ¼ cor, Sec 21
#12	<input checked="" type="checkbox"/> Authorized <input type="checkbox"/> Proposed	LAKE 1170	27	S	19	E	16	SW	SW	2200	1080' North & 570' East from the SW cor, Sec 16
#15	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	LAKE 1196	27	S	19	E	28	SE	NW	2200	1910' South & 3110' West from the Northeast cor, Sec 28
#12A	<input type="checkbox"/> Authorized <input checked="" type="checkbox"/> Proposed	LAKE 52738	27	S	19	E	16	SW	SW	2200	1000' North & 535' East from the SW cor, Sec 16

Check all type(s) of change(s) proposed below (change "CODES" are provided in parentheses):

- | | |
|--|---|
| <input checked="" type="checkbox"/> Place of Use (POU) | <input type="checkbox"/> Supplemental Use to Primary Use (S to P) |
| <input type="checkbox"/> Character of Use (USE) | <input checked="" type="checkbox"/> Point of Appropriation/Well (POA) |
| <input type="checkbox"/> Point of Diversion (POD) | <input type="checkbox"/> Additional Point of Appropriation (APOA) |
| <input type="checkbox"/> Additional Point of Diversion (APOD) | <input type="checkbox"/> Substitution (SUB) |
| <input type="checkbox"/> Surface Water POD to Ground Water POA (SW/GW) | <input type="checkbox"/> Government Action POD (GOV) |

Will all of the proposed changes affect the entire water right?

- Yes Complete only the Proposed ("to" or "on" lands) section of Table 2 on the next page. Use the "CODES" listed above to describe the proposed changes.
- No Complete all of Table 2 to describe the portion of the water right to be changed.

RECEIVED BY OWRD

JAN 31 2017

Please use and attach additional pages of Table 2 as needed.
See page 6 for instructions.

Do you have questions about how to fill-out the tables?
Contact the Department at 503-986-0900 and ask for Transfer Staff.

Table 2. Description of Changes to Water Right Certificate # 65759 change is proposed, specify the acreage associated with each change. If there is more than one POD/POA involved in the proposed changes, specify the acreage associated with each POD/POA.

AUTHORIZED (the "from" or "off" lands) The listing that appears on the certificate BEFORE PROPOSED CHANGES List only that part or portion of the water right that will be changed.												Proposed Changes (see "CODES" from previous page)	PROPOSED (the "to" or "on" lands) The listing as it would appear AFTER PROPOSED CHANGES are made.											
Twp	Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	Type of USE listed on Certificate	POD(s) or POA(s) (name or number from Table 1)	Priority Date	Twp		Rng	Sec	¼	¼	Tax Lot	Gvt Lot or DLC	Acres	New Type of USE	POD(s)/ POA(s) to be used (from Table 1)	Priority Date		
27	S	19	E	16	NE	SW		0.9	IR	#12	1974	POU/POA	27	S	19	E	28	NW	NW	2200		IR	#15	1974
27	S	19	E	16	NW	SW		0.9	IR	#12	1974	POU/POA	27	S	19	E	28	SW	NW	2200		IR	#15	1974
27	S	19	E	16	SE	SW		0.9	IR	#12	1974	POU/POA	27	S	19	E	28	NW	SW	3501		IR	#15	1974
27	S	19	E	17	NE	SE		1.0	IR	#12	1974	POU/POA	27	S	19	E	28	NE	SW	3501		IR	#15	1974
27	S	19	E	17	SE	SE		0.9	IR	#12	1974	POU/POA	27	S	19	E	28	NE	NW	2200		IR	#15	1974
27	S	19	E	20	NE	NE		0.4	IR	#12	1974	POU/POA	27	S	19	E	28	NW	NE	2200		IR	#15	1974
27	S	19	E	21	NW	NE		0.2	IR	#11	1974	POU/POA	27	S	19	E	28	SW	NE	2200		IR	#15	1974
27	S	19	E	21	SW	NE		0.3	IR	#11	1974	POU/POA	27	S	19	E	28	NW	SE	3501		IR	#15	1974
27	S	19	E	21	NE	NW		0.6	IR	#11 & 12	1974	POU/POA												
27	S	19	E	21	NW	NE		1.1	IR	#11 & 12	1974	POU/POA												
27	S	19	E	21	SW	NW		0.2	IR	#11	1974	POU/POA												
27	S	19	E	21	NE	SW		0.2	IR	#11	1974	POU/POA												
27	S	19	E	21	NW	NW		0.1	IR	#11	1974	POU/POA												
TOTAL ACRES:							7.8						TOTAL ACRES:							7.8				

RECEIVED BY OWRD

JAN 31 2017

SALEM, OR

For Place of Use or Character of Use Changes

Are there other water right certificates, water use permits or ground water registrations associated with the "from" or the "to" lands? Yes No

If YES, list the certificate, water use permit, or ground water registration numbers: _____

Pursuant to ORS 540.510, any "layered" water use such as an irrigation right that is supplemental to a primary right proposed for transfer must be included in the transfer or be cancelled. Any change to a ground water registration must be filed separately in a ground water registration modification application.

For Substitution (ground water supplemental irrigation will be substituted for surface water primary irrigation)

Ground water supplemental Permit or Certificate # _____;
Surface water primary Certificate # _____.

RECEIVED BY OWRD

For a change from Supplemental Irrigation Use to Primary Irrigation Use

JAN 31 2017

Identify the primary certificate to be cancelled. Certificate # _____

SALEM, OR

For a change in point(s) of appropriation (well(s)) or additional point(s) of appropriation:

Well log(s) are attached for each authorized and proposed well(s) that are clearly labeled and associated with the corresponding well(s) in Table 1 above and on the accompanying application map.

Tip: You may search for well logs on the Department's web page at:
http://apps.wrd.state.or.us/apps/gw/well_log/Default.aspx

AND/OR

Describe the construction of the authorized and proposed well(s) in Table 3 for any wells that do not have a well log. For *proposed wells not yet constructed or built*, provide "a best estimate" for each requested information element in the table. The Department recommends you consult a licensed well driller, geologist, or certified water right examiner to assist with assembling the information necessary to complete Table 3.

Table 3. Construction of Point(s) of Appropriation

Any well(s) in this listing must be clearly tied to corresponding well(s) described in Table 1 and shown on the accompanying application map. Failure to provide the information will delay the processing of your transfer application until it is received. The information is necessary for the department to assess whether the proposed well(s) will access the same source aquifer as the authorized point(s) of appropriation (POA). The Department is prohibited by law from approving POA changes that do not access the same source aquifer.

Proposed or Authorized POA Name or Number	Is well already built? (Yes or No)	If an existing well: OWRD Well ID Tag No. L-	Total well depth	Casing Diameter	Casing Intervals (feet)	Seal depth(s) (intervals)	Perforated or screened intervals (in feet)	Static water level of completed well (in feet)	Source aquifer (sand, gravel, basalt, etc.)	Well -specific rate (cfs or gpm). If less than full rate of water right
See well logs										

T 12583

**BEFORE THE WATER RESOURCES DEPARTMENT
OF THE
STATE OF OREGON**

In the Matter of Transfer Application)	PRELIMINARY DETERMINATION
T-12583, Lake County)	PROPOSING APPROVAL FOR AN
)	ADDITIONAL POINT OF
)	APPROPRIATION, CHANGES IN
)	POINTS OF APPROPRIATION AND
)	PLACES OF USE

Authority

Oregon Revised Statutes (ORS) 537.705 and 540.505 to 540.580 establish the process in which a water right holder may submit a request to transfer the point of appropriation, place of use, or character of use authorized under an existing water right. Oregon Administrative Rules (OAR) Chapter 690, Division 380 implement the statutes and provides the Department's procedures and criteria for evaluating transfer applications.

Applicant

JRS PROPERTIES III LP
PO BOX 27
BOISE, ID 83707

Findings of Fact

1. On January 31, 2017, JRS PROPERTIES III LP, filed an application to change the points of appropriation and to change the places of use under Certificates 34169, 34170, 34171, 50751, 50755, 50757, 50760, 50917, 50918, 65758, and 65759. The Department assigned the application number T-12583.
2. Notice of the application for transfer was published on February 7, 2017, pursuant to OAR 690-380-4000. No comments were filed in response to the notice.
3. On January 15, 2020, the Department contacted the applicant by written correspondence to notify the applicant of deficiencies in the application. Table 2 under Certificate 65759 needed to be more clearly defined regarding the acres proposed for changing place of use, as the rate authorized is well specific. The Department requested that the deficiencies be resolved by March 2, 2020.

Pursuant to OAR 690-380-4030, any person may file a protest or standing statement within 30 days after the last date of publication of notice of this preliminary determination.

4. On January 17, 2020, the applicant submitted a revised Table 1 and Table 2 for Certificate 65759 and added a request for an additional point of appropriation, resolving the deficiencies.
5. On February 10, 2020, the Department mailed a copy of the draft Preliminary Determination proposing to approve Transfer Application T-12583 to the applicant. The draft Preliminary Determination cover letter set forth a deadline of March 12, 2020, for the applicant to respond. The applicant's agent identified a discrepancy in the acres proposed for transfer from Well #11 and Well #12 under Certificate 65759.
6. On February 11, 2020, the applicant's agent submitted a revised Table 2 for Certificate 65759, further clarifying the acres proposed for transfer from Well #11 and Well #12. The applicant requested that the Department proceed with issuance of a Preliminary Determination and provided the necessary information to demonstrate that the applicant is authorized to pursue the transfer.

7. The portion of the first right to be transferred is as follows:

Certificate: 34169 in the name of WEST SACRAMENTO ENTERPRISES, INC.
(perfected under Permit G-662)

Use: IRRIGATION of 7.0 ACRES

Priority Date: OCTOBER 1, 1957

Rate: 0.09 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELL NO. 4 a tributary of ANA RIVER (SUMMER LAKE)

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	32	NE NW	VIEWPOINT WELL NO. 4 - 20 FEET SOUTH AND 2580 FEET EAST FROM THE NW CORNER OF SECTION 32

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	29	SW SW	1.0
27 S	19 E	WM	29	SE SW	3.5
27 S	19 E	WM	29	SW SE	2.3
27 S	19 E	WM	29	SE SE	0.2
Total					7.0

8. Transfer Application T-12583 proposes to move the authorized point of appropriation approximately 1.1 miles from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28

9. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	28	NW NE	0.7
27 S	19 E	WM	28	SW NE	1.5
27 S	19 E	WM	28	NE NW	1.5
27 S	19 E	WM	28	NW NW	0.1
27 S	19 E	WM	28	SW NW	1.3
27 S	19 E	WM	28	NE SW	1.4
27 S	19 E	WM	28	NW SE	0.5
Total					7.0

10. The portion of the second right to be transferred is as follows:

Certificate: 34170 in the name of WEST SACRAMENTO ENTERPRISES, INC.
(perfected under Permit G-676)

Use: IRRIGATION of 8.4 ACRES

Priority Date: OCTOBER 1, 1957

Rate: 0.105 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELL NO. 4 a tributary of ANA RIVER (SUMMER LAKE)

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	32	NE NW	VIEWPOINT WELL NO. 4 - 20 FEET SOUTH AND 2580 FEET EAST FROM THE NW CORNER OF SECTION 32

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	32	NE NE	0.3
27 S	19 E	WM	32	NW NE	3.0
27 S	19 E	WM	32	NE NW	4.4
27 S	19 E	WM	32	NW NW	0.7
Total					8.4

11. Transfer Application T-12583 proposes to move the authorized point of appropriation approximately 1.1 miles from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28

12. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	28	NW NE	0.9
27 S	19 E	WM	28	SW NE	1.7
27 S	19 E	WM	28	NE NW	1.7
27 S	19 E	WM	28	NW NW	0.2
27 S	19 E	WM	28	SW NW	1.5
27 S	19 E	WM	28	NE SW	1.6
27 S	19 E	WM	28	NW SW	0.1
27 S	19 E	WM	28	NW SE	0.7
Total					8.4

13. The portion of the third right to be transferred is as follows:

Certificate: 34171 in the name of WEST SACRAMENTO ENTERPRISES, INC.
(perfected under Permit G-696)

Use: IRRIGATION of 11.0 ACRES

Priority Date: AUGUST 14, 1957

Rate: 0.137 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELL NO. 3 a tributary of ANA RIVER (SUMMER LAKE)

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	29	SE NW	VIEWPOINT WELL NO. 3 - 2660 FEET NORTH AND 2110 FEET EAST FROM THE SW CORNER OF SECTION 29

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	29	SE NW	11.0

14. Transfer Application T-12583 proposes to move the authorized point of appropriation approximately 1.0 mile from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28

15. Transfer Application T-12583 also proposes to change the place of use of the right to:

Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	28	NW NE	0.8
27 S	19 E	WM	28	SW NE	2.7
27 S	19 E	WM	28	NE NW	2.4
27 S	19 E	WM	28	SW NW	1.4
27 S	19 E	WM	28	SE NW	1.1
27 S	19 E	WM	28	NE SW	2.1
27 S	19 E	WM	28	NW SE	0.5
Total					11.0

16. The portion of the fourth right to be transferred is as follows:

Certificate: 50751 in the name of ALDER CREEK RANCHES, INC. (perfected under Permit G-5754)

Use: IRRIGATION of 8.2 ACRES

Priority Date: APRIL 9, 1973

Rate: 0.10 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELL 3 a tributary of FORT ROCK BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	29	SE NW	VIEWPOINT WELL 3 - 2610 SOUTH AND 2080 FEET EAST FROM THE NW CORNER OF SECTION 29

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	29	NE NE	0.2
27 S	19 E	WM	29	NW NE	1.3
27 S	19 E	WM	29	SE NE	4.0
27 S	19 E	WM	29	NE SE	2.5
27 S	19 E	WM	29	NW SE	0.2
Total					8.2

17. Transfer Application T-12583 proposes to move the authorized point of appropriation approximately 1.0 mile from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28

18. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	28	NW NE	1.0
27 S	19 E	WM	28	SW NE	1.3
27 S	19 E	WM	28	NE NW	1.3
27 S	19 E	WM	28	NW NW	0.7
27 S	19 E	WM	28	SW NW	1.3
27 S	19 E	WM	28	NE SW	1.2
27 S	19 E	WM	28	NW SW	0.5
27 S	19 E	WM	28	NW SE	0.9
Total					8.2

19. The portion of the fifth right to be transferred is as follows:

Certificate: 50755 in the name of ALDER CREEK RANCHES, INC. (perfected under Permit G-8120)

Use: IRRIGATION of 4.2 ACRES

Priority Date: APRIL 4, 1978

Rate: 0.05 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELL 3 a tributary of FORT ROCK BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	29	SE NW	VIEWPOINT WELL 3 - 2610 FEET SOUTH AND 2080 FEET EAST FROM THE NW CORNER OF SECTION 29

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	29	NW NE	1.90
27 S	19 E	WM	29	NE NW	0.80
27 S	19 E	WM	30	SE NE	1.50
Total					4.2

20. Transfer Application T-12583 proposes to move the authorized point of appropriation approximately 1.0 mile from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28

21. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	28	NW NE	0.6
27 S	19 E	WM	28	SW NE	0.6
27 S	19 E	WM	28	NE NW	0.7
27 S	19 E	WM	28	NW NW	0.3
27 S	19 E	WM	28	SW NW	0.6
27 S	19 E	WM	28	NE SW	0.6
27 S	19 E	WM	28	NW SW	0.3
27 S	19 E	WM	28	NW SE	0.5
Total					4.2

22. The portion of the sixth right to be transferred is as follows:

Certificate: 50757 in the name of ALDER CREEK RANCHES, INC. (perfected under Permit G-8122)

Use: IRRIGATION of 27.8 ACRES

Priority Date: APRIL 4, 1978

Rate: 0.347 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELL 2 a tributary of FORT ROCK BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	19	SW SE	VIEWPOINT WELL 2 - 320 FEET NORTH AND 2600 FEET WEST FROM THE SE CORNER OF SECTION 19

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	19	NE SW	1.2
27 S	19 E	WM	19	SE SW	1.5
27 S	19 E	WM	19	NE SE	0.6
27 S	19 E	WM	19	NW SE	3.0
27 S	19 E	WM	20	SW SW	2.4
27 S	19 E	WM	29	NW NW	1.2
27 S	19 E	WM	30	NW NE	0.2
27 S	19 E	WM	30	SE NE	3.8
27 S	19 E	WM	30	NE NW	13.9
Total					27.8

23. Transfer Application T-12583 proposes to move the authorized point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances	Approximated distance from the original point of appropriation in miles (mi.)
27 S	19 E	WM	20	SW NW	WELL #8 - 1860 FEET SOUTH AND 240 FEET EAST FROM NW CORNER OF SECTION 20	0.8 mi.
27 S	19 E	WM	20	SE SW	WELL #6A - 240 FEET NORTH AND 1670 FEET EAST FROM THE SW CORNER OF SECTION 20	0.8 mi.
27 S	19 E	WM	20	SE SE	WELL #7 - 120 FEET NORTH AND 350 FEET WEST FROM THE SE CORNER OF SECTION 20	1.4 mi.

24. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	Acres	POA
27 S	19 E	WM	19	NE NE	1.8	#8
27 S	19 E	WM	19	NW NE	0.2	#8
27 S	19 E	WM	19	SW NE	1.4	#8
27 S	19 E	WM	19	SE NE	0.2	#8
27 S	19 E	WM	19	NE SE	1.9	#8
27 S	19 E	WM	20	NE NW	1.0	#8
27 S	19 E	WM	20	NW NW	1.6	#8
27 S	19 E	WM	20	SE NW	1.8	#8
27 S	19 E	WM	20	NE SW	1.7	#6A AND #8
27 S	19 E	WM	20	NW SW	2.4	#6A AND #8
27 S	19 E	WM	20	SW SW	1.1	#6A
27 S	19 E	WM	20	NE SE	1.1	#7
27 S	19 E	WM	20	NW SE	0.4	#6A AND #7
27 S	19 E	WM	20	SW SE	2.1	#6A AND #7
27 S	19 E	WM	21	NW SW	0.7	#7
27 S	19 E	WM	21	SW SW	1.3	#7
27 S	19 E	WM	28	NW NW	1.5	#7
27 S	19 E	WM	28	SW NW	0.1	#7
27 S	19 E	WM	29	NE NE	0.3	#7
27 S	19 E	WM	29	NW NE	2.1	#6A AND #7
27 S	19 E	WM	29	SE NE	0.5	#7
27 S	19 E	WM	29	NE NW	1.3	#6A
27 S	19 E	WM	29	NW NW	1.3	#6A
Total					27.8	

25. The portion of the seventh right to be transferred is as follows:

- Certificate:** 50760 in the name of ALDER CREEK RANCH (perfected under Permit G-1915)
- Use:** IRRIGATION of 34.6 ACRES
- Priority Date:** AUGUST 3, 1961
- Rate:** 0.43 CUBIC FOOT PER SECOND
- Limit/Duty:** The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-

EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELL 6 a tributary of FORT ROCK BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	19	SW NE	VIEWPOINT WELL 6 - 460 FEET NORTH AND 3380 FEET EAST FROM THE W1/4 CORNER OF SECTION 19

Authorized Place of Use:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
27 S	19 E	WM	19	NW NE		4.2
27 S	19 E	WM	19	SW NE		7.0
27 S	19 E	WM	19	NE NW		0.1
27 S	19 E	WM	19	SW NW	2	2.3
27 S	19 E	WM	19	NE SW		9.2
27 S	19 E	WM	19	NW SW	3	5.8
27 S	19 E	WM	19	NW SE		6.0
Total						34.6

26. Transfer Application T-12583 proposes to move the authorized point of appropriation approximately 2.0 miles from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28

27. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	Acres	
27 S	19 E	WM	28	NW NE	4.2	
27 S	19 E	WM	28	SW NE	6.1	
27 S	19 E	WM	28	NE NW	6.0	
27 S	19 E	WM	28	NW NW	1.9	
27 S	19 E	WM	28	SW NW	5.9	
27 S	19 E	WM	28	NE SW	6.0	
27 S	19 E	WM	28	NW SW	1.0	
27 S	19 E	WM	28	NW SE	3.5	
Total					34.6	

28. The portion of the eighth right to be transferred is as follows:

Certificate: 50917 in the name of ALDER CREEK RANCH (perfected under Permit G-697)

Use: IRRIGATION of 77.4 ACRES

Priority Date: AUGUST 14, 1957

Rate: 0.970 CUBIC FOOT PER SECOND, BEING 0.485 CFS FROM WELL 2, 0.155 CFS FROM WELL 1, AND 0.330 CFS FROM WELL 3

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELLS 1, 2, AND 3 a tributary of ANA RIVER

Authorized Points of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	18	SW SW	VIEWPOINT WELL 1 - 3260 FEET NORTH AND 80 FEET EAST FROM THE W1/4 CORNER OF SECTION 19
27 S	19 E	WM	19	SW SE	VIEWPOINT WELL 2 - 2320 FEET SOUTH AND 2710 FEET EAST FROM THE W1/4 CORNER OF SECTION 19
27 S	19 E	WM	29	SE NW	VIEWPOINT WELL 3 - 2110 FEET EAST AND 2660 FEET NORTH FROM THE SW CORNER OF SECTION 29

Authorized Place of Use:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
27 S	18 E	WM	13	NE SE		9.3
27 S	18 E	WM	13	SE SE		4.0
27 S	18 E	WM	24	NE NE		10.7
27 S	19 E	WM	19	NW NW	1	8.8
27 S	19 E	WM	19	NW SW	3	0.1
27 S	19 E	WM	19	SE SW		8.2
27 S	19 E	WM	19	NE SE		3.5
27 S	19 E	WM	19	SE SE		1.5
27 S	19 E	WM	29	SW NW		4.4
27 S	19 E	WM	29	NE SW		17.0
27 S	19 E	WM	29	NW SW		2.3
27 S	19 E	WM	29	NW SE		1.4
27 S	19 E	WM	30	NE NE		4.2
27 S	19 E	WM	30	SE NE		1.4
27 S	19 E	WM	30	NE NW		0.6
Total						77.4

29. Transfer Application T-12583 proposes to move the authorized points of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28

30. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	28	NW NE	2.0
27 S	19 E	WM	28	SW NE	16.0
27 S	19 E	WM	28	NE NW	10.1
27 S	19 E	WM	28	SW NW	2.4
27 S	19 E	WM	28	SE NW	39.8
27 S	19 E	WM	28	NE SW	6.1

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	28	NW SE	1.0
Total					77.4

31. The portion of the ninth right to be transferred is as follows:

Certificate: 50918 in the name of ALDER CREEK RANCH (perfected under Permit G-1997)

Use: IRRIGATION of 13.6 ACRES

Priority Date: NOVEMBER 24, 1961

Rate: 0.14 CUBIC FOOT PER SECOND

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, shall be limited to ONE-EIGHTIETH of one cubic foot per second per acre, or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre-feet per acre for each acre irrigated during the irrigation season of each year.

Source: VIEWPOINT WELL 1 a tributary of FORT ROCK BASIN

Authorized Point of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	GLot	Measured Distances
27 S	19 E	WM	18	SW SW	4	VIEWPOINT WELL 1 - 3260 FEET NORTH AND 80 FEET EAST FROM THE W1/4 CORNER OF SECTION 19

Authorized Place of Use:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	GLot	Acres
27 S	19 E	WM	18	NE SW		7.2
27 S	19 E	WM	18	NW SW	3	0.7
27 S	19 E	WM	18	SW SW	4	1.0
27 S	19 E	WM	18	SE SW		3.4
27 S	19 E	WM	18	SW SE		1.3
Total						13.6

32. Transfer Application T-12583 proposes to move the authorized point of appropriation approximately 2.8 miles from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28

33. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	28	NW NE	1.6
27 S	19 E	WM	28	SW NE	2.2
27 S	19 E	WM	28	NE NW	2.1
27 S	19 E	WM	28	NW NW	1.0
27 S	19 E	WM	28	SW NW	2.2

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	28	NE SW	2.1
27 S	19 E	WM	28	NW SW	0.8
27 S	19 E	WM	28	NW SE	1.6
Total					13.6

34. The portion of the tenth right to be transferred is as follows:

Certificate: 65758 in the name of ZX RANCH (perfected under Permit G-8988)

Use: IRRIGATION of 12.7 ACRES

Priority Date: JUNE 3, 1980

Rate: 0.16 CUBIC FOOT PER SECOND, BEING 0.01 CFS FROM WELL 6A AND 0.15 CFS FROM WELL 10

Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.

Source: 2 WELLS in the FORT ROCK BASIN

Authorized Points of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	19	SW NE	WELL 6A - 2120 FEET SOUTH AND 1910 FEET WEST FROM THE NE CORNER OF SECTION 19
27 S	19 E	WM	20	SE NE	WELL 10 - 1620 FEET SOUTH AND 1070 FEET WEST FROM THE NE CORNER OF SECTION 20

Authorized Place of Use:

IRRIGATION					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	17	SW SE	0.8
27 S	19 E	WM	17	SE SE	0.4
27 S	19 E	WM	19	NE NW	1.3
27 S	19 E	WM	19	NW NW	1.6
27 S	19 E	WM	19	SW NW	0.5
27 S	19 E	WM	20	NE NE	0.6
27 S	19 E	WM	20	NW NE	0.4
27 S	19 E	WM	20	NE NW	1.1
27 S	19 E	WM	20	SE NW	1.1
27 S	19 E	WM	20	NE SW	0.7
27 S	19 E	WM	20	NE SE	1.1
27 S	19 E	WM	20	NW SE	1.1
27 S	19 E	WM	21	NW NW	0.8
27 S	19 E	WM	21	SW NW	1.0
27 S	19 E	WM	21	NW SW	0.2
Total					12.7

35. Transfer Application T-12583 proposes to move the authorized points of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances	Approximate distance from original points of appropriation in miles (mi.)	
27 S	19 E	WM	20	SW NW	WELL #8 - 1860 FEET SOUTH AND 240 FEET EAST FROM THE NW CORNER OF SECTION 20	WELL 6A	WELL 10
						0.4 mi.	0.7 mi.
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28	2.0 mi.	1.2 mi.

36. Transfer Application T-12583 also proposes to change the place of use of the right to:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	Acres	POA
27 S	19 E	WM	19	NE NE	0.9	#8
27 S	19 E	WM	19	NW NE	0.1	#8
27 S	19 E	WM	19	SW NE	0.7	#8
27 S	19 E	WM	19	SE NE	0.1	#8
27 S	19 E	WM	19	NE SE	0.9	#8
27 S	19 E	WM	20	NE NW	0.5	#8
27 S	19 E	WM	20	NW NW	0.8	#8
27 S	19 E	WM	20	SE NW	0.9	#8
27 S	19 E	WM	20	NE SW	0.3	#8
27 S	19 E	WM	20	NW SW	0.9	#8
27 S	19 E	WM	28	NW NE	0.9	#15
27 S	19 E	WM	28	SW NE	1.0	#15
27 S	19 E	WM	28	NE NW	1.0	#15
27 S	19 E	WM	28	NW NW	0.6	#15
27 S	19 E	WM	28	SW NW	1.0	#15
27 S	19 E	WM	28	NE SW	0.9	#15
27 S	19 E	WM	28	NW SW	0.5	#15
27 S	19 E	WM	28	NW SE	0.7	#15
Total					12.7	

37. The portion of the eleventh right to be transferred is as follows:

Certificate: 65759 in the name of ZX RANCH (perfected under Permit G-6051)
Use: IRRIGATION of 181.7 ACRES
Priority Date: MARCH 5, 1974
Rate: 2.27 CUBIC FEET PER SECOND BEING; 0.02 CFS FROM WELL 11 AND 2.25 CFS FROM WELL 12
Limit/Duty: The amount of water used for irrigation, together with the amount secured under any other right existing for the same lands, is limited to a diversion of ONE-EIGHTIETH of one cubic foot per second (or its equivalent) and 3.0 acre-feet for each acre irrigated during the irrigation season of each year.
Source: 2 WELLS in the FORT ROCK BASIN

Authorized Points of Appropriation:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	16	SW SW	WELL 12 - 1080 FEET NORTH AND 570 FEET EAST FROM THE SW CORNER OF SECTION 16
27 S	19 E	WM	21	SE NW	WELL 11 - 1740 FEET SOUTH AND 640 FEET WEST FROM THE N1/4 CORNER OF SECTION 21

Authorized Place of Use:

IRRIGATION – WELL 11 POA/POU					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	21	NW NE	0.2
27 S	19 E	WM	21	SW NE	0.3
27 S	19 E	WM	21	NE NW	0.3
27 S	19 E	WM	21	NW NW	0.3
27 S	19 E	WM	21	SW NW	0.2
27 S	19 E	WM	21	NE SW	0.2
27 S	19 E	WM	21	NW SW	0.1
27 S	19 E	WM	21	NW SE	0.1
Total					1.7

IRRIGATION – WELL 12 POA/POU					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	16	NE SW	0.9
27 S	19 E	WM	16	NW SW	0.9
27 S	19 E	WM	16	SE SW	0.9
27 S	19 E	WM	17	NE SE	1.0
27 S	19 E	WM	17	SE SE	0.9
27 S	19 E	WM	20	NE NE	0.4
27 S	19 E	WM	21	NE NW	0.3
27 S	19 E	WM	21	NW NW	0.8
Total					6.1

IRRIGATION – WELL 12 APOA ONLY					
Twp	Rng	Mer	Sec	Q-Q	Acres
27 S	19 E	WM	16	NE SW	12.6
27 S	19 E	WM	16	NW SW	36.9
27 S	19 E	WM	16	SW SW	40.0
27 S	19 E	WM	16	SE SW	20.7
27 S	19 E	WM	17	NE SE	18.5
27 S	19 E	WM	17	SE SE	27.3
27 S	19 E	WM	20	NE NE	3.0
27 S	19 E	WM	21	NE NW	1.4
27 S	19 E	WM	21	NW NW	13.5
Total					173.9

38. Transfer Application T-12583 proposes to move the authorized points of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances	Approximate distance from original points of appropriation in feet (ft.) or miles (mi.)	
27 S	19 E	WM	28	SE NW	WELL #15 - 1910 FEET SOUTH AND 3110 FEET WEST FROM THE NE CORNER OF SECTION 28	WELL 1	WELL 12
						1.0 mi.	1.6 mi.

39. Transfer Application T-12583 proposes an additional point of appropriation to Well 12 approximately 87.0 feet from the existing point of appropriation to:

Twp	Rng	Mer	Sec	Q-Q	Measured Distances
27 S	19 E	WM	16	SW SW	WELL 12A - 1000 FEET NORTH AND 535 FEET EAST FROM THE SW CORNER OF SECTION 16

40. Transfer Application T-12583 also proposes to change a portion of the place of use of the right to:

IRRIGATION						
Twp	Rng	Mer	Sec	Q-Q	Acres	POA
27 S	19 E	WM	28	NW NE	1.0	#15
27 S	19 E	WM	28	SW NE	1.2	#15
27 S	19 E	WM	28	NE NW	1.2	#15
27 S	19 E	WM	28	NW NW	0.7	#15
27 S	19 E	WM	28	SW NW	1.2	#15
27 S	19 E	WM	28	NE SW	1.1	#15
27 S	19 E	WM	28	NW SW	0.5	#15
27 S	19 E	WM	28	NW SE	0.9	#15
Total					7.8	

Transfer Review Criteria (OAR 690-380-4010)

41. Water has been used within the last five years according to the terms and conditions of the rights. There is no information in the record that would demonstrate that the rights are subject to forfeiture under ORS 540.610.
42. A pump, pipeline, and sprinkler system sufficient to use the full amount of water allowed under the existing rights were present within the five-year period prior to submittal of Transfer Application T-12583.
43. The proposed change would not result in enlargement of the rights.
44. The proposed change would not result in injury to other water rights.
45. All other application requirements are met.

Determination and Proposed Action

The changes in points of appropriation and changes in places of use proposed in Transfer Application T-12583 appear to be consistent with the requirements of ORS 537.705 and 540.505 to 540.580 and OAR 690-380-5000. If protests are not filed pursuant to OAR 690-380-4030, the application will be approved.

If Transfer Application T-12583 is approved, the final order will include the following:

- 1. The changes in points of appropriation and changes in places of use proposed in Transfer Application T-12583 are approved.*
- 2. The right to the use of the water is restricted to beneficial use at the place of use described, and is subject to all other conditions and limitations contained in Certificates 34169, 34170, 34171, 50751, 50755, 50757, 50760, 50917, 50918, 65758, and 65759 and any related decree.*
- 3. Water right Certificates 34169, 34170, 34171, 50751, 50755, 50757, 50760, 50917, 50918, 65758, and 65759 are cancelled. New certificates will be issued describing those portions of the rights not affected by this transfer.*
- 4. The quantity of water, authorized under the rights described by Certificates 34169 and 34170, diverted at the new point of appropriation (Well #15), shall not exceed the quantity of water lawfully available at the original point of appropriation (Viewpoint Well No. 4).*
- 5. The quantity of water, authorized under the rights described by Certificates 34171, 50751, and 50755 diverted at the new point of appropriation (Well #15), shall not exceed the quantity of water lawfully available at the original point of appropriation (Viewpoint Well No. 3).*
- 6. The quantity of water, authorized under the right described by Certificate 50757 diverted at the new points of appropriation (Wells #6A, #7, and #8), shall not exceed the quantity of water lawfully available at the original point of appropriation (Viewpoint Well 2).*
- 7. The quantity of water, authorized under the right described by Certificate 50760 diverted at the new point of appropriation (Well #15), shall not exceed the quantity of water lawfully available at the original point of appropriation (Viewpoint Well 6).*
- 8. The quantity of water, authorized under the right described by Certificate 50917 diverted at the new point of appropriation (Well #15), shall not exceed the quantity of water lawfully available at the original points of appropriation (Viewpoint Wells 1, 2, and 3).*
- 9. The quantity of water, authorized under the right described by Certificate 50918 diverted at the new point of appropriation (Well #15), shall not exceed the quantity of water lawfully available at the original point of appropriation (Viewpoint Well 1).*

10. *The quantity of water, authorized under the right described by Certificate 65758 diverted at the new points of appropriation (Well #8 and Well #15), shall not exceed the quantity of water lawfully available at the original points of appropriation (Wells 6A and 10).*
11. *The quantity of water, authorized under the right described by Certificate 65759 diverted at the new additional point of appropriation (Well 12A), together with that diverted at the original point of appropriation (Well 12), shall not exceed the quantity of water lawfully available at the original point of appropriation (Well 12).*
12. *The quantity of water, authorized under the right described by Certificate 65759 diverted at the new point of appropriation (Well #15), shall not exceed the quantity of water lawfully available at the original points of appropriation (Wells 11 and 12).*
13. *Water use measurement conditions:*
 - a. *Before water use may begin under this order, the water user shall install a totalizing flow meter, or, with prior approval of the Director, another suitable measuring device, at each new point of appropriation.*
 - b. *The water user shall maintain the meters or measuring devices in good working order.*
 - c. *The water user shall allow the Watermaster access to the meters or measuring devices; provided however, where the meters or measuring devices are located within a private structure, the Watermaster shall request access upon reasonable notice.*
14. *Water shall be acquired from the same aquifer (water source) as the original points of appropriation.*
15. *The former places of use of the transferred rights shall no longer receive water under the rights.*
16. *Full beneficial use of the water shall be made, consistent with the terms of this order, on or before October 1, 2021. A Claim of Beneficial Use prepared by a Certified Water Right Examiner shall be submitted by the applicant to the Department within one year after the deadline for completion of the changes and full beneficial use of the water.*

17. After satisfactory proof of beneficial use is received, new certificates confirming the rights transferred will be issued.

Dated in Salem, Oregon on MAY 28 2020



Lisa J. Jaramillo, Transfer and Conservation Section Manager, for
THOMAS M BYLER, DIRECTOR
Oregon Water Resources Department

This Preliminary Determination was prepared by Corey Courchane. If you have questions about the information in this document, you may reach me at 503-986-0825 or corey.a.courchane@oregon.gov

Protests should be addressed to the attention of Water Rights Services Division, Water Resources Department, 725 Summer St. NE, Suite A, Salem, OR 97301-1266.

IMPORTANT: Due to COVID-19, the Department's office is closed to walk-in services. The Department encourages the submission of protests by U.S. mail. Please consider mailing early to ensure the Department receives the protest by the deadline specified above.

Notice Regarding Service Members: Active duty servicemembers have a right to stay these proceedings under the federal Servicemembers Civil Relief Act. For more information contact the Oregon State Bar at 800-452-8260, the Oregon Military Department at 503-584-3571, or the nearest United States Armed Forces Legal Assistance Office through <http://legalassistance.law.af.mil>. The Oregon Military Department does not have a toll free number.



Oregon
Kate Brown, Governor

Water Resources Department

725 Summer St NE, Suite A

Salem, OR 97301

(503) 986-0900

Fax (503) 986-0904

May 28, 2020

JRS PROPERTIES III LP
PO BOX 27
BOISE, ID 83707

SUBJECT: Water Right Transfer Application T-12583

Please find enclosed the Preliminary Determination indicating that, based on the information available, the Department intends to approve application T-12583. This document is an intermediate step in the approval process; water may not be used legally as proposed in the transfer application until a Final Order has been issued by the Department. Please read this entire letter carefully to determine your responsibility for additional action.

A public notice is being published in the Department's weekly publication and in the Lake County Examiner newspaper, simultaneously with issuance of the Preliminary Determination. The notice initiates a period in which any person may file either a protest opposing the decision proposed by the Department in the Preliminary Determination or a standing statement supporting the Department's decision. The protest period will end 30 days after the last date of newspaper publication.

If no protest is filed, the Department will issue a Final Order consistent with the Preliminary Determination. You should receive a copy of the Final Order about 30 days after the close of the protest period.

If a protest is filed, the application may be referred to a contested case proceeding. A contested case provides an opportunity for the proponents and opponents of the decision proposed in the Preliminary Determination to present information and arguments supporting their position in a quasi-judicial proceeding.

IMPORTANT: Due to COVID-19, the Department's office is closed to walk-in services. The Department encourages the submission of protests by U.S. mail. Please consider mailing early to ensure the Department receives the protest by the deadline specified above.

Please do not hesitate to contact me, at corey.a.courchane@oregon.gov or (503) 986-0825, if I may be of assistance.

Sincerely,



Corey Courchane
Transfer Specialist
Transfer and Conservation Section

cc: T-12583
Brian M. Mayer, District 12 Watermaster (*via e-mail*)
Scott Montgomery, Agent for the applicant (*via e-mail*)

encs

Permit No. G-662

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, George Brewer (Name of applicant) of 1305 LUCIO LANE, Sacramento (Postoffice Address), county of ... state of California, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated ... JNA River (Name of stream) tributary of Summer Lake

2. The amount of water which the applicant intends to apply to beneficial use is ... cubic feet per second or 3000 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 10 ft. S and 10 ft. W from the North 1/4 corner of Sec. 32- T27S 1219 E WNW (Section or subdivision) (If preferable, give distance and bearing to section corner)

being within the NE NW of Sec. 32, Twp. 27S, R. 19E, W. M., in the county of LAKE - On property owned by Eugene Hughes

5. The 1/4 mile (Canal or pipe line) to be (1/4 mile) miles in length, terminating in the SE NENE + SENW of Sec. 32, Twp. 27S, R. 19E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is VIEWPOINT NO. 4.

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of One (Give number of wells, tunnels, etc.) having a diameter of 12 inches and an estimated depth of 250 feet. It is estimated that 90 feet of the well will require steel (Kind) casing. Depth to water table is estimated 30 (Feet)

CANAL SYSTEM OR PIPE LINE *←*

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type *x 75 Turbine*

Give horsepower and type of motor or engine to be used *75*

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<i>27S</i>	<i>19E</i>	28 <i>29</i>	<i>SE SW</i>	<i>40</i>
			<i>SW SE</i>	<i>40</i>

(If more space required, attach separate sheet)

Character of soil *L. soil*

Kind of crops raised *Wheat*

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Viewpoint Well #4

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is October 1, 1957

Actual construction work shall begin on or before October 25, 1958 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 25th day of October

Lewis A. Stanley

STATE ENGINEER

Application No. G- 776

Permit No. G- 662

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of October, 1957, at 11:00 o'clock A.M.

Returned to applicant:

Approved:

October 25, 1957

Recorded in book No. 3 of

Ground Water Permits on page 662

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 13 page 54

Permit No. G- 676

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

1. Eugene Hughes (Name of applicant)
of Po Box 207 HOMEWOOD (Postoffice Address), county of
state of CALIFORNIA, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated
FNB RIVER (Name of stream)
tributary of SUMMER LAKE

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 3000 gallons per minute.

3. The use to which the water is to be applied is IRRIGATION

4. The well or other source is located 2630 ft. S and 10 ft. W from the North 1/4 corner of SEC 32 T27S R 19E WM (Section or subdivision)

VIEWPOINT Well No. 5 10' South from North 1/4 Corner (If preferable, give distance and bearing to section corner)

SEC 32 T27S R 19E WM

being within the #5-SE NW #4-NE NW of Sec. 32, Twp. 27S, R. 19E, W. M., in the county of LAKE

5. The 1/4 mile NORTH to be 1/4 mile miles in length, terminating in the NE NW & 2 ENW of Sec. 32, Twp. 27S, R. 19E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is VIEWPOINT No 5 (4)

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 2 Wells having a diameter of 12 inches and an estimated depth of 250 feet. It is estimated that 20 feet of the well will require steel casing. Depth to water table is estimated 30

CANAL SYSTEM OR PIPE LINE ✓

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type *Turbine*

Give horsepower and type of motor or engine to be used *75*

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
27 S	19 E	32	NE NW	40 } From Viewpoint
			NW NE	40 } No 4
			SE NW	40 } From Viewpoint
			SW NE	40 } No 5.
			NE SW	40 } No 5.
			NE SW	40
			NW SE	30

(If more space required, attach separate sheet)

Character of soil *Loam*

Kind of crops raised *Wheat*

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.94 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Viewpoint Wells #4 and #5

The use to which this water is to be applied is irrigation

In the irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the well shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is October 1, 1957

Actual construction work shall begin on or before November 29, 1958 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 29th day of November

Lewis A. Stanley

STATE ENGINEER

Application No. G-777

Permit No. G-676

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 1 day of October 1957, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

November 29, 1957

Recorded in book No. 3 of

Ground Water Permits on page 676

LEWIS A. STANLEY

STATE ENGINEER

Drainage Basin No. 13 page 54

STATE
SEAL

Permit No. G- **696**

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

MR. DANIEL & EDWARD SHELLOK
(Name of applicant)

of Box 516 West Sacramento Cal., county of

state of CALIFORNIA do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated ANA RIVER (Name of stream)

tributary of Summer Lake

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located ft. and ft. from the corner of (N or S) (E or W)

N10°31'W 2743' from the South 1/4 Sec. Cor of (Section or subdivision) (If preferable, give distance and bearing to section corner)

Sec. 29. T27S R19E W4

If there is more than one well, each must be described. Use separate sheet if necessary.

being within the SE NW of Sec. 29 Twp. 27S R. 19E

W. M. of the county of LAKE

5. The Sprinkler lines to be 1/2 miles in length, terminating in the Variable of Sec. Twp.

(Canal or pipe line) (Struck off legal subdivision)

R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is VIEWPOINT NO. 3.

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 having a diameter of inches and an estimated depth of 200 feet. It is estimated that feet of the well will require casing. Depth to water table is estimated (Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, < _____ ft.; size at intake, _____ in.; in size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

10. If pumps are to be used, give size and type _____

Give horsepower and type of motor or engine to be used _____

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development _____

12. Location of area to be irrigated, or place of use _____

Township N or S	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
275	19E	29	NE NW	40
			SE NW	40
			SW NE	40

(If more space required, attach separate sheet)

Character of soil _____

Kind of crops raised _____

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

- 14. Estimated cost of proposed works, \$ 9172 71
- 15. Construction work will begin on or before completed
- 16. Construction work will be completed on or before completed
- 17. The water will be completely applied to the proposed use on or before _____

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. _____

[Handwritten Signature]
(Signature of applicant)

Remarks:

OPERATED JOINTLY with others as Piedmont Ranches Inc.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ completion _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 12, 1957.

WITNESS my hand this 12th day of September, 1957
17th September 57

LEWIS A. STANLEY

STATE ENGINEER

By James W. Carver, Jr., Assistant mb

County of Marion.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.50 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Viewpoint Well

43

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year:

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 14, 1957

Actual construction work shall begin on or before December 30, 1958 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 30th day of December, 1957.

Lewis A. Stanley

STATE ENGINEER

Application No. G- 727
Permit No. G- 696

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the day of 19. . . . at o'clock M.

Returned to applicant:

Approved:

December 30, 1957

Recorded in book No. 3 of 696 Ground Water Permits on page

LEWIS A. STANLEY
STATE ENGINEER

Drainage Basin No. 13 page 54

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

1. George & Joan Brewer (Name of applicant) of 1305 Lucio Lane San Francisco (Postoffice Address) county of California state of California do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated One River (Name of stream)

tributary of Summer Lake

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 4200 gallons per minute. One well drilled @ 4200 GPM

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located No. 1 - 623' N 86' E of SW Cor. Sec. 18-7-27-19E No. 2 - 391' N 49' E of South 1/4 Cor. Sec. 19-27-19E No. 3 - N 70° 31' W from South 1/4 Cor. Sec. 29-27-19E 2743 ft. (Section or subdivision)

(if preferable, give distance and bearing to section corner)

5. The well or other source is located on the No. 1 SW SW No. 2 SW SE No. 3 SE NW W. M. of the county of LAKE to be 275 19E of Sec. 19 Twp. 27S R. 19E 275 19E 275 19E

6. The Ditch from Well no 1 to Swamp to be 3/4 mile 1/4 miles No. 1 SW SW 19-27-19 No. 2 SW SE 19-27-19 Ditch from Well no 2 to Swamp Terminating SE SE 19-27-19 of Sec. 19 Twp. 27S R. 19E

7. The name of the well or other works is

DESCRIPTION OF WORKS

8. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

9. The development will consist of 3 having a diameter of ALL 12" inches and an estimated depth of 2-262 feet. It is estimated that feet of the well will require steel casing. Depth to water table is estimated 1-50' 2-38' 3-28' (Kind) Feet

CANAL SYSTEM OR PIPE LINE -

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet; fall per one thousand feet.

(b) At _____ miles from headgate, width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet; fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake, _____ in.; in size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

10. If pumps are to be used, give size and type

1-
2-
3-

Turbine type

Give horsepower and type of motor or engine to be used

1- 75HP
2- 125HP
3- 75HP

Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N or S	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
275	E18E	13	NE SE SE SE	40 20
		24	NE NE	9 20
"	19E	19	NW NW NE NW NW NE NE NE SW NW SE NW SW NE SE NE NW SW NE SW NW SE NE SE SE SW SW SE SE SE	40 40 40 40 40 32.5 40 40 8 40 40 40 33 40 40 40 40
		20	NW NW SW NW NW SW SW SW	40 40 40 40
		30	NE NW NW NE NE NE SE NE	9.0 31.6 40 40

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

29	NW NW	40
	SW NW	40
	NW SW	40
	NE SW	40
	NW SE	40

MUNICIPAL SUPPLY—

13. To supply the city of

in county, having a present population of

and an estimated population of in 19.....

14. Estimated cost of proposed works, \$ 24,045.92

15. Construction work will begin on or before Completed

16. Construction work will be completed on or before Completed

17. The water will be completely applied to the proposed use on or before.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

George & Joan Brewer
(Signature of applicant)

Remarks: Operated jointly with others as VIEWPOINT RANCHES INC.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ... November 12, 19 57.
November 18, 57

WITNESS my hand this 12th day of September, 19 57.
17th September 57

LEWIS A. STANLEY
STATE ENGINEER

By James W. Carver, Jr., Assistant mb

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 13.54 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Viewpoint Wells Nos. 1, 2 and 3

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 14, 1957

Actual construction work shall begin on or before December 30, 1958 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1959

Complete application of the water to the proposed use shall be made on or before October 1, 1960

WITNESS my hand this 30th day of December, 1957

Lewis A. Stanley STATE ENGINEER

Application No. G- 728

Permit No. G- 697

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 30th day of December, 1957, at 10 o'clock P. M.

Returned to applicant:

Approved:

December 30, 1957

Recorded in book No. 3 of

Ground Water Permits on page 697

LEWIS A. STANLEY STATE ENGINEER

Drainage Basin No. 13 page 54

RECEIVED
JUL 27 1961

STATE ENGINEER
LAND DIVISION

Permit No. G-1915

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, West Sacramento Enterprises, Inc.

(Name of applicant)

of Fort Rock

(Postoffice Address)

, county of Lake

state of Oregon

, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Salem, Oregon - 1960

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Fort Rock Basin

(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 3.63 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is Primary Irrigation

(Lands have not been and will not be irrigated under Pre. No. G 697)

4. The well or other source is located ft. and ft. from the corner of

(N. or S.)

(E. or W.)

(Section or subdivision)

S. 57° 40' E, 4023 ft from the N.W. Corner of Sec. 19, T 27 S, R 19 E WM

(If preferable, give distance and bearing to section corner)

(If there is more than one well each must be described. Use separate sheet if necessary)

being within the SW 1/4 NB 1/4 of Sec. 19, Twp. 27 S, R. 19 E

W. M., in the county of Lake

5. The Sprinkler irrigation system to be miles

(Canal or pipe line)

in length, terminating in the of Sec. Twp.

(Smallest legal subdivision)

R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Viewpoint Well No. 6

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of One drilled well having a

(Give number of wells, tunnels, etc.)

diameter of 16 inches and an estimated depth of 250 feet. It is estimated that

feet of the well will require std. steel casing. Depth to water table is estimated 38

(Kind)

(Feet)

Well was drilled in 1959 by Frank Skillings

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake, _____ in.; in size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

10. If pumps are to be used, give size and type **2400 GPM Turbine**

Give horsepower and type of motor or engine to be used **150 HP Electric**

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

not applicable

12. Location of area to be irrigated, or place of use

Township N or S	Range E or W of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
27 S	19 E	19	NE ¹ / ₄ NE ¹ / ₄	10
			NW ¹ / ₄ "	5
			SW ¹ / ₄ "	37
			SE ¹ / ₄ "	40
			NE ¹ / ₄ NW ¹ / ₄	10
			SW ¹ / ₄ "	11
			SE ¹ / ₄ "	40
			NE ¹ / ₄ SW ¹ / ₄	29
		NW ¹ / ₄ "	4	
		NE ¹ / ₄ SE ¹ / ₄	32	
		NW ¹ / ₄ "	18	
		20	NW ¹ / ₄ NW ¹ / ₄	5
			SW ¹ / ₄ "	34
			NW ¹ / ₄ SW ¹ / ₄	18
Total	295⁰ Acres			

(If more space required, attach separate sheet)

Character of soil **Sandy**
 Kind of crops raised **Hay and Pasture**

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 30,000.

15. Construction work will begin on or before

16. Construction work will be completed on or before Completed

17. The water will be completely applied to the proposed use on or before Now in use

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. not supplemental

West Sacramento Enterprises Inc
By Dan Shelton
(Signature of applicant)

Remarks: This application is to take the place of Permit No. G 1232,

Application No. G 1353, which was for supplemental irrigation of this same land.

Since there is no valid existing primary right on the land Permit No. G 1232 is being cancelled.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

County of Marion,

} ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.63 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from viewpoint well No. 6

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 7 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 3, 1961

Actual construction work shall begin on or before September 11, 1961 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1961

Complete application of the water to the proposed use shall be made on or before October 1, 1961

WITNESS my hand this 11th day of September, 1961

LEWIS A. STALEY STATE ENGINEER

Application No. G-2085 Permit No. G-1915

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 3rd day of August, 1961, at 6 o'clock P. M.

Returned to applicant:

Approved: September 11, 1961 Recorded in book No. 7 of Ground Water Permits on page 1015

LEWIS A. STALEY STATE ENGINEER

Drainage Basin No. 13 page 57

Permit No. G-1997

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, WEST SACRAMENTO ENTERPRISES, INC.

(Name of applicant)

of FORT ROCK, county of LAKE

(Postoffice Address)

state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

SALEM OREGON - 1960

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated FORT ROCK BASIN

(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 1400 cubic feet per second or 1400 gallons per minute.

3. The use to which the water is to be applied is PRIMARY IRRIGATION

4. The well or other source is located 615' ft. N and 85' ft. E from the corner of SW CORNER OF SEC 18, T27S, R19E

(N or S)

(E or W)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW 1/4 SW 1/4 of Sec. 18, Twp. 27S, R. 19E, W. M. in the county of LAKE

5. The SPRINKLER IRRIGATION SYSTEM to be miles

(Canal or pipe line)

in length, terminating in the of Sec. Twp.

(Smallest legal subdivision)

R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is VIEWPOINT WELL No. 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of ONE DRILLED WELL having a diameter of 15 inches and an estimated depth of 330 feet. It is estimated that 40 feet of the well will require STD 5700 casing. Depth to water table is estimated 50 feet.

(Give number of wells, tunnels, etc.)

(Kind)

(Feet)

CANAL SYSTEM OR PIPE LINE --

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake, _____ in.; in size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

10. If pumps are to be used, give size and type *1000 2200 7200*

Give horsepower and type of motor or engine to be used *1000 2200 7200*

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channel, and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated or place of use

Township N. or S.	Range E. or W. Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<i>20</i>	<i>19</i>		<i>1</i>	<i>100</i>
			<i>2</i>	<i>100</i>
			<i>3</i>	<i>100</i>
			<i>4</i>	<i>100</i>
			<i>5</i>	<i>100</i>
			<i>6</i>	<i>100</i>
			<i>7</i>	<i>100</i>
			<i>8</i>	<i>100</i>
			<i>9</i>	<i>100</i>
			<i>10</i>	<i>100</i>
			<i>11</i>	<i>100</i>
			<i>12</i>	<i>100</i>

(If more space required, attach separate sheets)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 20,000⁰⁰
- 15. Construction work will begin on or before
- 16. Construction work will be completed on or before COMPLETED
- 17. The water will be completely applied to the proposed use on or before NULL IN USE
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Remarks:

West Sacramento Cut Inc
(Signature of applicant)
by Frank M Anderson

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By

ASSISTANT

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed ... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from ...

The use to which this water is to be applied is ...

If for irrigation, this appropriation shall be limited to ... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ... acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is ...

Actual construction work shall begin on or before ... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19...

Complete application of the water to the proposed use shall be made on or before October 1, 19...

WITNESS my hand this ... day of ... 19...

John A. ...

STATE ENGINEER

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the ... day of ... 19... at ... o'clock ... M

Returned to applicant

Approved

February 13, 1900

Recorded in book No. ... of

Ground Water Permits on page ...

STATE ENGINEER

Drainage Basin No. ... page ...

Application No. G-...
Permit No. G-...