

TABLE 6-7.
Death Rates for Selected Causes by Age and Sex, Oregon Residents, 1997 (Continued)

9TH Rev.	Cause of Death	Age Groups									
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74
150	Esophagus	4.5	-	-	-	0.5	0.5	5.3	22.1	49.1	138.6
	Male	7.4	-	-	-	-	-	0.2	2.3	12.4	19.9
	Female	1.7	-	-	-	-	-	0.4	4.5	24.7	34.1
151	Stomach	3.6	-	-	-	-	-	0.4	2.5	3.9	7.9
	Male	4.5	-	-	-	-	-	0.4	1.8	15.5	18.4
	Female	2.7	-	-	-	-	-	0.5	1.5	9.5	15.0
153	Large Intestine (Exc. Rectum)	16.8	-	-	-	0.2	0.2	1.7	8.1	25.6	56.1
	Male	16.9	-	-	-	0.4	0.5	1.9	7.7	32.6	65.4
	Female	16.6	-	-	-	-	-	1.5	8.6	48.3	63.8
154	Rectum	3.7	-	-	-	-	-	0.2	0.4	3.4	9.3
	Male	3.8	-	-	-	-	-	0.5	0.5	2.3	12.1
	Female	3.6	-	-	-	-	-	0.8	0.8	4.5	7.5
157	Pancreas	10.2	-	-	-	-	-	-	1.1	4.8	12.8
	Male	8.9	-	-	-	-	-	-	0.8	5.9	12.7
	Female	11.5	-	-	-	-	-	-	1.5	3.6	12.8
160-165	Respiratory/Intrathoracic Organs	65.3	-	-	-	0.2	0.2	6.3	30.8	153.8	302.9
	Male	77.5	-	-	-	0.4	0.5	0.5	5.0	35.9	176.7
	Female	53.5	-	-	-	-	-	0.4	0.5	25.7	132.1
162.2-9	Bronchus & Lung	63.4	-	-	-	-	-	0.2	6.1	29.6	150.7
	Male	74.5	-	-	-	-	-	0.5	5.0	33.6	172.8
	Female	52.5	-	-	-	-	-	0.5	7.2	25.7	129.9
170-175	Bone, Connective Tissue, Skin & Breast	21.4	-	0.5	0.7	0.2	4.2	7.6	24.7	53.5	68.2
	Male	7.1	-	0.4	0.4	0.4	0.9	2.3	8.2	16.7	21.8
	Female	35.2	-	1.1	0.9	-	7.6	12.9	41.0	88.3	106.9
172	Malignant Melanoma	3.1	-	-	-	-	-	0.9	1.5	4.5	7.8
	Male	3.7	-	-	-	-	-	0.5	1.5	5.9	11.1
	Female	2.6	-	-	-	-	-	1.4	1.5	3.2	4.5
173	Other Skin	1.0	-	0.5	-	-	-	-	0.9	1.2	8.2
	Male	1.3	-	-	-	-	-	-	1.4	0.8	9.5
	Female	0.7	-	1.1	-	-	-	-	0.5	1.5	7.1
174-175	Breast	15.1	-	-	-	-	-	2.1	5.5	17.9	41.9
	Male	0.2	-	-	-	-	-	-	0.5	0.5	49.6
	Female	29.7	-	-	-	-	-	4.3	11.0	35.2	81.5

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

* ICD is the acronym for "International Classification of Diseases," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-7.
Death Rates for Selected Causes by Age and Sex, Oregon Residents, 1997 (Continued)

9TH Rev.		Cause of Death	Age Groups													
			Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+		
150	Esophagus		4.5 7.4	- 1.7	- -	- -	0.5 -	0.5 -	5.3 0.2	22.1 4.5	49.1 12.4	138.6 34.1	189.7 22.8	375.4 30.1		
	Male	Male	3.6 4.5	- -	- -	- -	- -	- -	0.4 0.4	2.5 1.9	0.8 15.5	7.9 15.5	9.4 18.4	13.8 32.8		
	Female	Female	2.7 16.6	- -	- -	- -	- -	- -	0.5 0.5	1.8 8.6	1.5 8.6	9.5 48.3	15.0 63.8	23.5 176.7		
151	Stomach		16.8 16.9	- -	- -	- -	0.2 0.4	0.2 0.5	1.7 1.9	8.1 7.7	25.6 32.6	56.1 65.4	84.6 113.0	193.2 222.9		
	Male	Male	16.6 16.6	- -	- -	- -	- -	- -	0.4 0.5	2.5 1.5	0.8 1.5	2.3 7.5	12.1 8.7	41.1 5.6		
	Female	Female	- -	- -	- -	- -	- -	- -	0.4 0.5	3.4 4.5	9.3 7.5	12.1 8.7	8.7 5.6	36.3 30.4		
153	Large Intestine (Exc. Rectum)		3.7 3.8	- -	- -	- -	- -	- -	0.2 0.5	0.4 -	3.4 2.3	9.3 11.1	12.1 16.1	8.7 12.8		
	Male	Male	3.6 3.6	- -	- -	- -	- -	- -	0.8 -	0.8 -	3.4 4.5	7.5 8.7	47.1 5.6	47.1 30.4		
154	Rectum		10.2 8.9	- -	- -	- -	- -	- -	- -	1.1 0.8	4.8 5.9	12.8 12.7	47.5 49.3	64.0 45.9	87.7 89.2	
	Male	Male	11.5 11.5	- -	- -	- -	- -	- -	- -	1.5 1.5	3.6 3.6	12.8 12.8	45.9 45.9	69.5 69.5	86.9 86.9	
157	Pancreas		65.3 77.5	- -	- -	- -	- -	- -	0.2 0.4	0.2 0.5	6.3 5.0	30.8 35.9	153.8 176.7	302.9 407.9	415.5 588.3	
	Male	Male	53.5 53.5	- -	- -	- -	- -	- -	- -	7.6 7.2	25.7 25.7	132.1 132.1	215.4 215.4	397.1 589.2	629.1 267.7	
160-165	Respiratory/Intrathoracic Organs		63.4 74.5	- -	- -	- -	- -	- -	0.2 0.5	6.1 5.0	29.6 33.6	150.7 172.8	296.0 396.5	403.5 565.1	378.4 592.0	
	Male	Male	52.5 52.5	- -	- -	- -	- -	- -	- -	7.2 7.2	25.7 25.7	129.9 129.9	212.2 212.2	285.4 285.4	259.5 259.5	
162.2-9	Bronchus & Lung		21.4 7.1	- -	- -	- -	- -	- -	0.2 0.4	4.2 0.9	7.6 2.3	24.7 8.2	53.5 16.7	68.2 21.8	83.5 41.1	125.9 114.5
	Male	Male	35.2 35.2	- -	- -	- -	- -	- -	- -	7.6 7.6	12.9 41.0	88.3 88.3	106.9 106.9	114.5 114.5	59.4 162.9	
170-175	Bone, Connective Tissue, Skin & Breast		3.1 7.1	- -	- -	- -	- -	- -	0.9 0.5	1.5 1.5	4.5 5.9	7.8 11.1	8.2 9.5	11.9 15.4	16.8 24.8	
	Male	Male	3.7 2.6	- -	- -	- -	- -	- -	- -	1.4 1.4	3.2 3.2	4.5 4.5	7.1 7.1	9.4 9.4	12.4 12.4	
172	Malignant Melanoma		1.0 1.3	- -	0.5 - -	- -	- -	- -	- -	0.9 1.4	1.2 0.8	2.2 1.5	5.4 3.8	11.5 7.7	22.3 5.5	
	Male	Male	0.7 0.7	- -	1.1 - -	- -	- -	- -	- -	0.5 0.5	0.5 1.5	0.8 1.5	3.8 0.8	3.8 5.5	5.5 12.4	
173	Other Skin		15.1 0.2	- -	- -	- -	- -	- -	- -	2.1 0.5	5.5 0.5	41.9 90.3	49.6 90.3	54.2 2.6	86.0 133.9	
	Male	Male	29.7 29.7	- -	- -	- -	- -	- -	- -	4.3 11.0	35.2 35.2	81.5 81.5	90.3 90.3	- -	- -	

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

* ICD is the acronym for "International Classification of Diseases," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-7.
Death Rates for Selected Causes by Age and Sex, Oregon Residents, 1997 (Continued)

9TH Rev.	Cause of Death	Age Groups										
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	
179-187	Genital Organs	25.2	-	-	-	-	1.4	3.1	9.3	22.9	102.3	149.7
	Male	30.6	-	-	-	-	1.4	1.5	2.3	14.3	123.3	218.4
	Female	20.0	-	-	-	-	1.4	4.5	16.2	31.0	84.7	99.5
179-182	Cervix & Uterus	4.0	-	-	-	-	0.2	1.1	4.5	4.7	17.3	22.8
	Male	-	-	-	-	-	-	-	-	-	-	25.7
	Female	7.9	-	-	-	-	0.5	2.3	9.0	9.1	31.7	39.4
180	Cervix Uteri	1.8	-	-	-	-	-	-	1.0	3.8	1.9	6.0
	Male	-	-	-	-	-	-	-	0.5	1.9	6.0	10.8
	Female	3.6	-	-	-	-	-	-	0.9	7.7	3.8	11.1
182	Uterus	0.9	-	-	-	-	-	-	0.5	1.9	5.6	3.3
	Male	-	-	-	-	-	-	-	0.9	3.8	10.3	5.6
	Female	1.8	-	-	-	-	-	-	0.9	-	-	-
183	Ovary	5.5	-	-	-	-	0.5	1.1	3.4	10.9	24.6	31.5
	Male	-	-	-	-	-	1.0	2.3	6.8	21.1	45.1	54.5
	Female	10.8	-	-	-	-	-	-	0.4	0.9	6.6	55.7
185	Prostate	14.8	-	-	-	-	-	-	0.8	1.8	13.5	212.7
	Male	-	-	-	-	-	-	-	0.8	-	-	-
	Female	30.0	-	-	-	-	-	-	-	-	122.4	213.2
188-189	Urinary Organs	9.6	-	-	-	-	-	0.6	4.1	13.6	36.7	66.2
	Male	12.6	-	-	-	-	-	0.8	5.9	17.5	55.0	110.5
	Female	6.6	-	-	-	-	-	0.4	2.3	9.8	21.4	33.8
188	Bladder	5.1	-	-	-	-	-	0.4	2.3	5.8	15.5	35.8
	Male	7.5	-	-	-	-	-	0.8	2.7	10.4	28.5	59.1
	Female	2.7	-	-	-	-	-	-	1.8	1.5	4.8	18.8
190-199	Other & Unspecified Sites	17.9	2.3	1.6	1.1	0.7	2.6	5.0	12.7	31.4	57.8	94.4
	Male	18.4	4.5	3.1	1.3	0.4	3.7	5.8	15.0	32.6	64.5	120.7
	Female	17.5	-	-	0.9	0.9	1.4	4.2	10.4	30.2	52.3	75.1
191	Brain	5.7	2.3	0.5	1.1	0.7	1.6	2.7	6.1	10.5	19.4	28.2
	Male	6.4	4.5	1.0	1.3	0.4	2.3	3.8	7.7	8.8	23.7	38.5
	Female	5.0	-	-	0.9	0.9	1.0	1.5	4.5	12.1	15.8	20.7
200-208	Lymphatic & Hematopoietic Tissues	23.0	-	1.6	0.7	1.6	2.8	6.1	13.1	32.9	72.5	151.9
	Male	23.7	-	3.1	0.9	0.9	2.3	5.4	16.8	39.0	85.4	174.7
	Female	22.3	-	-	0.5	-	2.9	6.8	9.5	27.2	61.8	135.2
202.8	Lymphoma	8.2	-	-	-	-	0.2	-	3.1	3.6	12.4	25.9
	Male	7.9	-	-	-	-	0.4	-	1.9	5.4	22.8	56.5
	Female	8.5	-	-	-	-	-	-	4.2	1.8	28.5	58.2

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

* ICD is the acronym for "International Classification of Diseases," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-7.
Death Rates for Selected Causes by Age and Sex, Oregon Residents, 1997 (Continued)

9TH Rev.	Cause of Death	Age Groups											
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
203.0	Multiple Myeloma	4.5	-	-	-	-	-	0.6	2.5	6.2	17.3	28.2	44.3
	Male	5.4	-	-	-	-	-	0.8	3.6	9.6	21.8	51.4	52.0
	Female	3.7	-	-	-	-	-	0.4	1.4	3.0	13.5	11.3	40.0
204-208	Leukemia	8.8	-	1.6	0.7	1.3	1.9	1.5	5.0	13.2	25.0	64.0	71.8
	Male	8.9	-	3.1	0.9	0.4	1.9	0.8	5.4	13.5	36.0	61.7	94.1
	Female	8.6	-	-	0.5	2.3	1.9	2.3	4.5	12.8	15.8	65.7	59.3
204	Lymphatic Leukemia	2.5	-	0.5	-	0.2	0.5	0.2	1.1	4.3	9.5	11.9	23.0
	Male	2.8	-	1.0	-	-	0.5	1.0	0.4	1.8	3.2	13.3	15.4
	Female	2.2	-	-	-	-	0.5	-	0.5	5.3	6.3	9.4	16.6
205	Myeloid Leukemia	4.6	-	1.1	0.4	0.9	0.9	1.1	3.4	7.0	12.9	39.1	26.6
	Male	4.9	-	2.1	0.4	0.4	0.9	0.4	3.2	8.0	19.9	41.1	39.6
	Female	4.3	-	-	0.5	1.4	1.0	1.9	3.6	6.0	7.1	37.6	19.3
210-229	Benign Neoplasms	0.6	-	0.5	-	-	-	0.4	-	0.8	0.9	3.3	8.0
	Male	0.3	-	-	-	-	-	-	-	0.8	1.9	-	5.0
	Female	0.9	-	1.1	-	-	-	0.8	-	0.8	-	5.6	9.7
230-239	In Situ, Uncertain Behavior & Unspecified Nature Neoplasms	2.0	-	0.5	-	-	-	0.2	1.4	1.6	4.7	9.8	29.2
	Male	1.7	-	-	-	-	-	0.4	1.8	2.4	3.8	12.8	24.8
	Female	2.3	-	1.1	-	-	-	-	0.9	0.8	5.5	7.5	31.7
III. Endocrine, Nutritional, and Metabolic Diseases													
250	Diabetes Mellitus	33.8	11.4	-	0.7	1.6	3.3	4.6	17.6	44.2	110.9	190.9	363.4
	Male	29.7	9.0	-	0.9	0.9	3.2	5.8	20.4	39.0	119.5	195.2	364.1
	Female	37.8	13.9	-	0.5	2.3	3.3	3.4	14.9	49.1	103.7	187.8	363.0
240-279	Residual of Other Endocrine, Nutritional, & Metabolic Diseases	25.4	-	-	-	0.4	1.9	2.5	13.6	33.7	88.5	156.2	263.2
	Male	22.3	-	-	-	-	1.4	2.7	15.0	30.3	95.8	159.3	270.0
	Female	28.4	-	-	-	0.9	2.4	2.3	12.2	37.0	82.3	154.0	259.5
IV. Diseases of the Blood-forming Organs													
	Male	8.5	11.4	-	0.7	1.1	1.4	2.1	4.1	10.5	22.4	34.7	100.1
	Female	7.4	9.0	-	0.9	0.9	1.9	3.1	5.4	8.8	23.7	36.0	94.1
	Female	9.4	13.9	-	0.5	1.4	1.0	1.1	2.7	12.1	21.4	33.8	103.5
	Male	3.7	2.3	0.5	-	-	0.7	0.6	2.0	1.6	9.1	23.9	49.6
	Female	3.2	4.5	1.0	-	-	1.4	0.4	1.4	0.8	2.3	30.8	44.6
	Female	4.3	-	-	-	-	0.8	0.8	2.7	-	8.7	18.8	52.4

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rate per 100,000 population.

* ICD is the acronym for "International Classification of Diseases," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-7.
Death Rates for Selected Causes by Age and Sex, Oregon Residents, 1997 (Continued)

9TH Rev.	Cause of Death	Age Groups											
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
280-285	Anemias	Male Female	1.1 0.9	- 1.0	0.5 1.0	- -	0.2 0.5	0.2 -	0.5 0.5	- -	0.9 0.9	5.4 7.7	20.4 17.3
Residual of 280-289	Other Diseases of the Blood-forming Organs	Male Female	2.6 2.3	2.3 4.5	- -	- -	0.5 0.9	0.4 0.4	1.6 0.9	8.2 0.8	18.4 23.1	29.2 27.2	
V.	Mental Disorders	Male Female	32.9 26.9	- -	- -	1.1 1.8	2.8 2.3	8.2 12.7	6.8 11.3	22.9 38.2	35.4 42.7	122.6 154.1	633.7 512.7
290.1	Alzheimer's Dementia	Male Female	9.3 5.6	- -	- -	- 0.5	- 3.3	- 2.3	- 8.3	- 29.3	- 99.5	701.1	
291	Alcoholic Psychosis	Male Female	0.2 0.2	- -	- -	- -	- -	- -	- 0.8	0.8 6.3	41.2 38.5	215.4 158.5	
303	Alcoholism	Male Female	3.8 6.2	- -	- -	- -	0.4 0.9	0.7 4.6	3.4 8.2	16.7 29.5	8.6 4.5	10.8 32.3	
	Drug Dependence	Male Female	1.5 1.5	- -	- -	- -	0.4 0.9	1.2 0.9	2.5 4.6	0.5 0.9	- -	- -	
	Non-dependent Drug Abuse	Male Female	0.7 1.1	- -	- -	- -	0.4 0.9	1.2 1.4	0.5 0.4	- -	- -	- -	
Residual of 290-319	Other Mental Disorders	Male Female	1.0 1.5	- -	- -	- -	0.9 0.9	1.3 2.7	0.7 1.4	2.3 4.0	2.6 2.8	3.3 5.1	
IV.	Diseases of the Nervous System & Sense Organs	Male Female	18.0 12.4 23.4	- -	- -	0.2 0.5	- -	1.0 1.1	0.5 0.8	3.1 4.0	15.5 14.2	67.3 89.9	
		Male Female	29.1 24.6 33.5	6.9 4.5 9.3	2.1 1.7 - 1.8	1.8 3.9 0.9	0.7 1.4 -	7.7 4.2 2.6	15.5 18.3 8.1	53.9 59.8 49.1	155.1 172.1 142.7		

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rate per 100,000 population.

* ICD is the acronym for "International Classification of Diseases," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-7.
Death Rates for Selected Causes by Age and Sex, Oregon Residents, 1997 (Continued)

9TH Rev.	Cause of Death	Total	Age Groups								80+	
			< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64		
320-322	Meningitis	0.3 0.4 0.2	4.6 4.5 4.6	- - -	- - -	- - -	- - -	0.4 0.4 0.4	- - -	0.4 0.8 -	- - -	
331.0	Alzheimer's Disease	13.0 7.4 18.5	- - -	- - -	- - -	- - -	- - -	0.2 0.4 0.4	- - -	1.2 1.6 0.8	10.8 9.5 11.9	
332	Parkinson's Disease	6.7 7.5 5.8	- - -	- - -	- - -	- - -	- - -	- - -	- - -	0.8 0.8 0.8	12.5 20.9 5.5	
345	Epilepsy	0.6 0.9 0.2	- - -	- - -	- - -	1.1 2.2 -	0.5 0.9 -	0.8 1.5 0.9	- - -	0.9 0.9 0.8	49.9 77.1 30.0	
Residual of 320-389	Other Disease of the Blood-forming Organs	8.6 8.5 8.8	2.3 - 4.6	1.6 3.1 1.8	1.8 1.7 0.9	1.3 0.5 -	0.2 1.9 2.3	2.1 1.9 7.2	7.2 7.3 7.2	13.2 15.1 11.3	29.8 28.5 30.9	
VII.	Diseases of the Circulatory System	340.9 331.9 349.6	11.4 18.0 4.6	1.6 2.1 1.1	0.4 0.4 0.5	1.8 1.8 1.8	9.1 10.2 8.1	29.4 40.0 18.9	94.1 40.2 57.3	289.9 402.1 183.5	775.9 1044.3 551.9	
390-448	Major Cardiovascular Diseases	339.6 330.9 348.0	11.4 18.0 4.6	1.6 2.1 1.1	0.4 0.4 0.5	1.8 1.8 1.8	9.1 10.2 8.1	29.0 39.2 18.9	93.0 130.7 55.5	288.7 401.3 182.0	772.9 1040.5 549.5	
390-398, 402,404- 429	Diseases of the Heart	233.5 243.0 224.2	4.6 9.0 -	1.6 2.1 1.1	0.4 0.4 0.5	0.9 1.3 0.5	7.0 8.3 5.7	23.8 34.2 13.6	75.3 110.3 40.6	230.6 326.4 139.7	561.0 788.2 371.4	1234.5 1728.8 873.2
390-398	Rheumatic Fever & Chronic Rheumatic Heart Disease	2.5 1.6 3.4	- - -	- - -	- - -	- - -	- - -	- - -	0.5 0.9 -	2.7 2.4 -	6.9 1.9 -	13.0 12.8 11.1
402,404	Hypertensive Heart Disease With or Without Renal Disease	7.9 6.4 9.3	- - -	- - -	- - -	- - -	- - -	0.6 0.8 0.4	1.8 3.6 3.0	5.8 8.8 3.0	13.4 19.0 8.7	31.5 38.5 26.3

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

* ICD is the acronym for "International Classification of Diseases," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-7.
Death Rates for Selected Causes by Age and Sex, Oregon Residents, 1997 (Continued)

9TH Rev.	Cause of Death	Age Groups											
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
410-414	Ischemic Heart Disease	Male Female	151.1 172.3 130.5	- - -	0.2 0.4 0.5	0.2 0.4 -	2.3 3.2 1.4	12.6 20.0 5.3	54.7 84.0 25.7	168.6 256.4 85.3	404.8 595.7 245.5	865.7 1,305.0 544.5	2,100.5 2,548.6 1,850.8
410	Myocardial Infarction	Male Female	57.4 65.5 49.4	- - -	- - -	- - -	1.4 1.4 1.4	3.1 4.2 1.9	18.1 26.8 9.5	76.0 112.3 41.5	172.2 253.2 104.5	337.4 490.6 225.3	741.8 909.0 648.7
411	Other Acute & Subacute Ischemic Heart Disease	Male Female	0.1 0.1	- -	- -	- -	- -	- -	- -	0.4 - - 0.8	- -	- -	1.8 2.5 1.4
412-414	Chronic Ischemic Heart Disease	Male Female	93.7 106.7 81.0	- - -	0.2 0.4 0.5	0.2 0.4 -	0.9 1.9	9.5 15.8 3.4	36.6 57.2 16.2	92.2 144.1 43.0	232.6 342.4 140.9	528.3 814.3 319.2	1,356.9 1,637.2 1,200.7
415-429	All Other Forms	Male Female	72.0 62.7 81.0	4.6 2.1 - 1.1	0.2 0.4 0.5	0.7 0.9 0.5	4.7 5.1 4.3	10.7 13.5 7.9	18.3 21.8 14.9	53.5 58.9 48.3	135.9 171.7 106.1	324.4 372.5 289.2	1,239.0 1,223.5 1,247.6
401,403	Hypertension	Male Female	7.1 6.0 8.2	- - -	- -	- -	- -	0.2 0.4	1.4 2.7 -	4.7 4.0 5.3	14.7 17.1 12.7	33.6 41.1 28.2	128.5 123.8 131.1
430-438	Cerebrovascular Disease	Male Female	80.3 62.8 97.2	6.9 9.0 4.6	- - -	0.4 0.4 0.5	1.6 1.4 1.9	4.6 4.2 4.9	13.3 15.0 11.7	35.3 46.2 24.9	150.2 166.0 137.0	393.8 405.9 384.9	1,493.4 1,374.6 1,559.5
430	Subarachnoid Hemorrhage	Male Female	3.1 1.8 4.3	- - -	- -	0.2 0.4	0.7 0.5	2.3 2.3	4.1 3.2	5.0 3.2	10.8 1.6	9.8 5.7	16.0 2.6
431-432	Intracerebral & Intracranial Hemorrhages	Male Female	9.4 8.5 10.4	- - -	- -	- -	0.7 0.9 0.5	1.7 1.5 1.9	5.2 6.4 4.1	9.7 11.1 8.3	28.5 31.3 26.1	69.4 66.8 71.4	101.0 104.0 99.4
434	Cerebral Thrombosis & Embolism	Male Female	8.7 7.1 10.2	- - -	- -	- -	- -	- -	0.2 0.5	1.2 2.4	12.9 15.2 11.1	35.8 36.0 35.7	187.9 195.7 183.6
436	Acute but Ill-defined Cerebrovascular Disease	Male Female	46.8 34.9 58.2	- - -	- -	- -	0.2 0.5	3.2 4.1 0.4	14.3 22.3 2.3	84.6 97.7 73.6	227.8 233.8 223.5	926.2 800.0 996.5	

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

* ICD is the acronym for "International Classification of Diseases," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-7.
Death Rates for Selected Causes by Age and Sex, Oregon Residents, 1997 (Continued)

9TH Rev.	Cause of Death	Age Groups									
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74
437	Generalized Ischemic Cerebrovascular Disease	5.9	6.9	-	-	0.2	-	0.2	0.7	2.7	6.5
	Male	5.3	9.0	-	-	0.5	-	0.4	0.9	4.8	7.6
	Female	6.4	4.6	-	-	-	-	0.5	0.8	5.5	15.0
440	Arteriosclerosis	7.4	-	-	-	-	-	-	-	3.5	13.4
	Male	6.3	-	-	-	-	-	-	-	6.4	19.0
	Female	8.4	-	-	-	-	-	-	-	0.8	8.7
441-448	Other Diseases of the Arteries, Arterioles, and Capillaries	11.3	-	-	0.4	0.5	0.4	2.9	14.7	33.7	71.6
	Male	12.7	-	-	-	0.5	0.8	2.7	18.3	50.3	100.2
	Female	10.0	-	-	-	0.9	0.5	3.2	11.3	19.8	50.7
441	Aortic Aneurysm	6.9	-	-	0.4	0.2	0.4	1.6	9.7	22.4	45.6
	Male	8.6	-	-	-	0.5	0.8	1.8	14.3	34.1	69.4
	Female	5.3	-	-	-	0.9	-	1.4	5.3	12.7	28.2
451-453	Venous Thrombosis & Embolism	0.6	-	-	-	-	0.2	1.1	0.8	0.9	3.3
	Male	0.3	-	-	-	-	0.4	0.5	0.8	-	2.6
	Female	0.9	-	-	-	-	-	1.8	0.8	1.6	3.8
Residual of 390-459	Other Diseases of the Circulatory System	0.7	-	-	-	-	0.2	-	0.4	2.2	5.4
	Male	0.7	-	-	-	-	0.4	-	-	3.8	5.1
	Female	0.7	-	-	-	-	-	-	0.8	0.8	5.6
VIII.	Disease of the Respiratory System	89.6	13.7	1.1	0.2	1.1	2.1	3.6	15.4	67.0	265.0
	Male	88.1	13.5	-	0.4	1.3	3.2	4.6	15.4	73.2	305.4
	Female	9.1	13.9	2.2	-	0.9	1.0	2.6	15.3	61.2	231.2
480-487	Pneumonia & Influenza	28.3	11.4	0.5	-	0.7	0.9	2.1	3.4	11.2	40.1
	Male	24.5	13.5	-	-	0.9	1.9	2.7	2.3	13.5	45.5
	Female	31.9	9.3	1.1	-	0.5	-	1.5	4.5	9.1	35.6
480-486	Pneumonia	27.6	9.1	0.5	-	0.7	0.9	1.9	3.4	11.2	39.7
	Male	24.0	13.5	-	-	0.9	1.9	2.3	2.3	13.5	45.5
	Female	31.1	4.6	1.1	-	0.5	-	1.5	4.5	9.1	34.8
487	Influenza	0.6	2.3	-	-	-	-	0.2	-	-	0.4
	Male	0.5	-	-	-	-	-	0.4	-	-	1.1
	Female	0.7	4.6	-	-	-	-	-	-	-	0.8

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

* ICD is the acronym for "International Classification of Diseases," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-7.
Death Rates for Selected Causes by Age and Sex, Oregon Residents, 1997 (Continued)

9TH Rev.	Cause of Death	Age Groups									
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74
490-496	Chronic Obstructive Pulmonary Disease & Allied Conditions	51.2 53.0 49.5	- - -	- 0.2 0.4	0.4 0.4 0.5	1.2 1.4 1.0	1.1 1.2 1.1	9.0 9.5 8.6	50.4 52.5 48.3	200.2 232.4 173.4	368.8 436.7 319.2
490-491	Chronic & Unspecified Bronchitis	1.6 1.6 1.6	- - -	- - -	- - -	- - -	- - -	0.2 0.5 1.5	1.2 0.8 4.0	5.6 7.6 4.0	9.8 10.3 9.4
492	Emphysema	10.7 11.4 10.0	- - -	- - -	- - -	- - -	0.2 - 0.4	1.6 1.4 1.8	12.4 13.5 11.3	50.1 59.8 42.0	80.3 113.0 56.3
493	Asthma	2.7 2.3 3.1	- - -	- 0.2 0.4	0.4 0.4 0.5	0.7 0.9 0.5	1.0 1.2 0.8	3.2 3.2 3.2	3.9 3.2 4.5	5.6 3.8 7.1	13.0 10.3 15.0
494	Bronchiectasis	0.6 0.3 0.9	- - -	- - -	- - -	- - -	- - -	- - -	2.2 2.8 1.6	1.1 - 1.9	23.9 27.2 22.1
496	Chronic Airway Obstruction Not Elsewhere Classified (COPD)	35.5 37.1 34.0	- - -	- - -	- - -	0.5 0.5 0.5	- - -	4.1 4.5 3.6	32.9 35.0 31.0	136.8 158.4 118.8	263.6 300.6 236.6
Residual of 460-519	Other Diseases of the Respiratory System	10.2 10.7 9.7	2.3 - 4.6	0.5 - 1.1	- - -	- - -	- - -	0.4 0.8 2.3	2.9 3.6 3.8	24.6 27.5 22.2	59.7 84.8 41.3
	IX. Diseases of the Digestive System	29.8 28.1 31.5	11.4 22.5 -	0.2 0.4 0.5	0.4 0.4 2.4	2.1 1.9 6.4	10.5 14.6 18.0	23.1 28.1 38.5	44.6 51.0 38.5	79.0 81.6 76.8	108.5 118.2 101.4
531	Ulcer of the Stomach	1.0 0.9 1.0	- - -	- - -	- - -	- - -	- - -	- - -	3.1 3.2 3.0	3.5 4.7 2.4	4.3 5.1 3.8
532	Ulcer of the Duodenum	0.7 0.8 0.7	- - -	- - -	- - -	- - -	0.2 0.5 0.5	- 0.2 - 0.5	- 0.9 - 1.9	- 2.2 2.6 1.9	10.6 9.9 11.0

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

* ICD is the acronym for "International Classification of Diseases," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-7.
Death Rates for Selected Causes by Age and Sex, Oregon Residents, 1997 (Continued)

9TH Rev.	Cause of Death	Age Groups									
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74
533	Peptic Ulcer	0.7	-	-	-	-	-	0.2	0.2	1.6	0.9
	Male	0.6	-	-	-	-	-	0.4	0.5	1.6	0.9
	Female	0.9	-	-	-	-	-	-	-	1.5	0.8
550-553, 560	Hernia & Intestinal Obstruction	2.1	2.3	-	-	-	-	-	0.7	-	2.2
	Male	1.5	4.5	-	-	-	-	-	0.5	-	2.8
	Female	2.6	-	-	-	-	-	0.9	-	-	1.6
571	Cirrhosis of the Liver	9.4	-	-	-	-	1.4	8.0	16.1	24.4	30.6
	Male	11.0	-	-	-	-	1.4	12.3	19.1	30.3	36.0
	Female	7.8	-	-	-	-	1.4	3.8	13.1	18.9	26.1
571.0-3	Alcoholic Cirrhosis of the Liver	7.4	-	-	-	-	1.4	7.2	14.7	21.3	22.9
	Male	9.6	-	-	-	-	1.4	11.2	17.2	27.1	31.3
	Female	5.2	-	-	-	-	1.4	3.4	12.2	15.9	15.8
574-576	Diseases of the Gallbladder	1.9	-	-	-	-	-	0.6	0.7	0.4	4.7
	Male	1.6	-	-	-	-	-	0.8	0.9	0.8	4.7
	Female	2.1	-	-	-	-	-	0.4	0.5	-	7.1
577	Diseases of the Pancreas	0.8	-	-	-	-	-	0.2	0.9	2.3	2.6
	Male	0.9	-	-	-	-	-	0.4	1.4	1.6	4.7
	Female	0.8	-	-	-	-	-	0.5	-	3.0	0.8
Residual of 520-579	Other Diseases of the Digestive System	13.2	9.1	-	0.2	0.4	0.5	1.5	4.3	12.8	33.7
	Male	10.7	18.0	-	0.4	0.4	0.5	0.8	5.4	13.5	28.5
	Female	15.6	-	-	-	0.5	0.5	2.3	3.2	12.1	38.0
X.	Diseases of the Genitourinary System	11.8	-	-	-	-	-	0.5	1.7	3.2	6.2
	Male	9.7	-	-	-	-	-	0.5	1.2	3.2	8.0
	Female	13.9	-	-	-	-	-	0.5	2.3	3.2	4.5
580-589	Nephritis & Nephrosis	5.2	-	-	-	-	-	0.5	1.3	1.6	3.9
	Male	5.6	-	-	-	-	-	0.5	1.2	2.3	5.6
	Female	4.7	-	-	-	-	-	0.5	1.5	0.9	2.3
590	Infections of the Kidney	0.3	-	-	-	-	-	0.2	-	-	-
	Male	0.1	-	-	-	-	-	-	-	-	-
	Female	0.6	-	-	-	-	-	0.4	-	-	-
599.0	Urinary Tract Infection	4.4	-	-	-	-	-	0.2	0.7	0.8	3.0
	Male	2.1	-	-	-	-	-	0.4	1.4	0.8	3.8
	Female	6.5	-	-	-	-	-	0.4	-	2.4	16.9

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

* ICD is the acronym for "International Classification of Diseases," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-7.
Death Rates for Selected Causes by Age and Sex, Oregon Residents, 1997 (Continued)

9TH Rev.	Cause of Death	Age Groups											
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
600-608	Disease of the Male Genital Organs	Male 0.4 0.8	-	-	-	-	-	-	-	-	0.4 0.9	3.3 7.7	7.1 19.8
		Female -	-	-	-	-	-	-	-	-	-	-	-
614-629	Diseases of the Uterus & Other Female Genital Organs	Male 0.2 -	-	-	-	-	-	-	-	0.2 -	0.4 0.8	0.9 1.6	2.7 4.1
		Female 0.4 -	-	-	-	-	-	-	-	0.5 -	-	-	-
Residual of 580-629	Other Diseases of the Genitourinary System	Male 1.4 1.1 1.7	-	-	-	-	-	-	-	0.7 0.9 0.5	1.2 1.6 0.8	3.5 5.1 4.8	8.7 11.3 11.3
		Female -	-	-	-	-	-	-	-	-	-	-	-
630-676	XI. Complications of Pregnancy, Childbirth, & the Puerperium	Male 0.2 -	-	-	-	0.4 -	0.7 1.4	-	-	-	-	-	-
		Female 0.3 -	-	-	-	0.9 -	-	-	-	-	-	-	-
680-709	XII. Diseases of the Skin & Subcutaneous Tissue	Male 1.2 0.5 1.8	-	-	-	-	0.2 0.5 -	0.2 0.5 0.4	0.5 0.5 0.5	1.2 1.6 0.8	1.3 1.6 2.4	1.1 - 1.9	
		Female -	-	-	-	-	-	-	-	-	-	-	-
710-739	XIII. Musculoskeletal System & Connective Tissue Diseases	Male 5.9 2.9 8.8	-	-	-	-	0.5 -	0.8 1.0	2.3 1.4 3.2	6.2 0.8 11.3	12.1 8.5 15.0	28.2 23.1 31.9	
		Female 4.8 -	-	-	-	-	-	-	-	-	-	-	-
745-746	XIV. Congenital Anomalies	Male 5.4 6.0 4.8	148.5 161.7 134.8	3.2 4.1 2.2	1.1 0.4 1.8	1.6 2.6 .5	1.9 1.4 1.9	1.8 1.5 2.3	4.7 1.4 2.3	6.0 7.2 2.3	18.4 7.6 4.8	20.4 23.1 15.0	
		Female -	-	-	-	-	-	-	-	-	-	-	-
740-759	Congenital Anomalies of the Heart	Male 1.3 1.7 0.9	38.8 62.9 13.9	2.1 2.1 2.2	0.4 0.9 0.9	0.7 0.9 0.5	0.5 0.5 0.5	1.0 0.8 1.1	0.2 0.5 -	0.4 0.9 -	2.2 2.6 1.9		
		Female 4.1 4.3 4.0	109.7 98.8 120.9	1.1 2.1 -	0.7 0.4 0.9	1.2 1.8 1.4	1.0 0.9 1.1	1.6 0.8 2.3	4.7 7.2 2.3	5.6 6.6 4.8	16.3 20.6 13.1		

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

* ICD is the acronym for "International Classification of Diseases," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-7.
Death Rates for Selected Causes by Age and Sex, Oregon Residents, 1997 (Continued)

9TH Rev. 760-779	Cause of Death	Age Groups										
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79
	XV. Perinatal Conditions	Male 3.2 3.3 3.0	226.2 229.1 223.2	0.5 1.0	0.2 0.4	- 0.5	- -	- -	- -	- -	- -	- -
	Male Female											
	XVI. Symptoms & Ill-defined Conditions	Male 18.7 17.5 19.8	93.7 112.3 74.4	0.5 1.0	0.4 0.4 1.4	0.9 0.5 0.5	0.5 0.5 0.8	2.5 4.2 0.8	5.2 7.7 2.7	22.1 23.9 20.4	36.7 55.0 21.4	81.4 87.3 77.0
	Male Female											
797	Senility	Male 0.9 0.5 1.3	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	0.9 0.9 0.8	
	Male Female											
798	Sudden Infant Death Syndrome	Male 1.1 1.5 0.8	82.3 103.3 60.4	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
	Male Female											
	Residual of Other Symptoms & Ill-defined Conditions	Male 16.6 15.6 17.7	11.4 9.0 13.9	0.5 1.0	0.4 - 0.9	.9 .4 1.4	0.5 0.5 0.5	2.5 4.2 0.8	5.2 7.7 2.7	22.1 23.9 20.4	35.8 54.1 20.6	81.4 87.3 77.0
	Male Female											
	XVII. Accidents, Poisoning, & Violence	Male 62.2 88.9 36.2	36.6 49.4 23.2	16.6 19.7 13.2	11.9 14.2 9.5	64.0 96.4 30.0	65.2 105.2 24.2	70.7 110.0 32.1	68.1 102.1 34.3	52.7 74.8 31.7	62.1 89.2 39.6	98.7 159.3 54.5
	Male Female											
800-949	Accidents	Male 59.8 26.0	18.3 22.5 13.9	13.9 17.6 9.9	8.4 9.9 6.8	44.2 64.8 22.6	37.5 60.2 14.3	40.6 65.0 16.6	37.8 59.5 16.2	26.7 36.6 17.4	38.8 47.4 31.7	73.8 105.3 50.7
	Male Female											
810-825	Motor Vehicle Accidents	Male 16.9 23.9 10.1	2.3 4.5 -	5.9 7.3 4.4	4.4 5.2 3.6	34.1 49.1 18.4	18.5 24.6 9.5	16.0 27.3 7.6	17.0 17.5 8.6	14.7 17.5 12.1	16.0 17.5 15.0	17.4 28.3 9.4
	Male Female											
830-838	Water Transport Accidents	Male 0.6 1.1 0.1	- - -	- - -	- - -	0.9 1.8 1.3	1.1 1.9 1.9	0.5 0.4 0.4	- - -	0.4 0.9 0.8	1.1 2.6 -	- - -
	Male Female											
840-845	Air Transport Accidents	Male 0.5 0.9 0.1	- - -	- - -	- - -	1.1 0.9 0.9	0.6 1.2 1.2	0.5 0.9 0.9	0.4 0.8 0.8	- - -	1.1 2.6 -	0.9 2.5 -
	Male Female											
850-869	Poisoning Accidents	Male 5.4 8.9 2.0	- - -	- - -	0.2 1.8 0.5	8.7 14.8 2.4	13.9 23.5 4.5	102 17.2 3.2	1.9 32 0.8	0.9 0.9 0.8	- - -	1.8 2.5 1.4
	Male Female											

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

* ICD is the acronym for "International Classification of Diseases," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-7.
Death Rates for Selected Causes by Age and Sex, Oregon Residents, 1997 (Continued)

9TH Rev.	Cause of Death	Age Groups									
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74
880-888	Accidental Falls	8.3	-	0.5	0.2	0.7	1.2	1.5	2.9	2.7	12.1
	Male	7.1	-	1.0	0.4	0.9	2.3	2.7	3.2	2.4	14.2
	Female	9.4	-	-	-	0.5	-	0.4	2.7	3.0	10.3
890-899	Fire & Flame Accidents	1.2	-	2.1	1.1	0.4	1.4	1.0	0.5	1.2	33.6
	Male	1.4	-	2.1	1.3	0.4	1.4	1.2	0.9	1.6	36.0
	Female	1.1	-	2.2	0.9	0.5	1.4	0.8	-	0.8	31.9
910	Drowning & Submersion	2.1	2.3	3.2	1.8	1.8	3.0	1.7	1.4	1.6	2.6
	Male	3.3	4.5	4.1	1.7	3.5	5.1	2.7	1.8	3.2	1.1
	Female	0.8	-	2.2	1.8	-	1.0	0.8	0.9	-	-
950-959	Suicides	16.7	-	-	1.5	13.7	19.9	20.4	24.2	21.3	20.7
	Male	26.4	-	-	1.7	21.0	32.0	32.7	33.6	31.8	36.0
	Female	7.3	-	-	1.4	6.0	7.6	8.3	14.9	11.3	7.9
960-978	Homicides	4.1	9.1	2.7	1.8	5.2	6.6	5.7	3.4	3.9	2.6
	Male	6.2	18.0	2.1	2.2	8.8	10.7	8.5	4.5	4.8	5.7
	Female	2.0	-	3.3	1.4	1.4	2.4	3.0	2.3	3.0	-
980-989	Injuries Undetermined Whether Accidentally or Purposefully Inflicted	1.6	9.1	-	0.2	0.9	1.2	4.0	2.7	0.8	-
	Male	2.2	9.0	-	0.4	1.8	2.3	3.8	4.5	1.6	-
	Female	0.9	9.3	-	-	-	-	4.2	0.9	-	-
990-999	Injury Resulting From Operations of War	-	-	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-

WARNING: Rates based on less than 5 events are unreliable.

-Quantity is zero.

Rates per 100,000 population.

* ICD is the acronym for "International Classification of Diseases," published by the World Health Organization, 1977, Geneva, Switzerland.