

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1998

ICD* 9TH Rev.	Cause of Death	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
All Causes		29,346	48	93	377	480	1,052	1,688	2,663	5,367	4,333	12,999
	Male	14,627	30	55	278	337	703	1,040	1,574	3,047	2,262	5,165
	Female	14,719	18	38	99	143	349	648	1,089	2,320	2,071	7,834
I. Infective and Parasitic Disease		414	1	1	5	21	57	66	46	65	36	114
	Male	247	1	-	4	15	46	51	33	38	12	47
	Female	167	1	1	1	6	11	15	13	27	24	67
010-018, 137	Tuberculosis, All Forms	12	-	-	-	-	2	1	1	-	3	5
	Male	7	-	-	-	-	2	-	-	-	-	5
	Female	5	-	-	-	-	-	1	1	-	3	-
038	Septicemia	163	-	-	2	3	4	12	15	36	18	72
	Male	84	-	-	2	2	3	8	12	25	6	26
	Female	79	1	-	-	1	1	4	3	11	12	46
042-044	AIDS	71	-	-	2	13	32	16	7	1	-	-
	Male	67	-	-	2	12	29	16	7	1	-	-
	Female	4	-	-	-	1	3	-	-	-	-	-
070	Viral Hepatitis	76	-	-	-	-	17	30	10	9	5	5
	Male	53	-	-	-	-	10	25	9	4	2	3
	Female	23	-	-	-	-	7	5	1	5	3	2
Residual of 001-139	Other Infective & Parasitic Diseases	92	1	1	1	5	2	7	13	19	10	32
	Male	36	1	-	-	1	2	2	5	8	4	13
	Female	56	-	1	1	4	-	5	8	11	6	19
II. Neoplasms		7,082	7	11	27	47	210	561	1,054	1,985	1,202	1,976
	Male	3,632	4	5	16	25	97	271	557	1,066	642	949
	Female	3,450	3	6	11	22	113	290	497	919	560	1,027
140-208	Malignant Neoplasms	7,007	7	11	27	46	210	553	1,051	1,968	1,191	1,942
	Male	3,598	4	5	16	24	97	268	557	1,051	637	939
	Female	3,409	3	6	11	22	113	285	494	917	554	1,003
140-149	Buccal Cavity & Pharynx	120	-	1	-	1	4	11	24	38	17	24
	Male	59	-	-	-	1	3	8	14	20	7	6
	Female	61	-	1	-	-	1	3	10	18	10	18
150-159	Digestive Organs & Peritoneum	1,502	1	-	1	7	38	106	217	423	251	456
	Male	789	-	-	-	6	23	63	124	240	146	186
	Female	713	1	-	1	1	15	43	93	183	105	270

- Quantity is zero.
 * ICD-9 is an acronym for "International Classification of Diseases, 9th Revision" published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1998 (Continued)

ICD* 9TH Rev.	Cause of Death	Age Groups												
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+	
150	Esophagus	Male	164	-	-	-	-	-	1	17	31	46	34	35
		Female	121	-	-	-	-	1	12	28	33	24	23	12
151	Stomach	Male	136	-	-	-	2	7	12	14	34	24	24	43
		Female	78	-	-	-	1	5	5	6	20	17	24	19
153	Large Intestine (Exc. Rectum)	Male	570	-	-	-	1	11	28	78	157	90	204	
		Female	284	-	-	-	1	6	14	48	92	52	71	
154	Rectum	Male	286	-	-	-	1	5	14	30	65	38	133	
		Female	96	-	-	-	1	4	5	13	24	12	37	
157	Pancreas	Male	50	-	-	-	1	1	4	7	14	8	15	
		Female	46	-	-	-	-	3	1	6	10	4	22	
160-165	Respiratory/Intrathoracic Organs	Male	361	-	-	-	1	7	24	45	120	70	94	
		Female	164	-	-	-	1	4	17	15	59	34	34	
162.2-9	Bronchus & Lung	Male	197	-	-	-	-	3	7	30	61	36	60	
		Female	2,121	-	-	-	1	43	127	379	716	415	439	
170-175	Bone, Connective Tissue, Skin & Breast	Male	1,193	-	-	-	1	25	73	225	406	230	233	
		Female	928	-	-	-	1	18	54	154	310	185	206	
172	Malignant Melanoma	Male	2,065	-	-	-	1	39	122	368	707	401	427	
		Female	1,153	-	-	-	1	22	70	216	400	220	224	
173	Other Skin	Male	912	-	-	-	-	17	52	152	307	181	203	
		Female	726	-	-	-	4	54	120	120	163	76	179	
174-175	Breast	Male	122	-	-	-	3	12	21	19	30	12	22	
		Female	604	-	-	-	1	42	99	101	133	64	157	
174-175	Breast	Male	106	-	-	-	2	10	24	15	31	9	14	
		Female	72	-	-	-	2	5	18	12	19	7	8	
174-175	Breast	Male	34	-	-	-	-	5	6	3	12	2	6	
		Female	21	-	-	-	-	1	3	-	8	4	5	
174-175	Breast	Male	13	-	-	-	-	1	2	-	6	2	2	
		Female	8	-	-	-	-	-	1	-	2	2	3	
174-175	Breast	Male	531	-	-	-	4	35	88	95	109	57	143	
		Female	6	-	-	-	-	-	-	1	-	-	5	
		Total	525	-	-	-	4	35	88	94	109	57	138	

- Quantity is zero.

* ICD-9 is an acronym for "International Classification of Diseases, 9th Revision," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1998 (Continued)

ICD* 9TH Rev.	Cause of Death	Age Groups											
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
179-187	Genital Organs	813	-	-	-	1	9	20	43	87	190	138	325
		468	-	-	-	-	2	2	7	28	99	89	241
	Female	345	-	-	-	1	7	18	36	59	49	84	
179-182	Cervix & Uterus	133	-	-	-	-	4	6	11	20	17	39	
		-	-	-	-	-	-	-	-	-	-	-	
	Female	133	-	-	-	-	4	6	11	20	17	39	
180	Cervix Uteri	34	-	-	-	-	4	5	6	5	2	5	
		-	-	-	-	-	-	-	-	-	-	-	
	Female	34	-	-	-	-	4	5	6	5	2	5	
182	Uterus	61	-	-	-	-	-	-	3	11	7	21	
		-	-	-	-	-	-	-	-	-	-	-	
	Female	61	-	-	-	-	-	-	3	11	7	21	
183.0	Ovary	197	-	-	-	1	3	11	24	37	49	41	
		-	-	-	-	-	-	-	-	-	-	-	
	Female	197	-	-	-	1	3	11	24	37	49	41	
185	Prostate	461	-	-	-	-	-	-	7	28	87	241	
		461	-	-	-	-	-	-	7	28	87	241	
	Female	-	-	-	-	-	-	-	-	-	-	-	
188-189	Urinary Organs	330	-	-	-	-	-	3	20	43	70	120	
		221	-	-	-	-	-	2	17	28	45	75	
	Female	109	-	-	-	-	-	1	3	15	25	45	
188	Bladder	160	-	-	-	-	-	1	3	16	36	75	
		110	-	-	-	-	-	1	3	12	24	48	
	Female	50	-	-	-	-	-	-	4	7	12	27	
190-199	Other & Unspecified Sites	660	-	3	6	7	8	29	74	98	110	138	
		354	-	1	2	7	4	18	47	65	52	62	
	Female	306	-	2	4	-	4	11	27	33	58	76	
191	Brain	223	-	1	5	4	5	22	40	35	35	18	
		125	-	-	1	4	2	13	25	24	19	8	
	Female	98	-	1	4	-	3	9	15	11	16	10	
200-208	Lymphatic & Hematopoietic Tissues	735	-	2	4	13	10	19	52	83	114	261	
		392	-	2	3	6	7	12	32	54	56	114	
	Female	343	-	-	1	7	3	7	20	29	58	147	
202.8	Lymphoma	305	-	-	-	3	5	1	28	34	49	115	
		160	-	-	-	2	3	1	21	20	19	53	
	Female	145	-	-	-	1	2	-	7	14	30	62	

- Quantity is zero.

* ICD-9 is an acronym for "International Classification of Diseases, 9th Revision," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1998 (Continued)

ICD* 9TH Rev.	Cause of Death	Age Groups											
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
203.0	Multiple Myeloma	Male	-	-	-	-	-	2	10	16	30	26	50
		Female	-	-	-	-	-	2	3	10	12	13	22
204-208	Leukemia	Male	-	2	3	8	11	6	32	73	30	30	86
		Female	-	2	2	3	1	3	23	51	20	39	39
204	Lymphatic Leukemia	Male	-	-	3	4	1	2	11	17	12	39	
		Female	-	-	2	2	-	1	7	14	10	21	
205	Myeloid Leukemia	Male	-	1	-	3	7	4	14	44	12	33	
		Female	-	1	-	-	1	2	10	29	5	14	
210-229	Benign Neoplasms	Male	1	-	-	-	-	4	-	3	2	6	
		Female	6	-	-	-	-	1	-	3	-	2	
230-239	In Situ, Uncertain Behavior & Unspecified Nature Neoplasms	Male	59	-	-	-	1	4	3	14	9	28	
		Female	28	-	-	-	1	2	-	12	5	8	
250	Diabetes Mellitus	Male	31	-	-	-	-	2	3	2	4	20	
		Female	1,147	6	1	4	13	35	72	128	236	211	433
Residual of 240-279	Other Endocrine, Nutritional, & Metabolic Diseases	Male	496	3	-	3	4	19	44	67	112	95	144
		Female	651	3	1	1	9	16	28	61	124	116	289
250	Diabetes Mellitus	Male	870	-	-	2	10	22	55	105	191	178	305
		Female	382	-	-	2	3	12	35	57	90	81	101
250	Diabetes Mellitus	Male	488	-	-	-	7	10	20	48	101	97	204
		Female	277	6	1	2	3	13	17	23	45	33	128
250	Diabetes Mellitus	Male	114	3	-	1	1	7	9	10	22	14	43
		Female	163	3	1	1	2	6	8	13	23	19	85
250	Diabetes Mellitus	Male	129	2	1	1	3	4	5	3	26	15	69
		Female	72	2	1	1	1	2	2	2	15	9	36
250	Diabetes Mellitus	Male	57	-	-	-	2	2	1	1	11	6	33
		Female	57	-	-	-	2	2	1	1	11	6	33

- Quantity is zero.

* ICD-9 is an acronym for "International Classification of Diseases, 9th Revision," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1998 (Continued)

ICD* 9TH Rev.	Cause of Death	Age Groups										
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79
280-285	Anemias	50	-	-	1	-	1	3	1	6	3	34
	Male	25	-	-	1	-	1	2	1	2	2	16
	Female	25	-	-	-	-	-	1	-	4	1	18
Residual of 280-289	Other Diseases of the Blood-forming Organs	79	2	1	-	-	3	2	2	20	12	35
	Male	47	2	1	-	-	1	1	1	13	7	20
	Female	32	-	-	-	-	2	1	1	7	5	15
V. Mental Disorders		1,156	-	-	-	3	40	48	34	93	109	807
	Male	426	-	-	-	2	25	34	22	45	46	237
	Female	730	-	-	-	1	15	14	12	48	63	570
290.1	Alzheimer's Dementia	395	-	-	-	-	-	-	2	26	47	320
	Male	123	-	-	-	-	-	-	1	13	18	91
	Female	272	-	-	-	-	-	-	1	13	29	229
291	Alcoholic Psychosis	11	-	-	-	-	1	2	1	4	-	3
	Male	7	-	-	-	-	1	2	-	2	-	2
	Female	4	-	-	-	-	-	-	1	2	-	1
303	Alcoholism	94	-	-	-	-	3	28	17	21	4	2
	Male	57	-	-	-	-	3	18	9	11	4	1
	Female	37	-	-	-	-	-	10	8	10	-	1
304	Drug Dependence	20	-	-	-	-	6	7	-	-	-	1
	Male	17	-	-	-	-	4	6	-	-	-	1
	Female	3	-	-	-	-	2	1	-	-	-	-
305	Non-dependent Drug Abuse	51	-	-	-	3	11	10	10	3	2	2
	Male	34	-	-	-	2	7	5	10	2	1	-
	Female	17	-	-	-	1	4	5	-	1	1	2
Residual of 290-319	Other Mental Disorders	585	-	-	-	-	2	4	4	39	56	479
	Male	188	-	-	-	-	1	2	2	17	23	142
	Female	397	-	-	-	-	1	2	2	22	33	337
IV. Diseases of the Nervous System & Sense Organs		1,005	5	6	9	6	7	18	36	131	163	571
	Male	453	5	4	6	2	3	11	17	78	84	221
	Female	552	-	2	3	4	4	7	19	53	79	350

- Quantity is zero.

* ICD-9 is an acronym for "International Classification of Diseases, 9th Revision," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1998 (Continued)

ICD* 9TH Rev.	Cause of Death	Age Groups													
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+		
320-322	Meningitis	Male	1	3	1	-	-	-	-	-	-	-	1	2	
		Female	1	2	1	-	-	-	-	-	-	-	1	1	
331.0	Alzheimer's Disease	Male	411	-	-	-	-	1	3	29	57	321			
		Female	134	-	-	-	-	-	2	16	22	94			
332	Parkinson's Disease	Male	277	-	-	-	-	1	1	13	35	227			
		Female	275	-	-	-	-	2	1	33	61	178			
345	Epilepsy	Male	164	-	-	-	-	1	1	24	41	97			
		Female	111	-	-	-	-	1	-	9	20	81			
Residual of 320-389	Other Disease of the Nervous System & Sense Organs	Male	16	-	-	2	4	2	1	2	2	1			
		Female	6	1	-	-	3	1	-	1	-	-			
390-448	Major Cardiovascular Diseases	Male	10	-	-	2	4	3	7	4	3	16	47	69	
		Female	10	3	3	2	2	3	5	2	2	10	18	29	
390-398, 402,404- 429	Diseases of the Heart	Male	152	-	1	2	2	2	2	2	3	6	16	20	24
		Female	10,797	10	2	3	12	28	153	397	780	1,600	6,082		
390-398	Rheumatic Fever & Chronic Rheumatic Heart Disease	Male	5,164	3	1	2	10	112	278	523	1,080	851	2,284		
		Female	5,633	7	1	1	2	8	41	119	257	650	749	3,798	
402,404	Hypertensive Heart Disease With or Without Renal Disease	Male	10,751	10	2	3	12	28	151	393	773	1,596	6,061		
		Female	5,142	3	1	2	10	20	110	275	518	849	2,278		
390-398	Rheumatic Fever & Chronic Rheumatic Heart Disease	Male	5,609	7	1	1	2	8	41	118	255	646	747	3,783	
		Female	7,292	8	2	2	10	20	120	317	608	1,258	3,866		
402,404	Hypertensive Heart Disease With or Without Renal Disease	Male	3,721	2	1	2	8	16	93	234	427	807	618	1,513	
		Female	3,571	6	1	-	2	4	27	83	181	451	463	2,353	
390-398	Rheumatic Fever & Chronic Rheumatic Heart Disease	Male	84	-	-	-	-	-	5	1	8	16	11	43	
		Female	26	-	-	-	-	-	3	1	5	4	4	9	
402,404	Hypertensive Heart Disease With or Without Renal Disease	Male	58	-	-	-	-	-	2	-	3	12	7	34	
		Female	-	-	-	-	-	-	-	-	-	-	-	-	
402,404	Hypertensive Heart Disease With or Without Renal Disease	Male	246	-	-	-	-	1	3	15	13	32	26	156	
		Female	79	-	-	-	-	3	10	8	9	10	10	39	
		Male	167	-	-	-	-	1	3	5	4	24	16	117	

- Quantity is zero.

* ICD-9 is an acronym for "International Classification of Diseases, 9th Revision," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1998 (Continued)

ICD* 9TH Rev.	Cause of Death	Age Groups											
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
410-414	Ischemic Heart Disease	4,685	-	-	-	2	6	75	220	442	906	740	2,294
	Male	2,601	-	-	-	2	6	60	176	324	608	452	973
	Female	2,084	-	-	-	-	-	15	44	118	288	1,321	
410	Myocardial Infarction	1,819	-	-	-	1	2	24	78	200	316	830	
	Male	990	-	-	-	1	2	18	54	146	182	345	
	Female	829	-	-	-	-	-	6	24	54	134	485	
411	Other Acute & Subacute Ischemic Heart Disease	1	-	-	-	-	-	-	-	-	-	1	
	Male	-	-	-	-	-	-	-	-	-	-	-	
	Female	1	-	-	-	-	-	-	-	-	-	1	
412-414	Chronic Ischemic Heart Disease	2,865	-	-	-	1	4	51	142	242	538	1,463	
	Male	1,611	-	-	-	1	4	42	122	178	366	628	
	Female	1,254	-	-	-	-	-	9	20	64	172	835	
415-429	All Other Forms	2,277	8	2	2	8	13	37	81	145	304	1,373	
	Male	1,015	2	1	2	6	10	27	47	89	187	492	
	Female	1,262	6	1	-	2	3	10	34	56	117	881	
401, 403	Hypertension	201	-	-	-	-	-	-	3	13	30	118	
	Male	76	-	-	-	-	-	-	2	10	12	34	
	Female	125	-	-	-	-	-	-	1	3	18	84	
430-438	Cerebrovascular Disease	2,636	2	-	1	2	7	24	57	117	332	1,731	
	Male	1,024	1	-	-	2	3	11	29	61	180	586	
	Female	1,612	1	-	1	-	4	13	28	56	152	1,145	
430	Subarachnoid Hemorrhage	80	-	-	-	1	3	11	11	19	15	16	
	Male	29	-	-	-	1	1	2	7	9	4	4	
	Female	51	-	-	-	-	2	9	4	10	11	12	
431-432	Intracerebral & Intracranial Hemorrhages	337	1	-	1	-	4	8	24	27	79	136	
	Male	150	-	-	-	-	2	6	10	15	44	51	
	Female	187	1	-	1	-	2	2	14	12	35	85	
434	Cerebral Thrombosis & Embolism	330	-	-	-	-	-	-	2	11	34	243	
	Male	124	-	-	-	-	-	-	-	6	19	77	
	Female	206	-	-	-	-	-	-	2	5	15	166	
436	Acute but Ill-defined Cerebrovascular Disease	1,470	-	-	-	-	-	3	14	44	159	1,049	
	Male	556	-	-	-	-	-	2	10	21	92	358	
	Female	914	-	-	-	-	-	1	4	23	67	691	

- Quantity is zero.

* ICD-9 is an acronym for "International Classification of Diseases, 9th Revision," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1998 (Continued)

ICD* 9TH Rev.	Cause of Death	Age Groups											
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
437	Generalized Ischemic Cerebrovascular Disease	232	1	-	-	1	-	1	4	6	25	34	160
		94	1	-	-	1	-	-	2	3	11	19	57
		138	-	-	-	-	-	1	2	3	15	103	
440	Arteriosclerosis	228	-	-	-	-	-	1	3	15	34	149	
		95	-	-	-	-	-	1	2	11	17	44	
		133	-	-	-	-	-	1	1	4	17	105	
441-448	Other Diseases of the Arteries, Arterioles, and Capillaries	394	-	-	-	-	1	6	13	20	76	197	
		226	-	-	-	-	1	5	8	9	57	101	
		168	-	-	-	-	-	1	5	11	36	96	
441	Aortic Aneurysm	248	-	-	-	-	1	3	10	12	55	111	
		153	-	-	-	-	1	3	8	6	40	65	
		95	-	-	-	-	-	-	2	6	15	46	
451-453	Venous Thrombosis & Embolism	18	-	-	-	-	-	2	-	4	2	9	
		9	-	-	-	-	-	2	-	3	1	3	
		9	-	-	-	-	-	-	-	1	1	6	
Residual of 390-459	Other Diseases of the Circulatory System	28	-	-	-	-	-	-	4	3	6	12	
		13	-	-	-	-	-	-	3	2	3	3	
		15	-	-	-	-	-	1	1	3	1	9	
VIII. Disease of the Respiratory System		3,032	3	1	3	4	7	26	67	204	602	1,515	
		1,491	2	1	3	6	17	39	39	104	324	686	
		1,541	1	-	-	2	1	9	28	100	278	829	
480-487	Pneumonia & Influenza	1,010	-	-	1	1	4	14	24	40	88	693	
		460	-	-	1	-	3	7	13	23	41	296	
		550	-	-	-	1	1	7	11	17	69	397	
480-486	Pneumonia	1,004	-	-	1	1	4	13	24	40	88	689	
		457	-	-	1	-	3	7	13	23	41	294	
		547	-	-	-	1	1	6	11	17	69	395	
487	Influenza	6	-	-	-	-	-	1	-	-	1	4	
		3	-	-	-	-	-	-	-	-	1	2	
		3	-	-	-	-	-	1	-	-	1	2	

- Quantity is zero.

* ICD-9 is an acronym for "International Classification of Diseases, 9th Revision," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1998 (Continued)

ICD* 9TH Rev.	Cause of Death	Age Groups											
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
490-496	Chronic Obstructive Pulmonary Disease	1,638	-	-	1	1	1	7	33	140	447	383	625
	Male	820	-	-	1	1	6	18	67	242	181	303	
	Female	818	-	-	-	-	1	15	73	205	202	322	
490-491	Chronic & Unspecified Bronchitis	40	-	-	-	-	-	1	2	9	7	21	
	Male	15	-	-	-	-	-	-	1	6	2	6	
	Female	25	-	-	-	-	-	1	1	3	5	15	
492	Emphysema	325	-	-	-	-	1	10	35	100	88	91	
	Male	168	-	-	-	-	1	6	18	55	37	51	
	Female	157	-	-	-	-	-	4	17	45	51	40	
493	Asthma	96	-	-	1	1	2	5	12	14	14	46	
	Male	32	-	-	1	1	1	1	2	5	4	16	
	Female	64	-	-	-	-	1	4	10	9	10	30	
494	Bronchiectasis	27	-	-	-	-	1	-	1	4	11	10	
	Male	11	-	-	-	-	1	-	1	2	4	3	
	Female	16	-	-	-	-	-	-	-	2	7	7	
496	Chronic Airway Obstruction Not Elsewhere Classified (COPD)	1,149	-	-	-	-	3	17	90	320	263	456	
	Male	593	-	-	-	-	3	11	45	174	134	226	
	Female	556	-	-	-	-	-	6	45	146	129	230	
Residual of 460-519	Other Diseases of the Respiratory System	385	3	1	1	2	5	10	24	67	72	198	
	Male	212	2	1	1	2	4	8	14	41	50	88	
	Female	173	1	-	-	-	1	2	10	26	22	110	
IX. Diseases of the Digestive System	Diseases of the Digestive System	997	2	2	1	2	59	106	120	167	126	404	
	Male	481	2	1	1	6	34	68	77	92	54	145	
	Female	516	-	1	-	2	25	38	43	75	72	259	
531	Ulcer of the Stomach	14	-	-	-	-	1	2	1	2	3	4	
	Male	5	-	-	-	-	1	-	-	1	-	2	
	Female	9	-	-	-	-	-	2	1	1	3	2	
532	Ulcer of the Duodenum	11	-	-	-	-	-	-	1	3	1	6	
	Male	5	-	-	-	-	-	-	-	2	1	2	
	Female	6	-	-	-	-	-	-	1	1	-	4	

- Quantity is zero.

* ICD-9 is an acronym for "International Classification of Diseases, 9th Revision," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-6.
Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1998 (Continued)

ICD* 9TH Rev.	Cause of Death	Age Groups											
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
533	Peptic Ulcer	19	-	-	-	-	-	-	-	1	3	5	10
		6	-	-	-	-	-	-	-	-	1	3	2
550-553, 560	Hernia & Intestinal Obstruction	13	-	-	-	-	-	-	-	1	2	2	8
		79	1	-	-	-	-	1	5	11	7	54	
571	Cirrhosis of the Liver	34	1	-	-	-	-	-	4	4	4	21	
		45	-	-	-	-	-	1	1	7	3	33	
571-0.3	Alcoholic Cirrhosis of the Liver	324	-	-	-	5	39	75	71	64	36	34	
		200	-	-	-	3	20	52	48	45	13	19	
574-576	Diseases of the Gallbladder	124	-	-	-	2	19	23	23	19	23	15	
		245	-	-	-	3	36	69	56	45	19	17	
577	Diseases of the Pancreas	167	-	-	-	2	18	49	43	35	9	11	
		78	-	-	-	1	18	20	13	10	10	6	
Residual of 520-579	Other Diseases of the Digestive System	57	-	-	-	1	1	1	6	9	6	33	
		22	-	-	-	1	1	-	3	4	2	11	
580-589	Nephritis & Nephrosis	35	-	-	-	-	-	1	3	5	4	22	
		32	-	-	-	-	-	5	6	6	3	10	
590	Infections of the Kidney	19	-	-	-	-	3	4	1	4	1	6	
		13	-	-	-	-	2	2	2	2	2	4	
599.0	Urinary Tract Infection	461	1	2	1	13	13	21	33	69	65	253	
		190	1	1	1	9	12	9	21	31	30	82	
599.0	Urinary Tract Infection	271	-	1	-	4	4	9	12	38	35	171	
		385	-	-	1	2	3	7	14	52	49	256	
599.0	Urinary Tract Infection	190	-	-	1	2	1	5	6	29	32	113	
		195	-	-	-	-	2	2	8	23	17	143	
599.0	Urinary Tract Infection	178	-	-	1	1	-	4	6	25	24	117	
		98	-	-	1	1	-	4	1	16	17	58	
599.0	Urinary Tract Infection	80	-	-	-	-	-	-	5	9	7	59	
		8	-	-	-	-	-	-	1	-	1	6	
599.0	Urinary Tract Infection	2	-	-	-	-	-	-	-	-	-	1	
		6	-	-	-	-	-	-	-	-	-	5	
599.0	Urinary Tract Infection	139	-	-	-	1	1	1	2	17	16	102	
		53	-	-	-	1	1	1	1	9	10	31	
599.0	Urinary Tract Infection	86	-	-	-	-	-	-	1	8	6	71	
			-	-	-	-	-	-	-	-	-	-	

- Quantity is zero.

* ICD-9 is an acronym for "International Classification of Diseases, 9th Revision," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1998 (Continued)

ICD* 9TH Rev.	Cause of Death	Age Groups														
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+			
760-779	XV. Perinatal Conditions															
	Male	79	78	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	43	42	1	-	-	-	-	-	-	-	-	-	-	-	-
		36	36	-	-	-	-	-	-	-	-	-	-	-	-	-
797	XVI. Symptoms & Ill-defined Conditions															
	Male	646	48	-	2	4	6	17	36	63	94	63	313			
	Female	318	28	-	1	2	5	12	29	57	43	105				
		328	20	-	1	2	1	5	7	37	20	208				
798.0	Senility															
	Male	45	-	-	-	-	-	-	-	-	2	42				
	Female	16	-	-	-	-	-	-	-	-	-	16				
		29	-	-	-	-	-	-	-	2	-	26				
798.0	Sudden Infant Death Syndrome															
	Male	45	45	-	-	-	-	-	-	-	-	-	-			
	Female	27	27	-	-	-	-	-	-	-	-	-	-			
		18	18	-	-	-	-	-	-	-	-	-	-			
Residual of 780-799	Other Symptoms & Ill-defined Conditions															
	Male	556	3	-	2	4	6	17	36	63	92	62	271			
	Female	275	1	-	1	2	5	12	29	57	36	89				
		281	2	-	1	2	1	5	7	35	26	182				
800-999	XVII. Accidents, Poisoning, & Violence															
	Male	2,103	9	21	53	298	312	412	275	146	146	128	303			
	Female	1,473	5	14	30	230	234	318	196	111	99	81	155			
		630	4	7	23	68	78	94	79	35	47	47	148			
800-949	Accidents															
	Male	1,337	7	17	39	198	169	239	147	74	99	95	253			
	Female	892	3	12	20	145	129	186	112	54	63	51	117			
		445	4	5	19	53	40	53	35	20	36	44	136			
810-825	Motor Vehicle Accidents															
	Male	545	1	9	18	150	70	95	58	28	54	32	30			
	Female	361	1	5	9	107	48	62	40	21	37	16	15			
		184	-	4	9	43	22	33	18	7	17	16	15			
830-838	Water Transport Accidents															
	Male	17	-	1	1	3	2	3	3	2	1	-	1			
	Female	17	-	1	1	3	2	3	3	2	1	-	1			
		-	-	-	-	-	-	-	-	-	-	-	-			
840-845	Air Transport Accidents															
	Male	15	-	-	1	1	1	4	5	1	1	1	-			
	Female	12	-	-	-	1	1	4	3	1	1	-	-			
		3	-	-	1	-	-	-	2	-	-	-	-			
850-869	Poisoning Accidents															
	Male	214	-	-	-	15	60	82	41	11	2	2	1			
	Female	174	-	-	-	11	49	71	33	9	-	1	-			
		40	-	-	-	4	11	11	8	2	2	1	1			

- Quantity is zero.

* ICD-9 is an acronym for "International Classification of Diseases, 9th Revision," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 1998 (Continued)

ICD* 9TH Rev.	Cause of Death	Total	Age Groups										
			< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
880-888	Accidental Falls	278	-	-	-	6	5	12	7	9	19	40	180
	Male	138	-	-	4	5	9	6	6	6	6	22	80
	Female	140	-	-	2	-	3	1	3	13	18	100	
890-899	Fire & Flame Accidents	26	1	2	4	-	2	2	3	1	2	4	5
	Male	14	1	2	1	1	2	2	-	2	1	2	2
	Female	12	-	-	3	-	1	-	1	-	3	3	
910	Drowning & Submersion	61	-	1	5	17	11	9	7	5	2	2	2
	Male	48	-	1	3	14	7	8	6	3	2	2	2
	Female	13	-	-	2	3	4	1	1	2	-	-	-
950-959	Suicides	569	-	-	8	64	96	124	103	56	41	32	45
	Male	453	-	-	6	57	73	100	70	47	35	30	35
	Female	116	-	-	2	7	23	24	33	9	6	2	10
960-978	Homicides	142	1	2	5	32	39	35	8	11	5	1	3
	Male	97	1	1	3	25	27	22	6	9	1	-	2
	Female	45	-	1	2	7	12	13	2	2	4	1	1
980-989	Injuries Undetermined Whether Accidentally or Purposely Inflicted	54	1	2	1	4	8	13	17	5	1	-	2
	Male	31	1	1	1	3	5	10	8	1	-	-	1
	Female	23	-	1	-	1	3	3	9	4	1	-	1
990-999	Injury Resulting From Operations of War	-	-	-	-	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-

- Quantity is zero.

* ICD-9 is an acronym for "International Classification of Diseases, 9th Revision" published by the World Health Organization, 1977, Geneva, Switzerland.