

**TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2001**

| Causes of Death<br>(and their ICD-10 codes) <sup>1</sup> | Rate <sup>2</sup> | Age Groups |      |      |       |       |       |       |       |         |         |          |
|--|-------------------|------------|------|------|-------|-------|-------|-------|-------|---------|---------|----------|
|  |                   | < 1        | 1-4  | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74   | 75-84   | 85+      |
| <b>Total</b> .....                                       | 867.8             | 540.6      | 21.5 | 16.1 | 63.1  | 90.2  | 169.8 | 383.8 | 927.2 | 2,270.0 | 5,611.9 | 15,610.2 |
| <b>Infections &amp; Parasitic Disease (A00-B99)</b>      | 13.2              | 13.2       | 1.7  | –    | 0.2   | 2.7   | 9.2   | 17.5  | 18.1  | 26.6    | 58.2    | 151.4    |
| Tuberculosis (A16-A19) .....                             | 0.1               | –          | –    | –    | –     | –     | 0.2   | –     | –     | –       | 1.2     | –        |
| Meningococcal infection (A39) .....                      | 0.1               | 6.6        | –    | –    | –     | –     | 0.2   | –     | –     | –       | –       | 1.7      |
| Septicemia (A40-A41) .....                               | 5.3               | 2.2        | 1.7  | –    | –     | 0.2   | 0.7   | 3.1   | 5.2   | 13.1    | 33.7    | 99.8     |
| Creutzfeldt-Jacob disease (A81.0) .....                  | 0.2               | –          | –    | –    | –     | –     | 0.2   | –     | 0.6   | 0.9     | –       | 3.4      |
| Viral hepatitis (B15-B19) .....                          | 2.6               | –          | –    | –    | –     | 0.2   | 1.3   | 7.8   | 6.5   | 5.4     | 4.9     | 6.9      |
| HIV/AIDS (B20-B24) <sup>3</sup> .....                    | 1.8               | –          | –    | –    | –     | 2.1   | 5.8   | 3.1   | 1.9   | 0.5     | –       | –        |
| <b>Malignant Neoplasms (C00-C97)</b> .....               | 204.3             | 2.2        | 2.8  | 3.1  | 5.2   | 9.4   | 31.4  | 119.8 | 350.8 | 818.1   | 1,357.1 | 1,887.6  |
| Lip, oral cavity & pharynx (C00-C14) .....               | 3.3               | –          | –    | –    | –     | 0.4   | –     | 2.9   | 7.4   | 14.9    | 19.0    | 18.9     |
| Digestive organs (C15-26) .....                          | 46.5              | –          | –    | –    | –     | 0.8   | 5.2   | 27.2  | 77.0  | 178.7   | 309.1   | 521.4    |
| Esophagus (C15) .....                                    | 5.8               | –          | –    | –    | –     | –     | 0.2   | 4.5   | 12.6  | 27.9    | 32.4    | 43.0     |
| Stomach (C16) .....                                      | 2.9               | –          | –    | –    | –     | –     | 0.4   | 1.2   | 3.9   | 11.3    | 22.0    | 32.7     |
| Colon, rectum & anus (C18-C21) .....                     | 20.5              | –          | –    | –    | –     | 0.4   | 2.6   | 11.5  | 30.4  | 68.9    | 142.0   | 271.9    |
| Colon (C18) .....  | 16.6              | –          | –    | –    | –     | –     | 1.7   | 8.4   | 23.6  | 56.7    | 116.3   | 235.7    |
| Liver & intrahepatic bile ducts (C22) .....              | 3.7               | –          | –    | –    | –     | –     | 0.7   | 3.7   | 8.4   | 12.2    | 23.3    | 24.1     |
| Pancreas (C25) .....                                     | 11.4              | –          | –    | –    | –     | 0.4   | 1.1   | 5.4   | 19.1  | 48.2    | 75.9    | 122.2    |
| Respiratory, intrathoracic org'ns (C30-C39) .....        | 58.6              | –          | –    | –    | 0.4   | –     | 6.0   | 31.7  | 116.8 | 302.6   | 383.2   | 309.7    |
| Larynx (C32) .....                                       | 1.2               | –          | –    | –    | –     | –     | 0.4   | –     | 2.6   | 5.9     | 7.3     | 8.6      |
| Trachea, bronchus & lung (C33-C34) .....                 | 57.1              | –          | –    | –    | –     | –     | 5.4   | 31.7  | 113.3 | 296.2   | 372.8   | 296.0    |
| Bronchus & lung (C34) .....                              | 57.1              | –          | –    | –    | –     | –     | 5.4   | 31.7  | 113.3 | 296.2   | 372.8   | 296.0    |
| Skin (C43-C44) .....                                     | 4.1               | –          | –    | –    | 0.2   | 0.6   | 0.9   | 6.2   | 7.1   | 10.4    | 19.6    | 41.3     |
| Melanoma of skin (C43) .....                             | 3.4               | –          | –    | –    | 0.2   | 0.6   | 0.9   | 6.0   | 6.8   | 8.6     | 14.1    | 25.8     |
| Mesothelioma (C45) .....                                 | 1.5               | –          | –    | –    | –     | –     | 0.4   | 0.4   | 2.9   | 7.7     | 10.4    | 8.6      |
| Breast (C50) .....                                       | 15.3              | –          | –    | –    | –     | 1.5   | 5.4   | 16.7  | 31.7  | 54.9    | 73.5    | 117.0    |
| Female genital organs (C51-58) .....                     | 10.3              | –          | –    | –    | –     | 1.0   | 2.8   | 8.9   | 15.5  | 41.0    | 66.1    | 77.4     |
| Cervix uteri (C53) .....                                 | 1.5               | –          | –    | –    | –     | 0.8   | 1.5   | 2.9   | 2.6   | 2.7     | 5.5     | 1.7      |
| Corpus uteri (C54-C55) <sup>4</sup> .....                | 2.4               | –          | –    | –    | –     | 0.2   | 0.4   | 1.0   | 2.6   | 10.8    | 17.1    | 25.8     |
| Ovary (C56) .....  | 5.7               | –          | –    | –    | –     | –     | 0.9   | 4.5   | 10.0  | 23.4    | 38.6    | 43.0     |
| Male genital organs (C60-C63) .....                      | 12.7              | –          | –    | –    | –     | 0.6   | –     | 1.4   | 8.7   | 33.3    | 116.9   | 240.9    |
| Prostate (C61) .....                                     | 12.5              | –          | –    | –    | –     | –     | –     | 1.0   | 8.4   | 32.4    | 116.9   | 240.9    |
| Kidney & renal pelvis (C64-C65) .....                    | 3.9               | –          | –    | 0.2  | 0.2   | 0.2   | 0.9   | 2.9   | 7.4   | 12.6    | 26.3    | 34.4     |
| Bladder (C67) .....                                      | 5.3               | –          | –    | –    | –     | –     | 0.2   | 0.6   | 5.2   | 12.6    | 50.2    | 91.2     |

See footnotes at end of table.

**TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2001 — Continued**

| Causes of Death<br>(and their ICD-10 codes) <sup>1</sup>            | Rate <sup>2</sup> | Age Groups  |            |            |            |            |             |             |              |              |                |                |
|---|-------------------|-------------|------------|------------|------------|------------|-------------|-------------|--------------|--------------|----------------|----------------|
|   |                   | < 1         | 1-4        | 5-14       | 15-24      | 25-34      | 35-44       | 45-54       | 55-64        | 65-74        | 75-84          | 85+            |
| Brain, etc. (C70-C72) <sup>5</sup> .....                            | 5.6               | —           | 0.6        | 1.2        | 0.6        | 0.8        | 2.4         | 6.0         | 14.2         | 20.7         | 20.8           | 20.6           |
| Thyroid/endocrine gland (C73-C75) .....                             | 0.8               | —           | —          | —          | —          | —          | 0.6         | 0.6         | 1.3          | 3.6          | 3.1            | 8.6            |
| Lymphoid & hematopoietic (C81-C96) .....                            | 22.1              | 2.2         | 2.2        | 0.4        | 2.1        | 2.7        | 3.6         | 9.3         | 30.7         | 75.6         | 160.4          | 247.8          |
| Hodgkin's disease (C81) .....                                       | 0.3               | —           | —          | —          | 0.4        | 0.4        | 0.2         | 0.2         | —            | 0.9          | 1.2            | 3.4            |
| Non-Hodgkin's lymphoma (C82-C85) .....                              | 9.6               | —           | —          | —          | 0.2        | 0.8        | 1.3         | 4.5         | 15.5         | 28.4         | 73.5           | 117.0          |
| Leukemia (C91-C95) .....  | 8.0               | 2.2         | 2.2        | 0.4        | 1.5        | 1.5        | 2.1         | 3.7         | 7.4          | 32.4         | 52.6           | 80.9           |
| Lymphoid leukemia (C91) .....                                       | 2.4               | —           | —          | 0.2        | 0.8        | 0.2        | 0.4         | 0.6         | 1.9          | 9.9          | 14.1           | 34.4           |
| Myeloid leukemia (C92) .....  | 3.7               | —           | 1.7        | —          | 0.4        | 1.3        | 1.5         | 2.5         | 3.9          | 13.1         | 23.9           | 29.3           |
| Multiple myeloma (C88, C90) <sup>6</sup> .....                      | 4.1               | —           | —          | —          | —          | —          | —           | 1.0         | 7.8          | 14.0         | 33.1           | 46.5           |
| Neoplasm not specif. as malign. (D00-D48) <sup>7</sup> .....        | 4.8               | —           | —          | —          | —          | 0.2        | 0.2         | 1.6         | 4.5          | 8.1          | 40.4           | 99.8           |
| <b>Diseases of the Blood (D50-89)<sup>8</sup> .....</b>             | <b>2.8</b>        | <b>6.6</b>  | <b>—</b>   | <b>0.2</b> | <b>0.4</b> | <b>0.2</b> | <b>0.4</b>  | <b>1.2</b>  | <b>2.9</b>   | <b>5.9</b>   | <b>15.3</b>    | <b>60.2</b>    |
| Anemias (D50-D64) .....   | 1.5               | 2.2         | —          | 0.2        | —          | —          | —           | 0.4         | 0.6          | 1.8          | 9.2            | 48.2           |
| <b>Endocrine &amp; Nutritional Dis. (E00-E88)<sup>9</sup> .....</b> | <b>39.0</b>       | <b>13.2</b> | <b>0.6</b> | <b>0.4</b> | <b>1.0</b> | <b>2.5</b> | <b>6.2</b>  | <b>17.1</b> | <b>53.4</b>  | <b>132.8</b> | <b>250.4</b>   | <b>581.6</b>   |
| Diabetes mellitus (E10-E14) .....                                   | 29.8              | —           | —          | —          | 0.2        | 1.3        | 3.7         | 13.6        | 40.1         | 106.7        | 206.9          | 407.8          |
| Nutritional deficiencies (E40-E64) .....                            | 0.7               | —           | —          | —          | —          | 0.2        | —           | 0.4         | —            | 2.3          | 3.7            | 20.6           |
| Malnutrition (E40-E46) .....  | 0.6               | —           | —          | —          | —          | —          | —           | 0.4         | —            | 1.8          | 3.7            | 15.5           |
| <b>Mental Disorders (F01-F99)<sup>10</sup> .....</b>                | <b>27.1</b>       | <b>—</b>    | <b>—</b>   | <b>—</b>   | <b>0.6</b> | <b>5.9</b> | <b>9.7</b>  | <b>14.0</b> | <b>14.6</b>  | <b>25.7</b>  | <b>148.7</b>   | <b>760.5</b>   |
| Organic dementia (F01, F03) .....                                   | 18.2              | —           | —          | —          | —          | —          | —           | 0.2         | 0.6          | 12.6         | 121.8          | 693.4          |
| Due to alcohol (F10) .....  | 4.2               | —           | —          | —          | —          | 1.7        | 4.3         | 8.0         | 10.0         | 9.5          | 10.4           | 8.6            |
| Due to psychoactive substance (F11-F19) .....                       | 2.5               | —           | —          | —          | 0.4        | 3.8        | 5.2         | 5.4         | 1.6          | 1.4          | 0.6            | 1.7            |
| Alcohol-induced deaths <sup>11,12</sup> .....                       | 12.4              | —           | —          | 0.2        | 0.2        | 2.9        | 10.8        | 23.7        | 34.3         | 30.2         | 32.4           | 15.5           |
| <b>Nervous System Dis. (G00-G99) .....</b>                          | <b>49.9</b>       | <b>8.8</b>  | <b>0.6</b> | <b>0.8</b> | <b>1.2</b> | <b>3.4</b> | <b>5.1</b>  | <b>10.3</b> | <b>30.4</b>  | <b>72.5</b>  | <b>361.8</b>   | <b>1,331.8</b> |
| Meningitis (G00, G03) .....   | 0.2               | —           | —          | —          | —          | —          | 0.4         | 0.2         | 0.6          | 0.9          | —              | —              |
| Amyotrophic lateral sclerosis (G12.2) .....                         | 2.6               | —           | —          | —          | —          | 0.2        | 0.7         | 1.7         | 5.2          | 10.4         | 17.8           | 17.2           |
| Parkinson's disease (G20-G21) .....                                 | 8.4               | —           | —          | —          | —          | —          | —           | 0.2         | 1.6          | 14.0         | 90.0           | 187.6          |
| Alzheimer's disease (G30) .....                                     | 29.9              | —           | —          | —          | —          | —          | —           | 0.4         | 3.2          | 23.9         | 212.4          | 1,077.2        |
| Epilepsy (G40-G41) .....  | 0.6               | —           | —          | 0.2        | 0.2        | 1.0        | 0.7         | —           | 1.3          | 1.4          | 1.2            | 3.4            |
| <b>Circulatory System Diseases (I00-I99) .....</b>                  | <b>306.0</b>      | <b>19.9</b> | <b>—</b>   | <b>0.4</b> | <b>2.1</b> | <b>7.1</b> | <b>22.4</b> | <b>84.9</b> | <b>239.8</b> | <b>684.8</b> | <b>2,157.1</b> | <b>7,269.9</b> |
| Major cardiovascular disease (I00-I78) .....                        | 304.2             | 19.9        | —          | 0.4        | 2.1        | 6.9        | 22.3        | 84.3        | 237.9        | 679.4        | 2,145.5        | 7,237.2        |
| Heart disease (I00-I09, I11, I13, I20-I51) .....                    | 204.1             | 6.6         | —          | 0.4        | 1.5        | 5.7        | 17.2        | 67.0        | 185.4        | 481.7        | 1,392.6        | 4,632.1        |
| Rheumatic heart disease (I00-I09) <sup>13</sup> ..                  | 1.9               | —           | —          | —          | —          | —          | 0.4         | 0.6         | 0.6          | 6.8          | 12.9           | 41.3           |
| Hypertensive heart disease (I11) .....                              | 6.3               | —           | —          | —          | —          | 0.4        | 0.6         | 2.9         | 3.9          | 14.9         | 30.0           | 182.4          |
| Hypertensive heart & renal dis. (I13) ..                            | 0.8               | —           | —          | —          | —          | —          | —           | —           | —            | 0.9          | 6.7            | 24.1           |
| Ischemic heart disease (I20-I25) .....                              | 136.2             | —           | —          | —          | 0.4        | 1.7        | 10.5        | 50.3        | 141.1        | 357.9        | 978.8          | 2,710.1        |

See footnotes at end of table.

**TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2001 — Continued**

| Causes of Death<br>(and their ICD-10 codes) <sup>1</sup>  | Rate <sup>2</sup> | Age Groups |     |      |       |       |       |       |       |       |       |         |
|---|-------------------|------------|-----|------|-------|-------|-------|-------|-------|-------|-------|---------|
|   |                   | < 1        | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+     |
| Myocardial infarction (I21-I22) .....                     | 49.2              | —          | —   | —    | —     | 0.4   | 3.2   | 13.6  | 52.8  | 143.6 | 359.3 | 948.1   |
| Other acute ischemic hrt. dis. (I24) ..                   | 0.4               | —          | —   | —    | —     | —     | —     | 0.4   | 0.3   | 0.5   | 3.7   | 5.2     |
| Chronic isch. heart dis. (I20, I25) ....                  | 86.6              | —          | —   | —    | 0.4   | 1.3   | 7.3   | 36.3  | 88.0  | 213.9 | 615.8 | 1,756.8 |
| Atheroscler. cardiovascular dis. <sup>14</sup>            | 11.8              | —          | —   | —    | —     | 0.2   | 0.7   | 4.3   | 12.6  | 29.7  | 70.4  | 282.2   |
| Other chr. ischemic heart dis. <sup>15</sup> ...          | 74.8              | —          | —   | —    | 0.4   | 1.0   | 6.5   | 32.0  | 75.4  | 184.1 | 545.4 | 1,474.6 |
| Heart failure (I50) .....                                 | 22.8              | —          | —   | —    | —     | —     | 0.4   | 1.7   | 7.1   | 34.2  | 134.7 | 798.4   |
| Congestive heart failure (I50.0) .....                    | 21.8              | —          | —   | —    | —     | —     | 0.4   | 1.6   | 6.5   | 33.3  | 128.5 | 762.3   |
| Left ventricular heart failure (I50.1)                    | 0.1               | —          | —   | —    | —     | —     | —     | —     | 0.3   | —     | 0.6   | —       |
| Heart failure, unspecified (I50.9) ....                   | 1.0               | —          | —   | —    | —     | —     | —     | 0.2   | 0.3   | 0.9   | 5.5   | 36.1    |
| Hypertension & hyp. renal dis. (I10, I12)                 | 9.0               | —          | —   | —    | —     | 0.2   | 0.4   | 1.4   | 5.5   | 18.9  | 64.3  | 237.5   |
| Cerebrovascular disease (I60-I69) .....                   | 75.0              | 11.0       | —   | —    | 0.4   | 0.8   | 3.4   | 12.8  | 37.9  | 136.4 | 558.2 | 2,025.3 |
| Subarachnoid hemorrhage (I60) .....                       | 2.2               | —          | —   | —    | —     | 0.4   | 1.3   | 2.9   | 4.2   | 7.2   | 10.4  | 8.6     |
| Intracerebral hemorrhage (I61-I62) <sup>16</sup>          | 10.3              | 2.2        | —   | —    | 0.2   | 0.4   | 1.3   | 4.9   | 10.0  | 25.2  | 84.5  | 163.5   |
| Cerebral infarction (I63) .....                           | 5.9               | 2.2        | —   | —    | 0.2   | —     | 0.2   | 1.0   | 3.6   | 7.7   | 42.8  | 170.3   |
| Stroke (type not specified) (I64) .....                   | 40.1              | —          | —   | —    | —     | —     | 0.2   | 3.3   | 14.9  | 72.5  | 298.1 | 1,168.4 |
| Atherosclerosis (I70) .....                               | 5.6               | —          | —   | —    | —     | —     | 0.4   | 0.6   | 1.6   | 9.5   | 38.6  | 173.8   |
| Aortic aneurysm & dissection (I71) .....                  | 6.6               | —          | —   | —    | —     | —     | 0.6   | 1.7   | 5.8   | 23.9  | 60.0  | 82.6    |
| Diseases of arteries (I72-I78) <sup>17</sup> .....        | 3.9               | 2.2        | —   | —    | 0.2   | 0.2   | 0.4   | 0.8   | 1.6   | 9.0   | 31.8  | 86.0    |
| <b>Respiratory System Diseases (J00-J99)</b>              | <b>80.8</b>       | —          | 1.7 | —    | 1.7   | 1.0   | 3.7   | 15.0  | 72.8  | 255.3 | 622.5 | 1,521.1 |
| Influenza & pneumonia (J10-J18) .....                     | 16.6              | —          | 1.1 | —    | 0.4   | 0.4   | 1.3   | 4.7   | 10.4  | 22.1  | 85.7  | 547.2   |
| Influenza (J10-J11) .....                                 | <0.05             | —          | —   | —    | —     | —     | —     | —     | —     | —     | —     | 1.7     |
| Pneumonia (J12-J18) .....                                 | 16.6              | —          | 1.1 | —    | 0.4   | 0.4   | 1.3   | 4.7   | 10.4  | 22.1  | 85.7  | 545.5   |
| Other acute lower resp. infect'ns (J20-J22)               | 0.1               | —          | —   | —    | —     | —     | —     | —     | 0.6   | 0.5   | —     | —       |
| Acute bronchitis (J20-J21) <sup>18</sup> .....            | 0.1               | —          | —   | —    | —     | —     | —     | —     | 0.6   | —     | —     | —       |
| Chronic lower respiratory dis. (J40-J47) <sup>19</sup> .. | 50.2              | —          | —   | —    | 0.4   | 0.2   | 0.9   | 7.4   | 50.2  | 199.5 | 433.4 | 672.8   |
| Bronchitis, chronic & unspec. (J40-J42)                   | 0.4               | —          | —   | —    | —     | —     | —     | —     | 0.6   | 2.3   | 0.6   | 10.3    |
| Emphysema (J43) .....                                     | 7.7               | —          | —   | —    | —     | —     | 0.2   | —     | 9.7   | 36.0  | 72.8  | 67.1    |
| Asthma (J45-J46) .....                                    | 1.9               | —          | —   | —    | 0.4   | 0.2   | 0.4   | 1.2   | 2.3   | 5.0   | 11.0  | 31.0    |
| Other CLRD (J44, J47) .....                               | 40.2              | —          | —   | —    | —     | —     | 0.4   | 6.2   | 37.5  | 156.2 | 348.9 | 564.4   |
| Pneumoconioses (J60-J66, J68) <sup>20</sup> .....         | 0.3               | —          | —   | —    | —     | —     | —     | —     | 0.3   | 1.4   | 1.2   | 6.9     |
| Pneumonitis due to solids & liquids (J69) ...             | 4.5               | —          | —   | —    | 0.2   | —     | 0.4   | 0.2   | 2.6   | 4.1   | 30.0  | 146.3   |
| <b>Digestive System Diseases (K00-K92) ....</b>           | <b>32.7</b>       | 2.2        | —   | 0.2  | 0.2   | 2.1   | 8.6   | 25.8  | 52.1  | 80.1  | 201.4 | 471.5   |
| Peptic ulcer (K25-K28) .....                              | 1.9               | —          | —   | —    | —     | 0.2   | 0.2   | 1.0   | 2.9   | 4.1   | 14.1  | 29.3    |
| Diseases of the appendix (K35-K38) .....                  | 0.1               | —          | —   | —    | 0.2   | —     | —     | —     | —     | 0.5   | —     | 1.7     |

See footnotes at end of table.

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2001 — Continued

| Causes of Death<br>(and their ICD-10 codes) <sup>1</sup>       | Rate <sup>2</sup> | Age Groups   |            |            |             |             |             |             |             |             |              |              |
|--|-------------------|--------------|------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|--------------|
|  |                   | < 1          | 1-4        | 5-14       | 15-24       | 25-34       | 35-44       | 45-54       | 55-64       | 65-74       | 75-84        | 85+          |
| Hernia (K40-K46) .....   | 0.7               | —            | —          | 0.2        | —           | —           | —           | 0.4         | 0.6         | 2.3         | 4.9          | 13.8         |
| Chronic liver disease (K70, K73-K74) <sup>21</sup> .....       | 10.0              | —            | —          | —          | —           | 1.3         | 6.4         | 17.1        | 28.2        | 28.8        | 34.9         | 17.2         |
| Alcoholic liver disease (K70) <sup>22</sup> .....              | 7.9               | —            | —          | —          | —           | 1.3         | 5.8         | 15.3        | 23.9        | 20.7        | 22.0         | 3.4          |
| Cholelithiasis (K80-K82) <sup>23</sup> .....                   | 1.3               | —            | —          | —          | —           | —           | —           | 0.2         | 1.9         | 3.2         | 9.8          | 24.1         |
| <b>Diseases of the Skin (L00-L98)<sup>24</sup> .....</b>       | <b>0.9</b>        | <b>—</b>     | <b>—</b>   | <b>—</b>   | <b>—</b>    | <b>—</b>    | <b>0.2</b>  | <b>—</b>    | <b>1.9</b>  | <b>1.4</b>  | <b>7.3</b>   | <b>17.2</b>  |
| <b>Musculoskeletal Disease (M00-M99)<sup>25</sup> .....</b>    | <b>8.3</b>        | <b>—</b>     | <b>—</b>   | <b>—</b>   | <b>0.2</b>  | <b>0.6</b>  | <b>1.9</b>  | <b>3.1</b>  | <b>6.5</b>  | <b>16.7</b> | <b>57.5</b>  | <b>185.8</b> |
| <b>Genitourinary System Dis. (N00-N99) .....</b>               | <b>14.0</b>       | <b>—</b>     | <b>—</b>   | <b>—</b>   | <b>0.4</b>  | <b>0.2</b>  | <b>1.1</b>  | <b>3.1</b>  | <b>10.0</b> | <b>27.0</b> | <b>96.1</b>  | <b>366.5</b> |
| Nephritis (N00-N07, N17-N19, N25-N27) <sup>26</sup> .....      | 8.2               | —            | —          | —          | 0.2         | —           | 0.9         | 1.9         | 7.8         | 18.0        | 60.0         | 184.1        |
| Acute nephrotic syndr. (N00-N01, N04) <sup>27</sup> ..         | 0.1               | —            | —          | —          | —           | —           | —           | —           | —           | 1.4         | 0.6          | —            |
| Chr. nephritis (N02-N03, N05-N07, N26) <sup>28</sup> ..        | 0.3               | —            | —          | —          | —           | —           | 0.2         | 0.4         | 0.3         | 0.5         | 1.2          | 5.2          |
| Renal failure (N17-N19) .....                                  | 7.8               | —            | —          | —          | 0.2         | —           | 0.7         | 1.6         | 7.4         | 16.2        | 58.2         | 179.0        |
| Kidney infect'ns (N10-N12, N13.6, N15.1) ..                    | 0.5               | —            | —          | —          | 0.2         | —           | —           | —           | 0.3         | 0.9         | 1.8          | 15.5         |
| Urinary tract infection (N59.0) .....                          | 4.3               | —            | —          | —          | —           | 0.2         | —           | 0.6         | 1.6         | 6.3         | 28.8         | 134.2        |
| Hyperplasia of prostate (N40) .....                            | 0.3               | —            | —          | —          | —           | —           | —           | —           | —           | 0.5         | 1.2          | 13.8         |
| Female pelvic inflam. dis. (N70-N76) <sup>29</sup> .....       | 0.1               | —            | —          | —          | —           | —           | —           | 0.2         | —           | —           | 0.6          | 1.7          |
| <b>Pregnancy &amp; Childbirth (O00-O99)<sup>30</sup> .....</b> | <b>0.1</b>        | <b>—</b>     | <b>—</b>   | <b>—</b>   | <b>—</b>    | <b>0.6</b>  | <b>—</b>    | <b>—</b>    | <b>—</b>    | <b>—</b>    | <b>—</b>     | <b>—</b>     |
| <b>Perinatal Conditions (P00-P96) .....</b>                    | <b>3.2</b>        | <b>244.9</b> | <b>0.6</b> | <b>—</b>   | <b>—</b>    | <b>—</b>    | <b>—</b>    | <b>—</b>    | <b>—</b>    | <b>—</b>    | <b>—</b>     | <b>—</b>     |
| <b>Congenital Malformations (Q00-Q99)<sup>31</sup> ..</b>      | <b>3.8</b>        | <b>130.2</b> | <b>3.9</b> | <b>1.4</b> | <b>1.7</b>  | <b>1.5</b>  | <b>1.9</b>  | <b>1.6</b>  | <b>1.9</b>  | <b>4.5</b>  | <b>3.1</b>   | <b>6.9</b>   |
| Malformation of the heart (Q20-Q24) .....                      | 1.2               | 33.1         | 0.6        | 0.8        | 0.6         | 1.0         | 1.3         | 0.2         | 0.6         | 0.5         | 1.2          | 3.4          |
| Other malf. of the circul. sys. (Q25-Q28) ....                 | 0.3               | —            | —          | —          | 0.2         | —           | 0.2         | 0.4         | —           | 0.9         | 1.2          | 3.4          |
| Malf. of the respiratory system (Q30-Q34) ..                   | 0.2               | 13.2         | —          | —          | —           | —           | —           | —           | —           | —           | —            | —            |
| <b>Symptoms &amp; Signs (R00-R99)<sup>32</sup> .....</b>       | <b>19.4</b>       | <b>70.6</b>  | <b>0.6</b> | <b>—</b>   | <b>1.2</b>  | <b>1.0</b>  | <b>3.6</b>  | <b>6.8</b>  | <b>13.9</b> | <b>41.9</b> | <b>88.1</b>  | <b>507.6</b> |
| Senility (R54) .....   | 2.2               | —            | —          | —          | —           | —           | —           | —           | —           | —           | 7.3          | 111.8        |
| Sudden infant death syndrome (R95) .....                       | 0.8               | 64.0         | —          | —          | —           | —           | —           | —           | —           | —           | —            | —            |
| <b>External Causes of Death (V01-Y89) .....</b>                | <b>57.5</b>       | <b>28.7</b>  | <b>9.4</b> | <b>9.5</b> | <b>46.7</b> | <b>51.7</b> | <b>64.2</b> | <b>62.2</b> | <b>53.4</b> | <b>68.9</b> | <b>146.9</b> | <b>390.6</b> |
| Accidents (V01-X59, Y85-Y86) .....                             | 36.2              | 17.7         | 7.7        | 7.6        | 30.3        | 25.1        | 32.7        | 32.2        | 32.7        | 45.5        | 113.2        | 351.0        |
| Transport accidents (V01-V99, Y85) .....                       | 16.2              | 4.4          | 5.0        | 5.8        | 22.0        | 14.9        | 17.6        | 17.3        | 15.9        | 22.5        | 27.5         | 31.0         |
| Motor vehicle acc. (Many codes) <sup>33</sup> .....            | 14.8              | 4.4          | 5.0        | 5.8        | 21.4        | 12.6        | 15.7        | 16.1        | 12.9        | 20.3        | 25.7         | 29.3         |
| Water transport accidents (V90-V94) .....                      | 0.6               | —            | —          | —          | 0.4         | 0.8         | 1.3         | 0.6         | 0.6         | 0.5         | 1.2          | —            |
| Air transport accidents (V95-V97) .....                        | 0.2               | —            | —          | —          | 0.2         | 0.8         | 0.2         | —           | 0.3         | —           | —            | —            |
| Nontransport accidents (W00-X59, Y86) ..                       | 20.0              | 13.2         | 2.8        | 1.9        | 8.3         | 10.3        | 15.2        | 15.0        | 16.8        | 23.0        | 85.7         | 320.0        |
| Falls (W00-W19) .....  | 8.4               | —            | —          | 0.2        | 0.6         | 1.0         | 1.3         | 2.3         | 5.2         | 10.4        | 56.3         | 230.6        |
| Firearms (W32-W34) .....                                       | 0.3               | —            | —          | —          | 0.6         | 0.2         | 0.6         | 0.2         | 0.6         | —           | 0.6          | —            |
| Drowning & submersion (W65-W74) ..                             | 1.2               | —            | 1.7        | 0.6        | 2.7         | 1.0         | 0.9         | 0.6         | 1.9         | 0.9         | 1.2          | —            |

See footnotes at end of table.

**TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2001 — Continued**

| Causes of Death<br>(and their ICD-10 codes) <sup>1</sup> | Rate <sup>2</sup> | Age Groups |     |      |       |       |       |       |       |       |       |      |
|--|-------------------|------------|-----|------|-------|-------|-------|-------|-------|-------|-------|------|
|  |                   | < 1        | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+  |
| Exposure to smoke & fire (X00-X09) ..                    | 1.0               | 2.2        | –   | 0.4  | –     | 1.0   | 0.6   | 1.0   | 1.3   | 2.3   | 3.7   | 5.2  |
| Poisoning (X40-X49) <sup>34</sup> .....                  | 4.1               | –          | –   | 0.2  | 2.9   | 4.6   | 9.5   | 8.7   | 2.6   | 0.5   | 1.2   | –    |
| Suicide (X60-X84, Y87.0) .....                           | 15.1              | –          | –   | 1.0  | 9.5   | 19.3  | 22.6  | 21.4  | 15.9  | 18.9  | 25.7  | 29.3 |
| Homicide (X85-Y09, Y87.1) .....                          | 3.1               | 6.6        | 0.6 | 0.8  | 4.8   | 3.6   | 3.9   | 2.9   | 2.3   | 3.2   | 3.7   | 5.2  |
| Legal intervention (Y35, Y89.0) .....                    | 0.3               | –          | –   | –    | 0.6   | 0.8   | 0.4   | 0.2   | 0.3   | –     | –     | –    |
| Undeterm. intent (Y10-Y34, Y87.2, Y89.9)                 | 2.2               | 4.4        | 0.6 | –    | 1.2   | 2.9   | 4.1   | 5.1   | 1.3   | 0.5   | –     | 1.7  |
| War and its sequelae (Y36, Y89.1) .....                  | –                 | –          | –   | –    | –     | –     | –     | –     | –     | –     | –     | –    |
| Medical care complica'ns (Y40-Y84, Y88) ..               | 0.6               | –          | 0.6 | –    | 0.2   | –     | 0.4   | 0.4   | 1.0   | 0.9   | 4.3   | 3.4  |

- 1 International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.
- 2 Rates per 100,000 population.
- 3 Human immunodeficiency virus/Acquired immune deficiency syndrome.
- 4 Including uterus, part unspecified.
- 5 Including meninges and other parts of the central nervous system.
- 6 Including immunoproliferative neoplasms.
- 7 Including in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.
- 8 Including diseases of the blood forming-organs and disorders involving the immune mechanism.
- 9 Including metabolic diseases.
- 10 Including behavioral disorders.
- 11 Including: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, cardiomyopathy, gastritis, liver disease, maternal care for damage to fetus from alcohol, fetus/newborn affected by maternal alcohol use, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent.
- 12 The ICD-10 codes for the above categories are F10, G31.2, G62.1, I42.6, K29.2, K70, O35.4, P04.3, R78.0, X45, X65, and Y15, respectively.
- 13 Including acute rheumatic fever.
- 14 The ICD-10 code is I25.0.
- 15 This includes angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
- 16 Including other intracranial hemorrhages.
- 17 Including diseases of the arterioles and capillaries.
- 18 Including acute bronchiolitis.
- 19 Formerly chronic obstructive pulmonary disease (COPD).
- 20 Including respiratory conditions due to inhalation of chemicals, gases, fumes and vapors.
- 21 Including liver cirrhosis.
- 22 All alcoholic disease deaths are combined into one category, 'Combined alcoholic dis.,' located under Mental Disorders.
- 23 Including other diseases of the gallbladder.
- 24 Including subcutaneous tissues.
- 25 Including connective tissue.
- 26 Including nephrotic syndrome and nephrosis.
- 27 Including acute and rapidly progressive nephritic and nephrotic syndrome.
- 28 Including chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.

- 29 Inflammatory diseases of female pelvic organs.
- 30 Including the puerperium.
- 31 including congenital deformations and chromosomal abnormalities.
- 32 Including abnormal clinical and laboratory findings not elsewhere classified.
- 33 Including the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 34 Including exposure to noxious substances.
  - Quantity is 0.