

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2002

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total	31,082	260	57	82	328	444	926	2,062	3,048	5,086	9,352	9,437
Male	15,286	127	28	40	249	314	567	1,302	1,798	2,852	4,557	3,452
Female	15,796	133	29	42	79	130	359	760	1,250	2,234	4,795	5,985
Infections & Parasitic Disease (A00-B99)	523	1	4	–	4	23	60	113	78	65	101	74
Male	311	–	4	–	2	18	43	93	43	41	38	29
Female	212	1	–	–	2	5	17	20	35	24	63	45
Tuberculosis (A16-A19)	4	–	–	–	–	1	–	–	–	1	–	2
Male	3	–	–	–	–	1	–	–	–	–	–	2
Female	1	–	–	–	–	–	–	–	–	1	–	–
Meningococcal infection (A39)	1	–	1	–	–	–	–	–	–	–	–	–
Male	1	–	1	–	–	–	–	–	–	–	–	–
Female	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (A40-A41)	160	–	1	–	2	5	5	9	27	31	40	40
Male	74	–	1	–	–	3	1	6	11	18	18	16
Female	86	–	–	–	2	2	4	3	16	13	22	24
Creutzfeldt-Jacob disease (A81.0)	6	–	–	–	–	–	–	–	2	2	2	–
Male	3	–	–	–	–	–	–	–	1	2	–	–
Female	3	–	–	–	–	–	–	–	1	–	2	–
Viral hepatitis (B15-B19)	128	–	–	–	1	1	16	55	28	11	12	4
Male	85	–	–	–	1	1	12	41	16	9	3	2
Female	43	–	–	–	–	–	4	14	12	2	9	2
HIV/AIDS (B20-B24) ²	87	–	–	–	–	14	33	29	9	1	1	–
Male	78	–	–	–	–	13	28	28	7	1	1	–
Female	9	–	–	–	–	1	5	1	2	–	–	–
Malignant Neoplasms (C00-C97)	7,232	–	3	15	30	46	176	596	1,170	1,819	2,259	1,118
Male	3,676	–	2	9	20	16	72	317	606	968	1,144	522
Female	3,556	–	1	6	10	30	104	279	564	851	1,115	596
Lip, oral cavity & pharynx (C00-C14)	98	–	–	–	1	–	6	9	22	26	21	13
Male	60	–	–	–	1	–	5	7	14	17	10	6
Female	38	–	–	–	–	–	1	2	8	9	11	7
Digestive Organs (C15-C26)	1,598	–	–	–	3	6	28	149	272	347	516	277
Male	896	–	–	–	2	3	16	96	180	206	280	113
Female	702	–	–	–	1	3	12	53	92	141	236	164
Esophagus (C15)	186	–	–	–	–	–	2	21	46	34	61	22
Male	137	–	–	–	–	–	1	16	39	30	41	10
Female	49	–	–	–	–	–	1	5	7	4	20	12

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2002 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Stomach (C16)	128	—	—	—	1	1	5	9	20	22	51	19
Male	79	—	—	—	—	—	3	8	13	14	33	8
Female	49	—	—	—	1	1	2	1	7	8	18	11
Colon, rectum & anus (C18-C21)	663	—	—	—	2	3	14	52	87	143	214	148
Male	356	—	—	—	2	1	7	28	57	86	112	63
Female	307	—	—	—	—	2	7	24	30	57	102	85
Colon (C18)	544	—	—	—	1	1	9	36	62	123	179	133
Male	280	—	—	—	1	1	4	18	39	72	90	55
Female	264	—	—	—	—	—	5	18	23	51	89	78
Liver & intrahepatic bile ducts (C22)	147	—	—	—	—	1	—	24	38	32	36	16
Male	91	—	—	—	—	1	—	18	30	18	16	8
Female	56	—	—	—	—	—	—	6	8	14	20	8
Pancreas (C25)	402	—	—	—	—	1	7	35	69	107	123	60
Male	203	—	—	—	—	1	5	25	35	53	66	18
Female	199	—	—	—	—	—	2	10	34	54	57	42
Respiratory, intrathoracic organs (C30-C39)	2,116	—	—	—	—	1	27	142	366	687	698	195
Male	1,102	—	—	—	—	1	19	77	195	362	359	89
Female	1,014	—	—	—	—	—	8	65	171	325	339	106
Larynx (C32)	46	—	—	—	—	—	—	5	11	14	14	2
Male	35	—	—	—	—	—	—	5	8	9	12	1
Female	11	—	—	—	—	—	—	—	3	5	2	1
Trachea, bronchus & lung (C33-C34)	2,057	—	—	—	—	1	26	135	354	668	680	193
Male	1,061	—	—	—	—	1	18	72	186	351	345	88
Female	996	—	—	—	—	—	8	63	168	317	335	105
Bronchus & lung (C34)	2,057	—	—	—	—	1	26	135	354	668	680	193
Male	1,061	—	—	—	—	1	18	72	186	351	345	88
Female	996	—	—	—	—	—	8	63	168	317	335	105
Skin (C43-C44)	155	—	—	—	—	2	9	16	37	27	44	20
Male	98	—	—	—	—	1	4	13	21	16	31	12
Female	57	—	—	—	—	1	5	3	16	11	13	8
Melanoma of skin (C43)	123	—	—	—	—	2	9	13	29	21	32	17
Male	77	—	—	—	—	1	4	11	14	14	23	10
Female	46	—	—	—	—	1	5	2	15	7	9	7
Mesothelioma (C45)	28	—	—	—	—	1	1	1	4	6	10	5
Male	22	—	—	—	—	1	—	—	3	5	9	4
Female	6	—	—	—	—	—	1	1	1	1	1	1

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2002 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Breast (C50)	503	—	—	—	1	6	34	61	110	99	114	78
Male	2	—	—	—	—	—	—	—	—	2	—	—
Female	501	—	—	—	1	6	34	61	110	97	114	78
Female genital organs (C51-C58)	358	—	—	—	—	6	17	33	53	82	115	52
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	358	—	—	—	—	6	17	33	53	82	115	52
Cervix uteri (C53)	45	—	—	—	—	4	8	9	9	7	8	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	45	—	—	—	—	4	8	9	9	7	8	—
Corpus uteri (C54-C55) ³	79	—	—	—	—	—	1	7	10	22	25	14
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	79	—	—	—	—	—	1	7	10	22	25	14
Ovary (C56)	212	—	—	—	—	2	7	15	34	47	76	31
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	212	—	—	—	—	2	7	15	34	47	76	31
Male genital organs (C60-C63)	448	—	—	—	1	1	3	6	27	94	170	146
Male	448	—	—	—	1	1	3	6	27	94	170	146
Female	—	—	—	—	—	—	—	—	—	—	—	—
Prostate (C61)	435	—	—	—	—	—	—	2	24	94	169	146
Male	435	—	—	—	—	—	—	2	24	94	169	146
Female	—	—	—	—	—	—	—	—	—	—	—	—
Kidney & renal pelvis (C64-C65)	165	—	—	1	—	—	1	21	39	38	46	19
Male	101	—	—	—	—	—	—	20	25	26	22	8
Female	64	—	—	1	—	—	1	1	14	12	24	11
Bladder (C67)	200	—	—	—	—	—	2	12	17	52	64	53
Male	133	—	—	—	—	—	—	9	11	41	39	33
Female	67	—	—	—	—	—	2	3	6	11	25	20
Brain, etc. (C70-C72) ⁴	218	—	1	5	4	9	19	49	48	38	32	13
Male	122	—	—	3	2	3	12	32	33	19	13	5
Female	96	—	1	2	2	6	7	17	15	19	19	8
Thyroid/endocrine gland (C73-C75)	33	—	—	2	1	—	2	2	7	10	8	1
Male	18	—	—	2	1	—	2	—	5	3	5	—
Female	15	—	—	—	—	—	—	2	2	7	3	1
Lymphoid & hematopoietic (C81-C96)	775	—	1	6	7	11	19	56	86	195	258	136
Male	419	—	1	4	5	6	7	35	52	112	132	65
Female	356	—	—	2	2	5	12	21	34	83	126	71

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2002 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Hodgkin's disease (C81)	18	—	—	—	1	2	4	2	1	4	4	—
Male	10	—	—	—	—	2	2	—	1	3	2	—
Female	8	—	—	—	1	—	2	2	—	1	2	—
Non-Hodgkin's lymphoma (C82-C85)	302	—	—	1	1	2	3	27	33	67	109	59
Male	154	—	—	1	1	2	1	19	19	38	50	23
Female	148	—	—	—	—	—	2	8	14	29	59	36
Leukemia (C91-C95)	274	—	1	5	5	7	10	12	29	73	81	51
Male	163	—	1	3	4	2	4	5	20	44	52	28
Female	111	—	—	2	1	5	6	7	9	29	29	23
Lymphoid leukemia (C91)	93	—	—	3	3	4	3	—	8	25	27	20
Male	58	—	—	2	3	1	2	—	6	17	16	11
Female	35	—	—	1	—	3	1	—	2	8	11	9
Myeloid leukemia (C92)	139	—	1	2	1	3	7	8	20	38	41	18
Male	81	—	1	1	—	1	2	4	14	22	27	9
Female	58	—	—	1	1	2	5	4	6	16	14	9
Multiple myeloma (C88,C90) ⁵	180	—	—	—	—	—	2	15	23	51	63	26
Male	92	—	—	—	—	—	—	11	12	27	28	14
Female	88	—	—	—	—	—	2	4	11	24	35	12
Neoplasm not specif. as malign. (D00-D48) ⁶	187	—	—	2	1	2	3	12	13	26	69	59
Male	94	—	—	2	1	1	3	5	8	15	34	25
Female	93	—	—	—	—	1	—	7	5	11	35	34
Diseases of the Blood (D50-89)⁷	96	—	2	—	2	2	3	5	13	11	23	35
Male	34	—	1	—	1	1	3	1	5	2	8	12
Female	62	—	1	—	1	1	—	4	8	9	15	23
Anemias (D50-D64)	52	—	1	—	2	—	—	—	1	5	12	31
Male	17	—	—	—	1	—	—	—	—	1	4	11
Female	35	—	1	—	1	—	—	—	1	4	8	20
Endocrine & Nutritional Dis. (E00-E88)⁸	1,401	1	2	4	5	18	43	103	170	266	446	343
Male	661	—	1	2	2	8	24	65	97	145	189	128
Female	740	1	1	2	3	10	19	38	73	121	257	215
Diabetes mellitus (E10-E14)	1,034	—	—	—	—	8	31	66	125	214	350	240
Male	499	—	—	—	—	4	20	42	70	123	144	96
Female	535	—	—	—	—	4	11	24	55	91	206	144
Nutritional deficiencies (E40-E64)	29	—	—	—	—	—	—	3	1	6	6	13
Male	14	—	—	—	—	—	—	3	—	2	4	5
Female	15	—	—	—	—	—	—	—	1	4	2	8

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2002 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Malnutrition (E40-E46)	27	—	—	—	—	—	—	3	1	6	5	12
Male	14	—	—	—	—	—	—	3	—	2	4	5
Female	13	—	—	—	—	—	—	—	1	4	1	7
Mental Disorders (F01-F99)⁹	1,055	—	—	—	2	24	49	81	60	66	261	512
Male	428	—	—	—	1	17	32	58	43	37	100	140
Female	627	—	—	—	1	7	17	23	17	29	161	372
Organic dementia (F01, F03)	724	—	—	—	—	—	—	—	4	36	214	470
Male	227	—	—	—	—	—	—	—	2	23	77	125
Female	497	—	—	—	—	—	—	—	2	13	137	345
Due to alcohol (F10)	149	—	—	—	—	4	17	51	40	19	14	4
Male	109	—	—	—	—	4	12	37	32	11	10	3
Female	40	—	—	—	—	—	5	14	8	8	4	1
Due to psychoactive substance (F11-F19)	99	—	—	—	2	19	30	25	11	5	3	4
Male	65	—	—	—	1	13	20	20	6	2	2	1
Female	34	—	—	—	1	6	10	5	5	3	1	3
Alcohol-induced deaths ^{10,11}	442	—	—	—	—	10	55	144	109	80	33	11
Male	312	—	—	—	—	9	29	103	84	56	23	8
Female	130	—	—	—	—	1	26	41	25	24	10	3
Nervous System Dis. (G00-G99)	1,839	4	2	4	18	14	22	49	82	193	616	835
Male	715	2	1	2	12	10	10	22	53	105	259	239
Female	1,124	2	1	2	6	4	12	27	29	88	357	596
Meningitis (G00, G03)	9	—	—	1	—	—	—	1	—	4	1	2
Male	3	—	—	—	—	—	—	—	—	2	—	1
Female	6	—	—	1	—	—	—	1	—	2	1	1
Amyotrophic lateral sclerosis (G12.2)	105	—	—	—	—	2	3	6	27	31	30	6
Male	60	—	—	—	—	2	3	3	19	19	11	3
Female	45	—	—	—	—	—	—	3	8	12	19	3
Parkinson's disease (G20-G21)	306	—	—	—	—	1	—	—	5	35	144	121
Male	172	—	—	—	—	1	—	—	4	25	87	55
Female	134	—	—	—	—	—	—	—	1	10	57	66
Alzheimer's disease (G30)	1,125	—	—	—	—	—	—	1	6	78	373	667
Male	330	—	—	—	—	—	—	—	4	32	124	170
Female	795	—	—	—	—	—	—	1	2	46	249	497
Epilepsy (G40-G41)	12	—	—	1	3	2	1	3	—	—	—	2
Male	6	—	—	—	3	—	1	2	—	—	—	—
Female	6	—	—	1	—	2	—	1	—	—	—	2

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2002 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Circulatory System Diseases (I00-I99)	10,879	10	3	2	11	30	119	437	823	1,543	3,559	4,342
Male	5,249	2	—	2	6	21	77	299	558	929	1,794	1,561
Female	5,630	8	3	—	5	9	42	138	265	614	1,765	2,781
Major cardiovascular disease (I00-I78)	10,811	10	2	2	11	29	116	431	817	1,537	3,531	4,325
Male	5,225	2	—	2	6	20	77	296	557	926	1,785	1,554
Female	5,586	8	2	—	5	9	39	135	260	611	1,746	2,771
Heart disease (I00-I09, I11, I13, I20-I51)	7,245	10	1	1	8	21	89	351	600	1,106	2,262	2,796
Male	3,772	2	—	1	4	18	65	258	434	693	1,225	1,072
Female	3,473	8	1	—	4	3	24	93	166	413	1,037	1,724
Rheumatic heart disease (I00-I09) ¹²	45	—	—	—	—	—	—	2	7	10	14	12
Male	16	—	—	—	—	—	—	—	3	4	4	5
Female	29	—	—	—	—	—	—	2	4	6	10	7
Hypertensive heart disease (I11)	210	—	—	—	—	3	4	9	9	15	59	111
Male	76	—	—	—	—	3	3	7	3	9	29	22
Female	134	—	—	—	—	—	1	2	6	6	30	89
Hypertensive heart & renal dis. (I13)	28	—	—	—	—	—	—	—	1	1	9	17
Male	10	—	—	—	—	—	—	—	1	1	4	4
Female	18	—	—	—	—	—	—	—	—	—	5	13
Ischemic heart disease (I20-I25)	4,796	—	—	—	1	7	44	266	467	829	1,540	1,642
Male	2,745	—	—	—	1	5	35	202	351	540	892	719
Female	2,051	—	—	—	—	2	9	64	116	289	648	923
Myocardial infarction (I21-I22)	1,720	—	—	—	—	1	13	73	170	314	582	567
Male	936	—	—	—	—	—	10	53	116	197	319	241
Female	784	—	—	—	—	1	3	20	54	117	263	326
Other acute ischemic hrt. dis. (I24)	19	—	—	—	—	—	—	—	—	6	7	6
Male	9	—	—	—	—	—	—	—	—	3	3	3
Female	10	—	—	—	—	—	—	—	—	3	4	3
Chronic isch. heart dis. (I20, I25)	3,057	—	—	—	1	6	31	193	297	509	951	1,069
Male	1,800	—	—	—	1	5	25	149	235	340	570	475
Female	1,257	—	—	—	—	1	6	44	62	169	381	594
Atheroscler. cardiovascular dis. ¹³	423	—	—	—	1	1	4	18	33	64	132	170
Male	237	—	—	—	1	1	4	15	26	45	75	70
Female	186	—	—	—	—	—	—	3	7	19	57	100
Other chr. ischemic heart dis. ¹⁴	2,634	—	—	—	—	5	27	175	264	445	819	899
Male	1,563	—	—	—	—	4	21	134	209	295	495	405
Female	1,071	—	—	—	—	1	6	41	55	150	324	494

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2002 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Heart failure (I50)	800	—	—	—	—	1	5	8	25	62	214	485
Male	319	—	—	—	—	1	3	6	16	36	105	152
Female	481	—	—	—	—	—	2	2	9	26	109	333
Congestive heart failure (I50.0)	769	—	—	—	—	1	3	8	18	58	211	470
Male	306	—	—	—	—	1	2	6	12	34	103	148
Female	463	—	—	—	—	—	1	2	6	24	108	322
Left ventricular heart failure (I50.1)	1	—	—	—	—	—	—	—	—	—	—	1
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	1	—	—	—	—	—	—	—	—	—	—	1
Heart failure, unspecified (I50.9)	30	—	—	—	—	—	2	—	7	4	3	14
Male	13	—	—	—	—	—	1	—	4	2	2	4
Female	17	—	—	—	—	—	1	—	3	2	1	10
Hypertension & hyp. renal dis. (I10, I12)	353	—	—	—	—	—	3	7	21	41	123	158
Male	131	—	—	—	—	—	1	2	12	25	46	45
Female	222	—	—	—	—	—	2	5	9	16	77	113
Cerebrovascular disease (I60-I69)	2,639	—	1	1	2	5	19	61	142	283	964	1,161
Male	1,026	—	—	1	1	1	7	28	75	148	415	350
Female	1,613	—	1	—	1	4	12	33	67	135	549	811
Subarachnoid hemorrhage (I60)	67	—	—	—	—	3	5	13	15	11	16	4
Male	19	—	—	—	—	1	—	5	4	3	6	—
Female	48	—	—	—	—	2	5	8	11	8	10	4
Intracerebral hemorrhage (I61-I62) ¹⁵	366	—	1	1	—	1	6	30	40	64	132	91
Male	167	—	—	1	—	—	3	16	25	37	51	34
Female	199	—	1	—	—	1	3	14	15	27	81	57
Cerebral infarction (I63)	174	—	—	—	1	—	—	2	11	14	54	92
Male	66	—	—	—	—	—	—	1	4	5	24	32
Female	108	—	—	—	1	—	—	1	7	9	30	60
Stroke (type not specified) (I64)	1,393	—	—	—	1	1	7	13	58	134	523	656
Male	513	—	—	—	1	—	3	4	29	70	218	188
Female	880	—	—	—	—	1	4	9	29	64	305	468
Atherosclerosis (I70)	210	—	—	—	—	—	1	4	14	32	55	104
Male	97	—	—	—	—	—	1	3	10	18	30	35
Female	113	—	—	—	—	—	—	1	4	14	25	69
Aortic aneurysm & dissection (I71)	196	—	—	—	1	3	2	5	22	43	72	48
Male	130	—	—	—	1	1	2	5	16	27	46	32
Female	66	—	—	—	—	2	—	—	6	16	26	16

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2002 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Diseases of arteries (I72-I78) ¹⁶	168	—	—	—	—	—	2	3	18	32	55	58
Male	69	—	—	—	—	—	1	—	10	15	23	20
Female	99	—	—	—	—	—	1	3	8	17	32	38
Respiratory System Diseases (J00-J99)	2,994	7	1	5	3	8	36	64	219	585	1,092	974
Male	1,475	4	—	1	2	4	20	30	115	312	567	420
Female	1,519	3	1	4	1	4	16	34	104	273	525	554
Influenza & pneumonia (J10-J18)	661	2	1	1	1	4	16	20	32	54	178	352
Male	282	1	—	1	1	2	9	12	18	29	84	125
Female	379	1	1	—	—	2	7	8	14	25	94	227
Influenza (J10-J11)	11	—	—	—	—	—	—	—	—	2	4	5
Male	4	—	—	—	—	—	—	—	—	2	2	—
Female	7	—	—	—	—	—	—	—	—	—	2	5
Pneumonia (J12-J18)	650	2	1	1	1	4	16	20	32	52	174	347
Male	278	1	—	1	1	2	9	12	18	27	82	125
Female	372	1	1	—	—	2	7	8	14	25	92	222
Other acute lower resp. infect'ns (J20-J22)	5	1	—	—	—	—	—	—	1	1	1	1
Male	1	1	—	—	—	—	—	—	—	—	—	—
Female	4	—	—	—	—	—	—	—	1	1	1	1
Acute bronchitis (J20-J21) ¹⁷	5	1	—	—	—	—	—	—	1	1	1	1
Male	1	1	—	—	—	—	—	—	—	—	—	—
Female	4	—	—	—	—	—	—	—	1	1	1	1
Chronic lower respiratory dis. (J40-J47) ¹⁸	1,842	—	—	—	1	2	7	36	158	445	757	436
Male	941	—	—	—	1	2	3	14	79	236	399	207
Female	901	—	—	—	—	—	4	22	79	209	358	229
Bronchitis, chronic & unspec. (J40-J42)	9	—	—	—	—	—	—	—	1	—	3	5
Male	4	—	—	—	—	—	—	—	—	—	3	1
Female	5	—	—	—	—	—	—	—	1	—	—	4
Emphysema (J43)	279	—	—	—	—	—	1	7	24	73	123	51
Male	132	—	—	—	—	—	—	2	13	40	59	18
Female	147	—	—	—	—	—	1	5	11	33	64	33
Asthma (J45-J46)	69	—	—	—	1	2	1	5	7	9	23	21
Male	19	—	—	—	1	2	—	—	3	3	4	6
Female	50	—	—	—	—	—	1	5	4	6	19	15
Other CLRD (J44, J47)	1,485	—	—	—	—	—	5	24	126	363	608	359
Male	786	—	—	—	—	—	3	12	63	193	333	182
Female	699	—	—	—	—	—	2	12	63	170	275	177

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2002 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Pneumoconioses (J60-J66, J68) ¹⁹	12	—	—	—	—	—	—	—	1	1	6	4
Male	10	—	—	—	—	—	—	—	1	1	5	3
Female	2	—	—	—	—	—	—	—	—	—	1	1
Pneumonitis due to solids & liquids (J69)	186	—	—	1	—	1	3	1	7	13	65	95
Male	95	—	—	—	—	—	2	—	4	8	34	47
Female	91	—	—	1	—	1	1	1	3	5	31	48
Digestive System Diseases (K00-K92)	1,138	3	—	1	2	10	65	143	141	185	278	310
Male	535	1	—	—	1	9	33	100	91	101	108	91
Female	603	2	—	1	1	1	32	43	50	84	170	219
Peptic ulcer (K25-K28)	63	—	—	—	—	1	1	3	6	13	24	15
Male	21	—	—	—	—	1	—	1	2	5	8	4
Female	42	—	—	—	—	—	1	2	4	8	16	11
Diseases of the appendix (K35-K38)	7	—	—	—	—	—	1	—	1	1	3	1
Male	2	—	—	—	—	—	—	—	1	—	1	—
Female	5	—	—	—	—	—	1	—	—	1	2	1
Hernia (K40-K46)	23	—	—	—	—	—	—	—	3	4	5	11
Male	9	—	—	—	—	—	—	—	2	1	3	3
Female	14	—	—	—	—	—	—	—	1	3	2	8
Chronic liver disease (K70, K73-K74) ²⁰	365	—	—	—	—	6	42	105	76	78	39	19
Male	227	—	—	—	—	5	19	72	51	50	22	8
Female	138	—	—	—	—	1	23	33	25	28	17	11
Alcoholic liver disease (K70) ²¹	280	—	—	—	—	6	37	90	63	60	17	7
Male	191	—	—	—	—	5	16	63	46	45	11	5
Female	89	—	—	—	—	1	21	27	17	15	6	2
Cholelithiasis (K80-K82) ²²	36	—	—	—	—	1	1	—	2	4	10	18
Male	10	—	—	—	—	1	1	—	1	1	2	4
Female	26	—	—	—	—	—	—	—	1	3	8	14
Diseases of the Skin (L00-L98) ²³	46	—	—	—	—	1	1	4	3	9	6	22
Male	14	—	—	—	—	—	—	3	1	3	—	7
Female	32	—	—	—	—	1	1	1	2	6	6	15
Musculoskeletal Disease (M00-M99) ²⁴	254	—	—	—	—	1	5	7	19	25	88	109
Male	74	—	—	—	—	1	2	4	8	9	25	25
Female	180	—	—	—	—	—	3	3	11	16	63	84
Genitourinary System Dis. (N00-N99)	476	—	—	—	1	1	7	18	26	64	160	199
Male	202	—	—	—	1	1	4	12	13	27	76	68
Female	274	—	—	—	—	—	3	6	13	37	84	131

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2002 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Nephritis (N00-N07, N17-N19, N25-N27) ²⁵	269	—	—	—	1	1	7	12	21	42	88	97
Male	135	—	—	—	1	1	4	7	12	20	50	40
Female	134	—	—	—	—	—	3	5	9	22	38	57
Acute nephrotic syndr. (N00-N01, N04) ²⁶	7	—	—	—	—	—	—	1	1	2	1	2
Male	5	—	—	—	—	—	—	1	1	1	—	2
Female	2	—	—	—	—	—	—	—	—	1	1	—
Chr. nephritis (N02-N03, N05-N07, N26) ²⁷	9	—	—	—	1	—	1	—	1	2	4	—
Male	8	—	—	—	1	—	1	—	1	2	3	—
Female	1	—	—	—	—	—	—	—	—	—	1	—
Renal failure (N17-N19)	253	—	—	—	—	1	6	11	19	38	83	95
Male	122	—	—	—	—	1	3	6	10	17	47	38
Female	131	—	—	—	—	—	3	5	9	21	36	57
Kidney infect'ns (N10-N12, N13.6, N15.1)	13	—	—	—	—	—	—	1	—	—	5	7
Male	5	—	—	—	—	—	—	1	—	—	1	3
Female	8	—	—	—	—	—	—	—	—	—	4	4
Urinary tract infection (N39.0)	159	—	—	—	—	—	—	2	5	17	55	80
Male	39	—	—	—	—	—	—	1	1	3	18	16
Female	120	—	—	—	—	—	—	1	4	14	37	64
Hyperplasia of prostate (N40)	6	—	—	—	—	—	—	—	—	1	1	4
Male	6	—	—	—	—	—	—	—	—	1	1	4
Female	—	—	—	—	—	—	—	—	—	—	—	—
Female pelvic inflam. dis. (N70-N76) ²⁸	1	—	—	—	—	—	—	—	—	—	1	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	1	—	—	—	—	—	—	—	—	—	1	—
Pregnancy & Childbirth (O00-O99) ²⁹	3	—	—	—	2	—	—	1	—	—	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	3	—	—	—	2	—	—	1	—	—	—	—
Perinatal Conditions (P00-P96)	120	118	1	—	—	1	—	—	—	—	—	—
Male	57	57	—	—	—	—	—	—	—	—	—	—
Female	63	61	1	—	—	1	—	—	—	—	—	—
Congenital Malformations (Q00-Q99) ³⁰	151	62	11	6	7	8	5	20	6	11	8	7
Male	81	37	3	2	4	6	3	14	2	4	4	2
Female	70	25	8	4	3	2	2	6	4	7	4	5
Malformation of the heart (Q20-Q24)	50	20	4	—	4	5	3	7	1	—	3	3
Male	28	12	1	—	3	3	2	5	—	—	1	1
Female	22	8	3	—	1	2	1	2	1	—	2	2

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2002 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Other malf. of the circul. sys. (Q25-Q28)	17	—	—	—	—	1	—	2	1	6	4	3
Male	6	—	—	—	—	1	—	2	—	—	2	1
Female	11	—	—	—	—	—	—	—	1	6	2	2
Malf. of the respiratory system (Q30-Q34)	6	6	—	—	—	—	—	—	—	—	—	—
Male	3	3	—	—	—	—	—	—	—	—	—	—
Female	3	3	—	—	—	—	—	—	—	—	—	—
Symptoms & Signs (R00-R99)³¹	544	36	1	—	6	13	17	36	42	66	117	210
Male	259	15	—	—	3	8	9	24	31	44	59	66
Female	285	21	1	—	3	5	8	12	11	22	58	144
Senility (R54)	65	—	—	—	—	—	—	—	—	2	3	60
Male	19	—	—	—	—	—	—	—	—	2	1	16
Female	46	—	—	—	—	—	—	—	—	—	2	44
Sudden infant death syndrome (R95)	31	31	—	—	—	—	—	—	—	—	—	—
Male	13	13	—	—	—	—	—	—	—	—	—	—
Female	18	18	—	—	—	—	—	—	—	—	—	—
External Causes of Death (V01-Y89)	2,144	18	27	43	234	242	315	373	183	152	269	288
Male	1,421	9	16	20	193	193	232	255	124	110	152	117
Female	723	9	11	23	41	49	83	118	59	42	117	171
Accidents (V01-X59, Y85-Y86)	1,382	10	19	29	143	135	155	204	114	102	215	256
Male	843	5	12	15	112	103	113	140	74	71	104	94
Female	539	5	7	14	31	32	42	64	40	31	111	162
Transport accidents (V01-V99, Y85)	528	—	7	18	102	76	60	94	56	41	45	29
Male	365	—	4	9	81	58	49	64	38	27	21	14
Female	163	—	3	9	21	18	11	30	18	14	24	15
Motor vehicle acc. (Many codes) ³²	461	—	7	16	98	66	47	75	47	34	42	29
Male	307	—	4	8	77	49	36	49	31	20	19	14
Female	154	—	3	8	21	17	11	26	16	14	23	15
Water transport accidents (V90-V94)	21	—	—	—	3	3	4	5	2	3	1	—
Male	21	—	—	—	3	3	4	5	2	3	1	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Air transport accidents (V95-V97)	16	—	—	—	—	—	4	7	2	2	1	—
Male	15	—	—	—	—	—	4	6	2	2	1	—
Female	1	—	—	—	—	—	—	1	—	—	—	—
Nontransport accidents (W00-X59, Y86)	854	10	12	11	41	59	95	110	58	61	170	227
Male	478	5	8	6	31	45	64	76	36	44	83	80
Female	376	5	4	5	10	14	31	34	22	17	87	147

See footnotes at end of table.

Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2002 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Falls (W00-W19)	343	—	—	—	6	10	7	8	11	30	115	156
Male	160	—	—	—	5	9	7	6	8	21	56	48
Female	183	—	—	—	1	1	—	2	3	9	59	108
Firearms (W32-W34)	9	—	—	1	1	1	2	1	1	1	1	—
Male	8	—	—	—	1	1	2	1	1	1	1	—
Female	1	—	—	1	—	—	—	—	—	—	—	—
Drowning & submersion (W65-W74)	38	—	4	2	10	5	3	4	5	2	3	—
Male	25	—	4	2	8	4	1	2	3	1	—	—
Female	13	—	—	—	2	1	2	2	2	1	3	—
Exposure to smoke & fire (X00-X09)	39	—	4	2	3	4	6	2	4	5	5	4
Male	25	—	1	1	2	3	4	2	2	3	4	3
Female	14	—	3	1	1	1	2	—	2	2	1	1
Poisoning (X40-X49) ³³	199	—	—	1	11	29	66	68	16	5	1	2
Male	123	—	—	—	8	19	41	44	8	3	—	—
Female	76	—	—	1	3	10	25	24	8	2	1	2
Suicide (X60-X84, Y87.0)	517	—	—	3	57	73	106	123	49	38	45	23
Male	432	—	—	2	51	65	86	93	39	33	43	20
Female	85	—	—	1	6	8	20	30	10	5	2	3
Homicide (X85-Y09, Y87.1)	106	3	7	11	22	21	22	7	5	6	2	—
Male	65	1	4	3	19	14	15	3	2	3	1	—
Female	41	2	3	8	3	7	7	4	3	3	1	—
Legal intervention (Y35, Y89.0)	9	—	—	—	1	2	3	3	—	—	—	—
Male	8	—	—	—	1	2	2	3	—	—	—	—
Female	1	—	—	—	—	—	1	—	—	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	105	5	1	—	11	11	29	34	10	3	—	1
Male	63	3	—	—	10	9	16	16	7	1	—	1
Female	42	2	1	—	1	2	13	18	3	2	—	—
War and its sequelae (Y36, Y89.1)	1	—	—	—	—	—	—	—	—	1	—	—
Male	1	—	—	—	—	—	—	—	—	1	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Medical care complica'ns (Y40-Y84, Y88)	24	—	—	—	—	—	—	2	5	2	7	8
Male	9	—	—	—	—	—	—	—	2	1	4	2
Female	15	—	—	—	—	—	—	2	3	1	3	6

¹ International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

² Human immunodeficiency virus/Acquired immune deficiency syndrome.

³ Including uterus, part unspecified.

⁴ Including meninges and other parts of the central nervous system.

- 5 Including immunoproliferative neoplasms.
- 6 Including in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.
- 7 Including diseases of the blood forming-organs and disorders involving the immune mechanism.
- 8 Including metabolic diseases.
- 9 Including behavioral disorders.
- 10 Including: alcoholic mental/behavioral disorders, degeneration of nervous sys., polyneuropathy, cardiomyopathy, gastritis, liver disease, maternal care for damage to fetus from alcohol, fetus/newborn affected by maternal alcohol use, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent.
- 11 The ICD-10 codes for the above categories are F10, G31.2, G62.1, I42.6, K29.2, K70, O35.4, P04.3, R78.0, X45, X65, and Y15. respectively.
- 12 Including acute rheumatic fever.
- 13 The ICD-10 code is I25.0.
- 14 This includes angina, arteriosclerotic heart disease, coronary heart disease, and related disorders.The ICD-10 codes are I20, I25.1-I25.9.
- 15 Including other intracranial hemorrhages.
- 16 Including diseases of the arterioles and capillaries.
- 17 Including acute bronchiolitis.
- 18 Formerly chronic obstructive pulmonary disease (COPD).
- 19 Including respiratory conditions due to inhalation of chemicals, gases, fumes and vapors.
- 20 Including liver cirrhosis.
- 21 All alcoholic disease deaths are combined into one category, 'Combined alcoholic dis.,' located under Mental Disorders.
- 22 Including other diseases of the gallbladder.
- 23 Including subcutaneous tissues.
- 24 Including connective tissue.
- 25 Including nephrotic syndrome and nephrosis.
- 26 Including acute and rapidly progressive nephritic and nephrotic syndrome.
- 27 Including chronic glomerulonephritis, nephritic and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 28 Inflammatory diseases of female pelvic organs.
- 29 Including the puerperium.
- 30 including congenital deformations and chromosomal abnormalities.
- 31 Including abnormal clinical and laboratory findings not elsewhere classified.
- 32 Including the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 33 Including exposure to noxious substances.
- Quantity is 0.