

TABLE 6-18. Tobacco-linked Deaths by Cause of Death, Oregon Residents, 2005

Selected Causes of Death (and their ICD-10 codes)	Total	Linked ¹		Not Linked		Unknown	
		Number	Percent	Number	Percent	Number	Percent
Total ²	30,854	6,921	22.4	16,631	53.9	7,302	23.7
Malignant Neoplasms	3,497	2,049	58.6	921	26.3	527	15.1
Oral cavity, lip, pharynx (C00.0-C14.8)	110	75	68.2	21	19.1	14	12.7
Esophagus (C15)	197	85	43.1	64	32.5	48	24.4
Stomach (C16)	116	11	9.5	68	58.6	37	31.9
Pancreas (C25)	424	51	12.0	288	67.9	85	20.0
Larynx (C32)	28	20	71.4	5	17.9	3	10.7
Lung, bronchi, and trachea (C33-C34)	2,099	1,709	81.4	175	8.3	215	10.2
Cervix uteri (C53)	41	6	14.6	28	68.3	7	17.1
Kidney, other urinary tract (C64-C65)	142	22	15.5	85	59.9	35	24.6
Urinary bladder (C67)	205	68	33.2	72	35.1	65	31.7
Acute Myeloid Leukemia (C92.0)	135	2	1.5	115	85.2	18	13.3
Cardiovascular Disease	9,238	1,888	20.4	4,776	51.7	2,574	27.9
Ischemic heart disease (I20-I25)	4,126	1,116	27.0	1,779	43.1	1,231	29.8
Other heart disease (I00-I09, I26-I51)	2,344	328	14.0	1,424	60.8	592	25.3
Cerebrovascular disease (I60-I69)	2,268	278	12.3	1,362	60.1	628	27.7
Atherosclerosis (I70)	191	51	26.7	97	50.8	43	22.5
Aortic aneurysm (I71)	175	63	36.0	61	34.9	51	29.1
Other arterial disease (I72-I78)	134	52	38.8	53	39.6	29	21.6
Respiratory Diseases	2,358	1,522	64.5	456	19.3	380	16.1
Pneumonia and influenza (J10-J18)	606	73	12.0	344	56.8	189	31.2
Bronchitis and emphysema (J40-J43)	249	217	87.1	13	5.2	19	7.6
Other chronic airways obstruction (J44)	1,503	1,232	82.0	99	6.6	172	11.4
Perinatal Conditions ³	77	—	—	71	92.2	6	7.8
Selected Perinatal Conditions ⁴	57	—	—	53	93.0	4	7.0
Sudden Infant Death Syndrome (R95)	20	—	—	18	90.0	2	10.0
Other causes	15,684	1,462	9.3	10,407	66.4	3,815	24.3

¹ The Oregon death certificate asks 'Did tobacco use contribute to death?' followed by four checkboxes: 'Yes,' 'No,' 'Probably,' and 'Unknown.' The linked category includes deaths listed as 'Yes' or 'Probably.'

² The causes of death shown in this table are those linked to tobacco use by the federal Centers for Disease Control and Prevention (CDC). Annual Smoking-Attributable Mortality, Years of Potential Life Lost, and Productivity Losses -- United States, 1997-2001. MMWR 2005; 54:625-628.).

³ The number of infant deaths resulting from exposure to tobacco combustion products is underreported.

⁴ The category includes the following conditions: other disorders related to short gestation and low birthweight (P07), respiratory distress of newborn (P22), congenital pneumonia (P23), neonatal aspiration syndromes (P24), and other respiratory conditions originating in the perinatal period (P25-P28).

— Quantity is zero.