

**TABLE 7-8. Early Neonatal Deaths¹ by Weeks of Gestation and Weight
Oregon Residents, Birth Cohort 2005**

Birthweight (In Grams)	Total	Weeks of Gestation								
		<20	20-23	24-27	28-31	32-35	36	37-39	40	41+
Total	135	17	49	27	12	9	3	8	2	5
001-349	29	17	12	–	–	–	–	–	–	–
350-499	24	–	22	2	–	–	–	–	–	–
<500	53	17	34	2	–	–	–	–	–	–
500-749	30	–	14	15	1	–	–	–	–	–
750-999	11	–	1	9	1	–	–	–	–	–
1000-1249	7	–	–	1	3	–	1	–	–	–
1250-1499	2	–	–	–	2	–	–	–	–	–
1500-1999	4	–	–	–	2	–	1	1	–	–
2000-2499	12	–	–	–	3	6	–	3	–	–
<2500	119	17	49	27	12	6	2	4	–	–
2500-2999	5	–	–	–	–	2	–	1	1	1
3000-3499	4	–	–	–	–	–	–	1	–	2
3500-3999	6	–	–	–	–	–	1	2	1	2
4000-4499	–	–	–	–	–	–	–	–	–	–
4500+	–	–	–	–	–	–	–	–	–	–

– Quantity is zero.

¹ Early neonatal death is defined as less than 7 days old.

NOTE: Calculated gestation from reported date of last menses. If calculated gestation is unknown, the clinical estimate of gestation is used. Total includes reports with unknown birthweight and/or gestation.