

**TABLE 7-10. Postneonatal Deaths by Weeks of Gestation and Weight,  
Oregon Residents, Birth Cohort 2005**

Birthweight (In Grams)	Total	Weeks of Gestation									
		<20	20-23	24-27	28-31	32-35	36	37-39	40	41+	N.S.
<b>Total</b> .....	76	—	1	6	1	12	3	38	10	5	—
001-349 .....	1	—	—	1	—	—	—	—	—	—	—
350-499 .....	—	—	—	—	—	—	—	—	—	—	—
<500 .....	1	—	—	1	—	—	—	—	—	—	—
500-749 .....	1	—	1	—	—	—	—	—	—	—	—
750-999 .....	4	—	—	4	—	—	—	—	—	—	—
1000-1249 .....	1	—	—	1	—	—	—	—	—	—	—
1250-1499 .....	1	—	—	—	—	—	1	—	—	—	—
1500-1999 .....	8	—	—	—	1	4	2	1	—	—	—
2000-2499 .....	9	—	—	—	—	3	—	5	1	—	—
<2500 .....	25	—	1	6	1	7	3	6	1	—	—
2500-2999 .....	21	—	—	—	—	4	—	13	3	1	—
3000-3499 .....	19	—	—	—	—	1	—	11	5	2	—
3500-3999 .....	8	—	—	—	—	—	—	7	1	—	—
4000-4499 .....	3	—	—	—	—	—	—	1	—	2	—
4500-4999 .....	—	—	—	—	—	—	—	—	—	—	—
Unknown .....	—	—	—	—	—	—	—	—	—	—	—

— Quantity is zero.

Postneonatal deaths occur from day 28 through 364 after birth.

NOTE: Calculated gestation from reported date of last menses. If calculated gestation is unknown, the clinical estimate of gestation is used.