

**TABLE 7-9. Late Neonatal Deaths¹ by Weeks of Gestation and Weight
Oregon Residents, Birth Cohort 2006**

Birthweight (In Grams)	Total	Weeks of Gestation									
		<20	20-23	24-27	28-31	32-35	36	37-39	40	41+	N.S.
Total	41	-	-	11	4	4	4	12	6	-	-
001-349	1	-	-	-	1	-	-	-	-	-	-
350-499	1	-	-	1	-	-	-	-	-	-	-
<500	2	-	-	1	1	-	-	-	-	-	-
500-749	6	-	-	6	-	-	-	-	-	-	-
750-999	4	-	-	3	1	-	-	-	-	-	-
1000-1249	1	-	-	1	-	-	-	-	-	-	-
1250-1499	-	-	-	-	-	-	-	-	-	-	-
1500-1999	3	-	-	-	1	1	-	1	-	-	-
2000-2499	7	-	-	-	1	2	2	2	-	-	-
<2500	23	-	-	11	4	3	2	3	-	-	-
2500-2999	6	-	-	-	-	1	1	3	1	-	-
3000-3499	6	-	-	-	-	-	1	2	3	-	-
3500-3999	5	-	-	-	-	-	-	3	2	-	-
4000-4499	-	-	-	-	-	-	-	-	-	-	-
4500+	1	-	-	-	-	-	-	1	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-

- Quantity is zero.

¹ Late neonatal deaths occur from day 7 through 27 after birth.

NOTE: Calculated gestation from reported date of last menses. If calculated gestation is unknown, the clinical estimate of gestation is used. Total includes reports with unknown birthweight and/or gestation.