

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2010

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total *	31,899	225	42	53	270	410	756	2,129	4,013	5,139	7,901	10,961
Male	15,893	124	27	30	202	299	476	1,274	2,418	2,917	3,962	4,164
Female	16,006	101	15	23	68	111	280	855	1,595	2,222	3,939	6,797
Infections & Parasitic Disease (A00-B99)	657	4	3	–	–	8	24	96	170	88	115	149
Male	341	2	–	–	–	6	15	54	120	41	47	56
Female	316	2	3	–	–	2	9	42	50	47	68	93
Tuberculosis (A16-A19)	5	–	–	–	–	–	–	–	1	2	–	2
Male	3	–	–	–	–	–	–	–	1	1	–	1
Female	2	–	–	–	–	–	–	–	–	1	–	1
Meningococcal infection (A39)	1	–	–	–	–	–	1	–	–	–	–	–
Male	–	–	–	–	–	–	–	–	–	–	–	–
Female	1	–	–	–	–	–	1	–	–	–	–	–
Septicemia (A40-A41)	225	2	1	–	–	4	3	19	31	39	57	69
Male	94	1	–	–	–	3	1	7	18	16	22	26
Female	131	1	1	–	–	1	2	12	13	23	35	43
Creutzfeldt-Jacob disease (A81.0)	5	–	–	–	–	–	–	–	5	–	–	–
Male	3	–	–	–	–	–	–	–	3	–	–	–
Female	2	–	–	–	–	–	–	–	2	–	–	–
Viral hepatitis (B15-B19)	179	–	–	–	–	1	3	55	97	14	9	–
Male	118	–	–	–	–	1	1	29	73	8	6	–
Female	61	–	–	–	–	–	2	26	24	6	3	–
HIV/AIDS (B20-B24) ²	47	–	–	–	–	2	11	17	11	4	2	–
Male	47	–	–	–	–	2	11	17	11	4	2	–
Female	–	–	–	–	–	–	–	–	–	–	–	–
Malignant Neoplasms (C00-C97)	7,630	–	4	15	16	30	140	595	1,457	1,891	2,115	1,367
Male	3,937	–	4	9	9	13	64	280	770	1,035	1,119	634
Female	3,693	–	–	6	7	17	76	315	687	856	996	733
Lip, oral cavity & pharynx (C00-C14)	98	–	–	–	–	1	1	10	22	28	21	15
Male	70	–	–	–	–	1	1	8	20	23	10	7
Female	28	–	–	–	–	–	–	2	2	5	11	8
Digestive Organs (C15-C26)	1,825	–	–	–	1	7	39	150	406	439	488	295
Male	1,054	–	–	–	–	5	30	101	259	262	276	121
Female	771	–	–	–	1	2	9	49	147	177	212	174
Esophagus (C15)	187	–	–	–	–	–	4	13	39	49	55	27
Male	146	–	–	–	–	–	4	12	32	36	44	18
Female	41	–	–	–	–	–	–	1	7	13	11	9

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2010 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Stomach (C16)	127	—	—	—	—	3	2	20	23	25	32	22
Male	72	—	—	—	—	3	—	13	12	15	18	11
Female	55	—	—	—	—	—	2	7	11	10	14	11
Colon, rectum & anus (C18-C21)	655	—	—	—	—	3	16	46	128	153	180	129
Male	347	—	—	—	—	1	11	28	71	94	92	50
Female	308	—	—	—	—	2	5	18	57	59	88	79
Colon (C18)	487	—	—	—	—	2	12	28	90	107	142	106
Male	243	—	—	—	—	—	8	14	46	64	72	39
Female	244	—	—	—	—	2	4	14	44	43	70	67
Rectosigmoid junction (C19)	47	—	—	—	—	1	3	5	6	13	9	10
Male	30	—	—	—	—	1	2	4	5	9	3	6
Female	17	—	—	—	—	—	1	1	1	4	6	4
Rectum (C20)	106	—	—	—	—	—	1	13	26	29	25	12
Male	65	—	—	—	—	—	1	10	15	19	16	4
Female	41	—	—	—	—	—	—	3	11	10	9	8
Liver & intrahepatic bile ducts (C22)	272	—	—	—	—	1	9	33	89	68	47	25
Male	192	—	—	—	—	1	9	26	68	48	28	12
Female	80	—	—	—	—	—	—	7	21	20	19	13
Pancreas (C25)	499	—	—	—	—	—	6	31	108	128	153	73
Male	261	—	—	—	—	—	6	18	68	61	85	23
Female	238	—	—	—	—	—	—	13	40	67	68	50
Respiratory, intrathoracic organs (C30-C39) ...	2,109	—	—	—	—	1	10	134	392	672	638	262
Male	1,114	—	—	—	—	—	5	67	216	379	321	126
Female	995	—	—	—	—	1	5	67	176	293	317	136
Larynx (C32)	31	—	—	—	—	—	—	2	8	12	7	2
Male	28	—	—	—	—	—	—	2	6	12	7	1
Female	3	—	—	—	—	—	—	—	2	—	—	1
Trachea, bronchus & lung (C33-C34)	2,062	—	—	—	—	1	9	130	380	656	627	259
Male	1,079	—	—	—	—	—	4	64	208	366	312	125
Female	983	—	—	—	—	1	5	66	172	290	315	134
Bronchus & lung (C34)	2,062	—	—	—	—	1	9	130	380	656	627	259
Male	1,079	—	—	—	—	—	4	64	208	366	312	125
Female	983	—	—	—	—	1	5	66	172	290	315	134
Skin (C43-C44)	192	—	—	—	—	4	9	9	38	42	53	37
Male	124	—	—	—	—	1	5	7	24	28	34	25
Female	68	—	—	—	—	3	4	2	14	14	19	12

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2010 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Melanoma of skin (C43)	146	—	—	—	—	4	9	6	35	34	36	22
Male	91	—	—	—	—	1	5	5	21	24	21	14
Female	55	—	—	—	—	3	4	1	14	10	15	8
Mesothelioma (C45)	43	—	—	—	—	—	—	1	4	12	20	6
Male	33	—	—	—	—	—	—	—	3	10	16	4
Female	10	—	—	—	—	—	—	1	1	2	4	2
Breast (C50)	555	—	—	—	—	2	24	80	129	118	107	95
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	555	—	—	—	—	2	24	80	129	118	107	95
Female genital organs (C51-C58)	390	—	—	—	—	1	13	51	87	91	87	60
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	390	—	—	—	—	1	13	51	87	91	87	60
Cervix uteri (C53)	37	—	—	—	—	1	6	9	11	3	5	2
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	37	—	—	—	—	1	6	9	11	3	5	2
Corpus uteri (C54-C55) ³	100	—	—	—	—	—	3	10	15	28	30	14
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	100	—	—	—	—	—	3	10	15	28	30	14
Ovary (C56)	225	—	—	—	—	—	3	30	56	54	45	37
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	225	—	—	—	—	—	3	30	56	54	45	37
Male genital organs (C60-C63)	401	—	—	—	—	1	—	9	35	73	141	142
Male	401	—	—	—	—	1	—	9	35	73	141	142
Female	—	—	—	—	—	—	—	—	—	—	—	—
Prostate (C61)	397	—	—	—	—	—	—	8	35	73	141	140
Male	397	—	—	—	—	—	—	8	35	73	141	140
Female	—	—	—	—	—	—	—	—	—	—	—	—
Kidney & renal pelvis (C64-C65)	185	—	—	1	1	—	1	17	40	38	60	27
Male	120	—	—	—	—	—	1	11	32	24	40	12
Female	65	—	—	1	1	—	—	6	8	14	20	15
Bladder (C67)	222	—	—	—	—	—	1	6	34	45	68	68
Male	161	—	—	—	—	—	1	5	23	37	53	42
Female	61	—	—	—	—	—	—	1	11	8	15	26
Brain, etc. (C70-C72) ⁴	198	—	1	4	1	5	20	33	52	43	26	13
Male	112	—	1	3	1	2	9	21	32	27	12	4
Female	86	—	—	1	—	3	11	12	20	16	14	9

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2010 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Thyroid/endocrine gland (C73-C75)	27	—	2	1	—	—	2	4	6	2	7	3
Male	12	—	2	—	—	—	—	2	1	1	4	2
Female	15	—	—	1	—	—	2	2	5	1	3	1
Lymphoid & hematopoietic (C81-C96)	763	—	1	3	9	6	7	41	113	168	229	186
Male	418	—	1	3	6	3	5	27	69	97	123	84
Female	345	—	—	—	3	3	2	14	44	71	106	102
Hodgkin's disease (C81)	17	—	—	—	3	—	—	1	4	5	2	2
Male	11	—	—	—	2	—	—	1	3	3	1	1
Female	6	—	—	—	1	—	—	—	1	2	1	1
Non-Hodgkin's lymphoma (C82-C85)	302	—	—	—	1	1	3	19	44	67	84	83
Male	171	—	—	—	1	1	1	14	29	38	48	39
Female	131	—	—	—	—	—	2	5	15	29	36	44
Leukemia (C91-C95)	295	—	1	3	5	5	3	17	40	56	91	74
Male	151	—	1	3	3	2	3	9	23	33	43	31
Female	144	—	—	—	2	3	—	8	17	23	48	43
Lymphoid leukemia (C91)	90	—	—	1	2	2	2	3	10	13	24	33
Male	45	—	—	1	1	1	2	1	6	6	10	17
Female	45	—	—	—	1	1	—	2	4	7	14	16
Myeloid leukemia (C92)	151	—	—	2	3	3	1	11	28	34	43	26
Male	84	—	—	2	2	1	1	7	15	22	25	9
Female	67	—	—	—	1	2	—	4	13	12	18	17
Multiple myeloma (C88, C90) ⁵	149	—	—	—	—	—	1	4	25	40	52	27
Male	85	—	—	—	—	—	1	3	14	23	31	13
Female	64	—	—	—	—	—	—	1	11	17	21	14
Neoplas. Not Specif. as Malig. (D00-D48)⁶ ..	225	1	—	—	1	—	6	11	28	45	65	68
Male	129	—	—	—	—	—	3	9	21	23	37	36
Female	96	1	—	—	1	—	3	2	7	22	28	32
Myelodysplastic syndromes (D46)	84	—	—	—	—	—	—	—	7	18	21	38
Male	44	—	—	—	—	—	—	—	4	12	11	17
Female	40	—	—	—	—	—	—	—	3	6	10	21
Diseases of the Blood (D50-89)⁷	119	1	2	1	—	1	4	9	9	15	29	48
Male	49	1	2	1	—	—	—	2	3	8	11	21
Female	70	—	—	—	—	1	4	7	6	7	18	27
Anemias (D50-D64)	63	—	1	—	—	1	—	2	6	5	13	35
Male	26	—	1	—	—	—	—	1	2	2	4	16
Female	37	—	—	—	—	1	—	1	4	3	9	19

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2010 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Endocrine & Nutritional Dis. (E00-E88)⁸	1,510	—	1	—	12	22	34	114	256	304	364	403
Male	796	—	1	—	6	15	18	72	155	177	201	151
Female	714	—	—	—	6	7	16	42	101	127	163	252
Diabetes mellitus (E10-E14)	1,052	—	—	—	3	10	24	74	189	221	266	265
Male	572	—	—	—	1	8	13	50	114	128	155	103
Female	480	—	—	—	2	2	11	24	75	93	111	162
Nutritional deficiencies (E40-E64)	38	—	1	—	—	1	—	3	4	5	7	17
Male	20	—	1	—	—	—	—	2	2	5	3	7
Female	18	—	—	—	—	1	—	1	2	—	4	10
Malnutrition (E40-E46)	37	—	1	—	—	1	—	3	4	4	7	17
Male	19	—	1	—	—	—	—	2	2	4	3	7
Female	18	—	—	—	—	1	—	1	2	—	4	10
Mental Disorders (F01-F99)⁹	2,212	—	—	—	6	10	21	60	98	126	495	1,396
Male	830	—	—	—	5	6	17	43	65	79	212	403
Female	1,382	—	—	—	1	4	4	17	33	47	283	993
Organic dementia (F01, F03)¹⁰	1,907	—	—	—	—	—	—	1	26	72	447	1,361
Male	627	—	—	—	—	—	—	1	13	38	186	389
Female	1,280	—	—	—	—	—	—	—	13	34	261	972
Due to alcohol (F10)¹¹	136	—	—	—	1	2	10	41	36	27	14	5
Male	104	—	—	—	—	1	8	33	29	19	10	4
Female	32	—	—	—	1	1	2	8	7	8	4	1
Due to psychoactive substance (F11-F19)	79	—	—	—	4	8	5	12	16	16	9	9
Male	53	—	—	—	4	5	4	7	8	15	6	4
Female	26	—	—	—	—	3	1	5	8	1	3	5
Nervous System Disease (G00-G99)	2,177	5	3	4	4	8	16	62	119	206	637	1,113
Male	899	3	2	—	3	5	10	34	67	101	299	375
Female	1,278	2	1	4	1	3	6	28	52	105	338	738
Meningitis (G00, G03)	4	—	—	—	—	—	1	—	3	—	—	—
Male	3	—	—	—	—	—	—	—	3	—	—	—
Female	1	—	—	—	—	—	1	—	—	—	—	—
Amyotrophic lateral sclerosis (G12.2)	119	—	—	—	—	—	2	13	27	35	31	11
Male	55	—	—	—	—	—	2	7	14	16	15	1
Female	64	—	—	—	—	—	—	6	13	19	16	10
Parkinson's disease (G20-G21)	356	—	—	—	—	—	—	—	6	34	162	154
Male	217	—	—	—	—	—	—	—	5	24	103	85
Female	139	—	—	—	—	—	—	—	1	10	59	69

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2010 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death											
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Alzheimer's disease (G30)	1,297	—	—	—	—	—	—	—	4	9	56	343	885
Male	410	—	—	—	—	—	—	—	2	3	15	125	265
Female	887	—	—	—	—	—	—	—	2	6	41	218	620
Multiple sclerosis (G35)	82	—	—	—	—	—	—	2	13	27	22	12	6
Male	37	—	—	—	—	—	—	1	4	14	10	5	3
Female	45	—	—	—	—	—	—	1	9	13	12	7	3
Epilepsy (G40-G41)	17	—	—	1	1	2	1	2	2	2	2	4	2
Male	10	—	—	—	—	2	1	1	1	1	2	2	1
Female	7	—	—	1	1	—	—	1	1	—	—	2	1
Circulatory System Diseases (I00-I99)	8,804	1	—	1	13	28	95	365	763	1,222	2,251	4,065	
Male	4,388	1	—	—	8	21	73	269	528	770	1,179	1,539	
Female	4,416	—	—	1	5	7	22	96	235	452	1,072	2,526	
Major cardiovascular disease (I00-I78)	8,765	1	—	1	12	27	91	359	757	1,218	2,241	4,058	
Male	4,369	1	—	—	8	20	70	266	524	768	1,173	1,539	
Female	4,396	—	—	1	4	7	21	93	233	450	1,068	2,519	
Heart disease (I00-I09, I11, I13, I20-I51)	6,191	1	—	1	11	21	72	266	557	895	1,530	2,837	
Male	3,252	1	—	—	7	18	55	208	402	577	832	1,152	
Female	2,939	—	—	1	4	3	17	58	155	318	698	1,685	
Rheumatic heart disease (I00-I09) ¹²	56	—	—	—	—	—	1	2	5	10	17	21	
Male	23	—	—	—	—	—	—	1	3	5	9	5	
Female	33	—	—	—	—	—	1	1	2	5	8	16	
Hypertensive heart disease (I11)	240	—	—	—	—	1	—	12	15	24	53	135	
Male	100	—	—	—	—	1	—	8	13	13	28	37	
Female	140	—	—	—	—	—	—	4	2	11	25	98	
Hypertensive heart & renal dis. (I13)	39	—	—	—	—	—	—	—	2	4	8	25	
Male	13	—	—	—	—	—	—	—	1	1	5	6	
Female	26	—	—	—	—	—	—	—	1	3	3	19	
Ischemic heart disease (I20-I25)	3,514	—	—	1	—	9	49	183	404	613	885	1,370	
Male	2,107	—	—	—	—	9	43	153	304	430	526	642	
Female	1,407	—	—	1	—	—	6	30	100	183	359	728	
Myocardial infarction (I21-I22)	1,115	—	—	—	—	1	12	49	160	196	295	402	
Male	638	—	—	—	—	1	7	42	117	136	158	177	
Female	477	—	—	—	—	—	5	7	43	60	137	225	
Other acute ischemic hrt. dis. (I24)	24	—	—	—	—	—	—	1	1	10	5	7	
Male	14	—	—	—	—	—	—	—	1	7	3	3	
Female	10	—	—	—	—	—	—	1	—	3	2	4	

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2010 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Chronic isch. heart dis. (I20, I25)	2,375	—	—	1	—	8	37	133	243	407	585	961
Male	1,455	—	—	—	—	8	36	111	186	287	365	462
Female	920	—	—	1	—	—	1	22	57	120	220	499
Atheroscler. cardiovascular dis. ¹³ ...	187	—	—	—	—	1	1	11	19	31	48	76
Male	117	—	—	—	—	1	1	11	19	22	30	33
Female	70	—	—	—	—	—	—	—	—	9	18	43
Other chr. ischemic heart dis. ¹⁴	2,188	—	—	1	—	7	36	122	224	376	537	885
Male	1,338	—	—	—	—	7	35	100	167	265	335	429
Female	850	—	—	1	—	—	1	22	57	111	202	456
Nonrheumatic mitral valve dis. (I34)	52	—	—	—	1	—	1	2	4	2	12	30
Male	22	—	—	—	—	—	—	2	2	—	5	13
Female	30	—	—	—	1	—	1	—	2	2	7	17
Nonrheumatic aortic valve dis. (I35)	394	—	—	—	—	1	—	2	8	26	98	259
Male	158	—	—	—	—	1	—	—	4	16	45	92
Female	236	—	—	—	—	—	—	2	4	10	53	167
Cardiomyopathy (I42)	200	—	—	—	2	2	5	21	27	34	46	63
Male	114	—	—	—	2	2	4	12	16	19	27	32
Female	86	—	—	—	—	—	1	9	11	15	19	31
Heart failure (I50)	696	—	—	—	1	2	—	5	25	65	167	431
Male	291	—	—	—	1	1	—	4	18	36	78	153
Female	405	—	—	—	—	1	—	1	7	29	89	278
Congestive heart failure (I50.0)	633	—	—	—	1	2	—	2	22	58	146	402
Male	261	—	—	—	1	1	—	2	16	33	69	139
Female	372	—	—	—	—	1	—	—	6	25	77	263
Left ventricular heart failure (I50.1)	—	—	—	—	—	—	—	—	—	—	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Heart failure, unspecified (I50.9)	63	—	—	—	—	—	—	3	3	7	21	29
Male	30	—	—	—	—	—	—	2	2	3	9	14
Female	33	—	—	—	—	—	—	1	1	4	12	15
HBP (I10, I12, I15) ¹⁵	442	—	—	—	—	1	3	24	47	46	105	216
Male	178	—	—	—	—	—	3	16	30	26	43	60
Female	264	—	—	—	—	1	—	8	17	20	62	156
Cerebrovascular disease (I60-I69) ¹⁰	1,787	—	—	—	1	4	15	57	126	225	493	866
Male	762	—	—	—	1	1	11	31	78	132	238	270
Female	1,025	—	—	—	—	3	4	26	48	93	255	596

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2010 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Subarachnoid hemorrhage (I60)	64	—	—	—	—	1	3	9	11	15	17	8
Male	28	—	—	—	—	1	2	4	4	10	7	—
Female	36	—	—	—	—	—	1	5	7	5	10	8
Intracerebral hemorrhage (I61-I62) ¹⁶	361	—	—	—	1	1	7	19	42	57	115	119
Male	171	—	—	—	1	—	5	10	26	29	63	37
Female	190	—	—	—	—	1	2	9	16	28	52	82
Cerebral infarction (I63)	80	—	—	—	—	—	1	4	9	11	15	40
Male	39	—	—	—	—	—	—	1	7	8	8	15
Female	41	—	—	—	—	—	1	3	2	3	7	25
Stroke (type not specified) (I64)	964	—	—	—	—	—	2	19	45	106	262	530
Male	384	—	—	—	—	—	2	13	28	60	114	167
Female	580	—	—	—	—	—	—	6	17	46	148	363
Atherosclerosis (I70)	69	—	—	—	—	—	—	1	2	10	19	37
Male	32	—	—	—	—	—	—	1	1	7	11	12
Female	37	—	—	—	—	—	—	—	1	3	8	25
Aortic aneurysm & dissection (I71)	147	—	—	—	—	1	1	6	13	26	58	42
Male	87	—	—	—	—	1	1	6	7	18	36	18
Female	60	—	—	—	—	—	—	—	6	8	22	24
Diseases of arteries (I72-I78) ¹⁷	129	—	—	—	—	—	—	5	12	16	36	60
Male	58	—	—	—	—	—	—	4	6	8	13	27
Female	71	—	—	—	—	—	—	1	6	8	23	33
Respiratory System Diseases (J00-J99)	2,955	2	1	3	1	6	18	109	313	625	920	957
Male	1,441	—	1	2	—	5	4	52	167	333	457	420
Female	1,514	2	—	1	1	1	14	57	146	292	463	537
Influenza & pneumonia (J09-J18)	419	1	—	2	—	1	6	25	29	44	83	228
Male	193	—	—	1	—	1	1	11	14	24	37	104
Female	226	1	—	1	—	—	5	14	15	20	46	124
Influenza (J09-J11)	4	—	—	—	—	—	—	1	—	1	—	2
Male	2	—	—	—	—	—	—	—	—	1	—	1
Female	2	—	—	—	—	—	—	1	—	—	—	1
Pneumonia (J12-J18)	415	1	—	2	—	1	6	24	29	43	83	226
Male	191	—	—	1	—	1	1	11	14	23	37	103
Female	224	1	—	1	—	—	5	13	15	20	46	123
Other acute lower resp. infect'ns (J20-J22)	2	—	—	—	—	—	—	—	1	—	1	—
Male	1	—	—	—	—	—	—	—	—	—	1	—
Female	1	—	—	—	—	—	—	—	1	—	—	—

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2010 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Acute bronchitis (J20-J21) ¹⁸	2	-	-	-	-	-	-	-	1	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	1	-	-	-
Chronic lower respiratory dis. (J40-J47) ¹⁹	1,973	-	-	-	-	2	7	67	227	484	677	509
Male	947	-	-	-	-	1	2	32	120	254	324	214
Female	1,026	-	-	-	-	1	5	35	107	230	353	295
Bronchitis, chronic & unspec. (J40-J42)	14	-	-	-	-	-	-	-	3	-	4	7
Male	4	-	-	-	-	-	-	-	1	-	1	2
Female	10	-	-	-	-	-	-	-	2	-	3	5
Emphysema (J43)	213	-	-	-	-	-	-	5	26	69	69	44
Male	116	-	-	-	-	-	-	4	10	40	38	24
Female	97	-	-	-	-	-	-	1	16	29	31	20
Asthma (J45-J46)	60	-	-	-	-	2	4	11	7	8	8	20
Male	14	-	-	-	-	1	1	2	2	4	3	1
Female	46	-	-	-	-	1	3	9	5	4	5	19
Other CLRD (J44, J47)	1,686	-	-	-	-	-	3	51	191	407	596	438
Male	813	-	-	-	-	-	1	26	107	210	282	187
Female	873	-	-	-	-	-	2	25	84	197	314	251
Bronchiectasis (J47)	23	-	-	-	-	-	-	-	-	1	10	12
Male	3	-	-	-	-	-	-	-	-	-	2	1
Female	20	-	-	-	-	-	-	-	-	1	8	11
Pneumoconioses (J60-J66, J68) ²⁰	17	-	-	-	-	-	-	-	1	3	5	8
Male	15	-	-	-	-	-	-	-	1	2	5	7
Female	2	-	-	-	-	-	-	-	-	1	-	1
Pneumonitis due to solids & liquids (J69)	178	-	-	1	-	1	-	2	15	22	39	98
Male	103	-	-	1	-	1	-	2	10	11	24	54
Female	75	-	-	-	-	-	-	-	5	11	15	44
Digestive System Diseases (K00-K92)	1,398	-	-	-	3	7	56	207	295	220	284	326
Male	706	-	-	-	2	4	37	139	184	113	115	112
Female	692	-	-	-	1	3	19	68	111	107	169	214
Peptic ulcer (K25-K28)	52	-	-	-	-	-	-	3	3	15	15	16
Male	23	-	-	-	-	-	-	2	2	8	7	4
Female	29	-	-	-	-	-	-	1	1	7	8	12
Diseases of the appendix (K35-K38)	7	-	-	-	-	-	-	-	2	2	2	1
Male	5	-	-	-	-	-	-	-	2	1	1	1
Female	2	-	-	-	-	-	-	-	-	1	1	-

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2010 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Appendicitis (K35-K37)	7	—	—	—	—	—	—	—	2	2	2	1
Male	5	—	—	—	—	—	—	—	2	1	1	1
Female	2	—	—	—	—	—	—	—	—	1	1	—
Hernia (K40-K46)	38	—	—	—	—	—	1	3	3	8	7	16
Male	19	—	—	—	—	—	1	1	1	5	5	6
Female	19	—	—	—	—	—	—	2	2	3	2	10
Vascular disorders of the intestine (K55)	132	—	—	—	—	—	2	6	16	21	45	42
Male	43	—	—	—	—	—	2	2	6	5	12	16
Female	89	—	—	—	—	—	—	4	10	16	33	26
Chronic liver disease (K70, K73-K74) ²¹	508	—	—	—	—	5	31	135	193	84	45	15
Male	322	—	—	—	—	2	19	95	128	49	22	7
Female	186	—	—	—	—	3	12	40	65	35	23	8
Alcoholic liver disease (K70) ²²	361	—	—	—	—	4	29	117	147	50	13	1
Male	246	—	—	—	—	1	18	83	98	35	10	1
Female	115	—	—	—	—	3	11	34	49	15	3	—
Cholelithiasis (K80-K82) ²³	57	—	—	—	—	—	2	2	7	8	13	25
Male	24	—	—	—	—	—	1	1	4	4	5	9
Female	33	—	—	—	—	—	1	1	3	4	8	16
Diseases of the Skin (L00-L98) ²⁴	58	—	—	—	—	1	—	3	12	12	14	16
Male	21	—	—	—	—	—	—	2	4	6	4	5
Female	37	—	—	—	—	1	—	1	8	6	10	11
Musculoskeletal Disease (M00-M99) ²⁵	213	1	—	—	1	1	8	8	17	33	60	84
Male	60	—	—	—	—	—	3	4	9	14	11	19
Female	153	1	—	—	1	1	5	4	8	19	49	65
Genitourinary System Dis. (N00-N99)	611	1	—	—	1	2	3	20	52	87	152	293
Male	283	1	—	—	—	—	2	5	28	41	75	131
Female	328	—	—	—	1	2	1	15	24	46	77	162
Nephritis (N00-N07, N17-N19, N25-N27) ²⁶	400	1	—	—	—	1	2	8	34	63	103	188
Male	207	1	—	—	—	—	2	3	21	34	58	88
Female	193	—	—	—	—	1	—	5	13	29	45	100
Acute nephrotic syndr. (N00-N01, N04) ²⁷ ..	1	—	—	—	—	—	—	—	—	—	—	1
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	1	—	—	—	—	—	—	—	—	—	—	1
Chr. nephritis (N02-N03, N05-N07, N26) ²⁸ ..	70	—	—	—	—	1	—	2	3	6	10	48
Male	29	—	—	—	—	—	—	1	2	3	5	18
Female	41	—	—	—	—	1	—	1	1	3	5	30

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2010 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Renal failure (N17-N19)	329	1	—	—	—	—	2	6	31	57	93	139
Male	178	1	—	—	—	—	2	2	19	31	53	70
Female	151	—	—	—	—	—	—	4	12	26	40	69
Other disorders of kidney (N25, N27)	—	—	—	—	—	—	—	—	—	—	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Kidney infect'ns (N10-N12, N13.6, N15.1)	5	—	—	—	—	—	1	—	1	1	1	1
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	5	—	—	—	—	—	1	—	1	1	1	1
Urinary tract infection (N39.0)	158	—	—	—	—	—	—	10	16	18	31	83
Male	51	—	—	—	—	—	—	2	6	4	8	31
Female	107	—	—	—	—	—	—	8	10	14	23	52
Hyperplasia of prostate (N40)	10	—	—	—	—	—	—	—	—	1	3	6
Male	10	—	—	—	—	—	—	—	—	1	3	6
Female	—	—	—	—	—	—	—	—	—	—	—	—
Female pelvic inflam. dis. (N70-N76) ²⁹	6	—	—	—	1	—	—	1	—	—	3	1
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	6	—	—	—	1	—	—	1	—	—	3	1
Pregnancy & Childbirth (O00-O99)³⁰	4	—	—	—	1	2	—	1	—	—	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	4	—	—	—	1	2	—	1	—	—	—	—
Perinatal Conditions (P00-P96)	106	103	2	—	—	—	—	1	—	—	—	—
Male	62	59	2	—	—	—	—	1	—	—	—	—
Female	44	44	—	—	—	—	—	—	—	—	—	—
Congenital Malformations (Q00-Q99)³¹	116	52	4	4	2	7	9	10	14	7	3	4
Male	63	26	2	1	2	6	6	5	8	5	—	2
Female	53	26	2	3	—	1	3	5	6	2	3	2
Malformation of the heart (Q20-Q24)	36	12	2	2	1	5	5	3	2	1	1	2
Male	17	3	—	1	1	4	3	3	—	1	—	1
Female	19	9	2	1	—	1	2	—	2	—	1	1
Other malf. of the circul. sys. (Q25-Q28)	2	1	—	—	—	—	—	—	1	—	—	—
Male	2	1	—	—	—	—	—	—	1	—	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Malf. of the respiratory system (Q30-Q34)	3	2	—	—	—	—	—	1	—	—	—	—
Male	1	1	—	—	—	—	—	—	—	—	—	—
Female	2	1	—	—	—	—	—	1	—	—	—	—

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2010 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Symptoms & Signs (R00-R99)³²	597	34	3	1	4	5	10	31	53	66	108	282
Male	256	20	3	1	3	4	3	20	32	38	46	86
Female	341	14	—	—	1	1	7	11	21	28	62	196
Senility (R54)	76	—	—	—	—	—	—	—	—	2	6	68
Male	19	—	—	—	—	—	—	—	—	—	2	17
Female	57	—	—	—	—	—	—	—	—	2	4	51
Sudden infant death syndrome (R95)	32	32	—	—	—	—	—	—	—	—	—	—
Male	18	18	—	—	—	—	—	—	—	—	—	—
Female	14	14	—	—	—	—	—	—	—	—	—	—
External Causes of Death (V01-Y89)	2,503	20	19	24	205	272	312	427	357	192	287	388
Male	1,631	11	10	16	164	214	221	283	257	133	148	174
Female	872	9	9	8	41	58	91	144	100	59	139	214
Accidents (V01-X59, Y85-Y86)	1,557	13	16	15	120	140	143	219	185	119	237	350
Male	938	5	10	12	94	109	100	141	129	80	113	145
Female	619	8	6	3	26	31	43	78	56	39	124	205
Transport accidents (V01-V99, Y85)	360	1	3	6	64	45	38	60	65	28	38	12
Male	262	1	2	4	46	34	33	42	48	23	22	7
Female	98	—	1	2	18	11	5	18	17	5	16	5
Motor vehicle acc. (Many codes) ³³	324	1	3	6	61	39	37	51	58	22	35	11
Male	235	1	2	4	44	30	32	36	42	18	20	6
Female	89	—	1	2	17	9	5	15	16	4	15	5
Motor veh. traf. acc. (Many codes) ³⁴ ...	307	1	3	5	59	39	35	48	55	21	30	11
Male	223	1	2	3	43	30	30	35	39	17	17	6
Female	84	—	1	2	16	9	5	13	16	4	13	5
Water transport accidents (V90-V94)	4	—	—	—	—	—	—	1	—	2	1	—
Male	4	—	—	—	—	—	—	1	—	2	1	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Air transport accidents (V95-V97)	5	—	—	—	—	—	—	3	—	1	—	1
Male	5	—	—	—	—	—	—	3	—	1	—	1
Female	—	—	—	—	—	—	—	—	—	—	—	—
Nontransport accidents (W00-X59, Y86)	1,197	12	13	9	56	95	105	159	120	91	199	338
Male	676	4	8	8	48	75	67	99	81	57	91	138
Female	521	8	5	1	8	20	38	60	39	34	108	200
Falls (W00-W19)	535	—	1	1	5	6	10	14	28	38	143	289
Male	254	—	—	1	3	6	6	13	19	25	64	117
Female	281	—	1	—	2	—	4	1	9	13	79	172

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2010 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Firearms (W32-W34)	4	—	—	1	1	1	—	—	1	—	—	—
Male	4	—	—	1	1	1	—	—	1	—	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Drowning & submersion (W65-W74)	63	—	3	3	13	5	4	12	15	3	4	1
Male	54	—	2	3	13	3	4	10	13	3	2	1
Female	9	—	1	—	—	2	—	2	2	—	2	—
Exposure to smoke & fire (X00-X09)	17	—	—	2	—	—	1	5	3	4	1	1
Male	9	—	—	1	—	—	1	2	2	3	—	—
Female	8	—	—	1	—	—	—	3	1	1	1	1
Poisoning (X40-X49) ³⁵	383	—	1	1	33	77	78	109	57	15	7	5
Male	245	—	1	1	27	61	47	60	35	9	3	1
Female	138	—	—	—	6	16	31	49	22	6	4	4
Suicide (X60-X84, Y87.0)	685	—	—	—	54	86	135	151	133	59	43	24
Male	535	—	—	—	45	70	104	110	104	45	34	23
Female	150	—	—	—	9	16	31	41	29	14	9	1
Poisoning (X60-X69)	140	—	—	—	4	12	36	42	29	10	5	2
Male	76	—	—	—	1	7	20	21	17	6	2	2
Female	64	—	—	—	3	5	16	21	12	4	3	—
Hanging/suffocation (X70)	120	—	—	—	20	25	28	26	13	5	2	1
Male	91	—	—	—	15	21	23	22	6	3	1	—
Female	29	—	—	—	5	4	5	4	7	2	1	1
Firearm discharge (X72-X74)	376	—	—	—	25	44	64	69	79	40	35	20
Male	331	—	—	—	24	38	55	59	71	33	31	20
Female	45	—	—	—	1	6	9	10	8	7	4	—
Homicide (X85-Y09, Y87.1)	114	3	2	8	14	20	14	25	19	5	2	2
Male	65	3	—	3	12	15	6	13	10	3	—	—
Female	49	—	2	5	2	5	8	12	9	2	2	2
Firearm discharge (X93-X95)	59	—	—	4	10	15	8	12	5	3	—	2
Male	37	—	—	1	10	12	4	6	3	1	—	—
Female	22	—	—	3	—	3	4	6	2	2	—	2
Legal intervention (Y35, Y89.0) ³⁶	22	—	1	—	5	8	2	4	2	—	—	—
Male	19	—	—	—	5	6	2	4	2	—	—	—
Female	3	—	1	—	—	2	—	—	—	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	104	4	—	1	12	18	18	26	17	4	1	3
Male	64	3	—	1	8	14	9	15	11	2	—	1
Female	40	1	—	—	4	4	9	11	6	2	1	2

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2010 — Continued

Causes of Death (and their ICD-10 codes) ¹	Total	Age at Death											
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
War and its sequelae (Y36, Y89.1) ³⁷	—	—	—	—	—	—	—	—	—	—	—	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—	—
Medical care complica'ns (Y40-Y84, Y88)	21	—	—	—	—	—	—	2	1	5	4	9	
Male	10	—	—	—	—	—	—	—	1	3	1	5	
Female	11	—	—	—	—	—	2	—	2	3	3	4	
Injury by firearms (Many codes) ³⁸	458	—	—	5	40	66	74	86	87	43	35	22	
Male	390	—	—	2	39	57	60	70	77	34	31	20	
Female	68	—	—	3	1	9	14	16	10	9	4	2	
Alcohol-induced deaths (Many codes) ^{39,40}	571	1	—	—	2	11	46	185	200	91	28	7	
Male	411	1	—	—	1	7	32	138	141	65	20	6	
Female	160	—	—	—	1	4	14	47	59	26	8	1	
Drug-induced deaths (Many codes) ^{41,42}	575	—	1	1	42	96	115	157	100	33	18	12	
Male	338	—	1	1	30	71	65	79	54	24	9	4	
Female	237	—	—	—	12	25	50	78	46	9	9	8	
Injury at work ⁴³	39	—	—	—	2	2	6	12	10	3	2	2	
Male	34	—	—	—	2	2	5	10	10	2	2	1	
Female	5	—	—	—	—	—	1	2	—	1	—	1	

¹ International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

² Human immunodeficiency virus/Acquired immune deficiency syndrome.

³ Includes uterus, part unspecified.

⁴ Includes meninges and other parts of the central nervous system.

⁵ Includes immunoproliferative neoplasms.

⁶ Includes in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.

⁷ Includes diseases of the blood forming-organs and disorders involving the immune mechanism.

⁸ Includes metabolic diseases.

⁹ Includes behavioral disorders.

¹⁰ In 2005, the National Center for Health Statistics changed the ICD-10 codes to which certain brain disorders were coded. In prior years, "multi-infarct dementia" was coded to I63.9 (cerebral infarction, unspecified) and "vascular dementia" as I67.9 (cerebrovascular disease, unspecified). Beginning in 2005, "multi-infarct dementia" is assigned to code F01.1 and "vascular dementia" to F01.9. Therefore, certain deaths formerly attributed to the cerebrovascular disease rubric are now counted as forms of organic dementia, with a net loss of 111 for the former and a similar gain for the latter.

¹¹ For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.

¹² Includes acute rheumatic fever.

¹³ The ICD-10 code is I25.0.

¹⁴ Includes angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.

¹⁵ Hypertension with/without Renal Disease.

¹⁶ Includes other intracranial hemorrhages.

¹⁷ Includes diseases of the arterioles and capillaries.

¹⁸ Includes acute bronchiolitis.

- 19 Formerly chronic obstructive pulmonary disease (COPD).
- 20 Includes respiratory conditions due to inhalation of chemicals, gases, fumes, and vapors.
- 21 Includes liver cirrhosis.
- 22 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 23 Includes other diseases of the gallbladder.
- 24 Includes subcutaneous tissues.
- 25 Includes connective tissue.
- 26 Includes nephrotic syndrome and nephrosis.
- 27 Includes acute and rapidly progressive nephritic and nephrotic syndrome.
- 28 Includes chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 29 Inflammatory diseases of female pelvic organs.
- 30 Includes the puerperium.
- 31 Includes congenital deformations and chromosomal abnormalities.
- 32 Includes abnormal clinical and laboratory findings not elsewhere classified.
- 33 Includes the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 34 Includes the following ICD-10 codes: V02-V04(.1-.9), V09.2, V12-V14(.3-.9), V19(.4-.6), V20-V28(.3-.9), V29(.4-.9), V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80(.3-.5), V81.1, V82.1, V83-V86(.0-.3), V87(.0-.8), V89.2.
- 35 Includes exposure to noxious substances.
- 36 Legal intervention is the intentional or unintentional death of a person resulting from the actions of a law enforcement agent. This figure may not include all such deaths, if the certifying medical examiner failed to note (on the death certificate) the involvement of a law enforcement agent.
- 37 Includes late effects of injuries sustained in war. (The deaths of Oregon residents who died outside the U.S. while on active-duty are not reported to Oregon's Center for Health Statistics by the U.S. Department of Defense.)
- 38 Includes accidental, suicidal, homicidal, and undetermined intent gunshot deaths (ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0). Note this category includes injuries included in other cause of death categories.
- 39 Includes: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent. Note disorders included here are also included in other cause of death categories.
- 40 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K85.2, K86.0, R78.0, X45, X65, and Y15. respectively. (Components of this category were revised beginning in 2004, resulting in the inclusion of additional codes/deaths.)
- 41 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Other conditions, such as, drug-induced hypoglycemia and drug-induced Parkinsonism are also included here. Note disorders included here are also included in other cause of death categories.
- 42 The ICD-10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14. (Components of this category were revised beginning in 2004 resulting in the inclusion of additional codes/deaths.)
- 43 Recorded as a separate item on the death certificate by the Medical Examiner.
- * Includes unknown age and sex.
- Quantity is 0.