

TABLE 6-47t. Age-adjusted Death Rates¹ for Selected Causes by County/Geographic Region, Oregon Residents, 2010-2012

Cause of Death	State	Clackamas	Deschutes	Douglas	Jackson
Total	723.1	689.4	680.8	821.2	748.2
Infectious & parasitic disease (A00-B99)	13.9	11.9	7.6	19.7	11.8
Septicemia (A40-A41)	4.5	4.1	*	4.5	3.1
Malignant neoplasms (C00-C97)	172.5	163.8	162.7	195.3	177.7
Esophagus (C15)	4.4	3.8	3.3	4.5	4.7
Colon, rectum & anus (C18-C21)	15.0	14.4	11.3	15.1	14.1
Pancreas (C25)	11.2	10.4	15.1	11.6	10.8
Trachea, bronchus & lung (C33-C34)	46.3	45.4	39.0	63.7	46.4
Breast (C50)	11.6	12.1	8.8	8.9	12.6
Ovary (C56)	5.0	5.2	4.6	5.2	5.0
Prostate (C61)	9.3	8.4	10.1	8.3	10.6
Brain, etc. (C70-C72) ²	4.9	4.8	5.2	5.4	4.6
Lymphoid & hematopoietic (C81-C96)	17.3	16.7	20.1	21.4	18.1
Non-Hodgkin's lymphoma (C82-C85)	6.4	6.0	6.7	8.5	6.5
Leukemia (C91-C95)	6.9	6.4	8.4	8.7	6.7
Diabetes mellitus (E10-E14)	24.5	22.7	19.1	32.0	22.3
Parkinson's disease (G20-G21)	8.2	8.6	8.7	8.3	7.9
Alzheimer's disease (G30)	28.5	30.6	24.2	35.3	35.2
Major cardiovascular diseases (I00-I78)	192.8	186.7	180.2	221.8	195.9
Heart disease (I00-I09, I11, I13, I20-I51)	135.2	131.4	127.0	159.2	134.6
Hypertensive heart disease (I11)	4.9	5.1	7.7	*	3.8
Ischemic heart disease (I20-I25)	75.1	67.7	68.4	96.5	71.4
Myocardial infarction (I21-I22)	23.2	18.7	20.7	32.8	16.5
Chronic ischemic heart disease (I20, I25)	51.4	48.6	47.2	62.8	54.1
Atherosclerotic cardiovascular dis. (I25.0) ²	4.0	2.6	8.1	*	4.2
Heart failure (I50)	15.7	16.2	14.0	13.4	18.9
Hypertension & hyp. renal disease (I10, I12, I15)	10.0	8.6	8.1	13.1	11.9
Cerebrovascular disease (I60-I69) ²	39.9	39.9	37.3	41.3	44.6
Atherosclerosis (I70)	1.5	*	*	*	*
Aortic aneurysm & dissection (I71)	3.4	3.2	4.1	5.2	2.4
Influenza & pneumonia (J09-J18)	8.7	7.4	8.0	7.4	9.2
Chronic lower respiratory disease (J40-J47) ²	44.6	37.1	47.1	58.5	50.0
Emphysema (J43)	4.1	3.8	4.0	*	4.7
Other CLRD (J44, J47)	39.1	32.1	42.1	53.4	43.4
Chronic liver disease & cirrhosis (K70, K73-K74) ²	11.7	8.3	12.2	14.6	15.9
Alcoholic liver disease (K70) ²	8.6	5.8	9.9	10.9	12.5
Nephritis (N00-N07, N17-N19, N25-N27) ²	7.7	7.1	5.1	9.6	7.3
Symptoms & signs NEC (R00-R99) ²	13.8	13.5	12.7	10.9	14.3
Unintentional injuries (V01-X59, Y85-Y86)	39.0	37.6	34.9	45.9	42.1
Transport accidents (V01-V99, Y85)	9.6	9.1	10.4	15.2	8.5
Motor vehicle accidents (many codes) ²	8.6	8.5	9.5	14.7	8.1
Nontransport accidents (W00-X59, Y86)	29.4	28.6	24.5	30.7	33.6
Falls (W00-W19)	12.7	13.6	11.3	10.3	13.6
Poisoning (X40-X49) ²	9.9	7.8	8.6	9.3	12.9
Suicide (X60-X84, Y87.0)	17.0	15.0	21.5	20.4	17.9
Homicide (X85-Y09, Y87.1)	2.8	1.8	*	*	4.3
Alcohol-induced (many codes) ²	14.1	10.1	15.2	15.7	16.7
Drug-induced (many codes) ²	14.4	12.5	11.8	15.0	19.7
Injury by firearms (many codes) ²	10.9	8.9	13.1	16.2	12.7

See footnotes at end of table.

TABLE 6-47t. Age-adjusted Death Rates¹ for Selected Causes by County/Geographic Region, Oregon Residents, 2010-2012 — Continued

Cause of Death	Josephine	Lane	Linn	Marion	Multnomah
Total	835.4	727.6	778.1	736.4	746.9
Infectious & parasitic disease (A00-B99)	18.0	15.3	14.2	16.4	16.5
Septicemia (A40-A41)	*	5.8	*	4.4	5.5
Malignant neoplasms (C00-C97)	209.3	169.3	194.2	168.4	176.9
Esophagus (C15)	5.5	5.1	*	5.5	3.8
Colon, rectum & anus (C18-C21)	17.4	15.9	15.1	13.9	16.0
Pancreas (C25)	14.8	10.9	12.7	11.0	11.5
Trachea, bronchus & lung (C33-C34)	58.9	44.4	54.8	46.7	47.3
Breast (C50)	15.2	10.8	14.8	10.8	11.6
Ovary (C56)	*	6.5	4.3	5.4	5.2
Prostate (C61)	12.7	8.1	10.6	9.0	8.4
Brain, etc. (C70-C72) ²	*	4.5	5.2	4.7	4.7
Lymphoid & hematopoietic (C81-C96)	21.0	16.9	22.5	14.9	16.9
Non-Hodgkin's lymphoma (C82-C85)	*	6.4	9.6	5.2	6.5
Leukemia (C91-C95)	11.2	8.0	8.3	6.2	6.3
Diabetes mellitus (E10-E14)	27.2	21.4	32.1	32.4	25.1
Parkinson's disease (G20-G21)	8.2	7.3	6.7	8.3	8.9
Alzheimer's disease (G30)	23.6	33.7	32.3	22.1	30.5
Major cardiovascular diseases (I00-I78)	214.7	179.5	218.9	193.5	202.9
Heart disease (I00-I09, I11, I13, I20-I51)	145.0	125.4	148.7	133.8	141.5
Hypertensive heart disease (I11)	4.5	3.9	*	3.9	6.5
Ischemic heart disease (I20-I25)	85.6	66.3	86.2	71.8	76.1
Myocardial infarction (I21-I22)	25.1	21.2	37.5	20.6	22.9
Chronic ischemic heart disease (I20, I25)	59.7	44.7	48.6	51.0	52.9
Atherosclerotic cardiovascular dis. (I25.0) ²	6.7	1.9	*	2.6	3.2
Heart failure (I50)	15.9	16.6	17.3	13.9	16.6
Hypertension & hyp. renal disease (I10, I12, I15)	11.0	10.6	12.8	8.1	10.8
Cerebrovascular disease (I60-I69) ²	51.1	37.4	47.3	43.5	42.6
Atherosclerosis (I70)	*	*	*	*	1.4
Aortic aneurysm & dissection (I71)	*	2.9	6.3	4.1	3.2
Influenza & pneumonia (J09-J18)	8.1	7.7	10.4	10.7	9.3
Chronic lower respiratory disease (J40-J47) ²	56.8	51.1	44.7	43.4	43.7
Emphysema (J43)	7.5	3.9	*	4.1	3.7
Other CLRD (J44, J47)	47.9	45.7	38.7	37.5	38.9
Chronic liver disease & cirrhosis (K70, K73-K74) ²	14.4	13.1	9.5	13.1	11.5
Alcoholic liver disease (K70) ²	11.0	9.9	6.9	9.4	8.3
Nephritis (N00-N07, N17-N19, N25-N27) ²	9.5	7.5	9.0	7.9	7.2
Symptoms & signs NEC (R00-R99) ²	21.9	13.0	10.9	14.6	11.8
Unintentional injuries (V01-X59, Y85-Y86)	51.5	43.4	40.9	39.0	40.8
Transport accidents (V01-V99, Y85)	19.2	9.6	10.1	10.3	6.3
Motor vehicle accidents (many codes) ²	16.4	8.3	8.3	9.4	5.6
Nontransport accidents (W00-X59, Y86)	32.3	33.8	30.8	28.7	34.6
Falls (W00-W19)	13.8	16.2	11.9	10.5	14.6
Poisoning (X40-X49) ²	*	10.8	12.0	11.3	13.7
Suicide (X60-X84, Y87.0)	20.4	18.5	15.8	15.4	14.8
Homicide (X85-Y09, Y87.1)	*	3.0	*	2.8	3.5
Alcohol-induced (many codes) ²	16.3	15.9	11.4	16.4	14.9
Drug-induced (many codes) ²	15.0	16.2	15.9	14.0	18.8
Injury by firearms (many codes) ²	15.9	11.6	10.3	9.9	8.1

See footnotes at end of table.

TABLE 6-47t. Age-adjusted Death Rates¹ for Selected Causes by County/Geographic Region, Oregon Residents, 2010-2012 — Continued

Cause of Death	Washington	Yamhill	North Coast: Clatsop, Columbia, Lincoln, Tillamook	South Coast: Coos, Curry
Total	605.5	733.1	742.4	845.7
Infectious & parasitic disease (A00-B99)	11.3	14.5	12.6	17.6
Septicemia (A40-A41)	3.9	*	4.3	6.1
Malignant neoplasms (C00-C97)	147.8	182.8	181.6	194.9
Esophagus (C15)	3.6	*	5.0	5.3
Colon, rectum & anus (C18-C21)	13.5	13.7	15.4	18.6
Pancreas (C25)	10.3	12.5	9.7	9.7
Trachea, bronchus & lung (C33-C34)	34.9	44.4	53.7	60.3
Breast (C50)	11.0	15.4	12.2	12.0
Ovary (C56)	4.6	6.9	4.5	*
Prostate (C61)	8.3	10.7	11.9	12.0
Brain, etc. (C70-C72) ²	5.0	7.6	5.4	5.2
Lymphoid & hematopoietic (C81-C96)	16.1	18.0	14.7	14.7
Non-Hodgkin's lymphoma (C82-C85)	6.0	*	5.8	6.8
Leukemia (C91-C95)	6.1	7.9	6.3	5.5
Diabetes mellitus (E10-E14)	18.9	27.3	22.3	28.3
Parkinson's disease (G20-G21)	8.7	10.6	8.4	6.7
Alzheimer's disease (G30)	26.4	28.4	25.1	27.4
Major cardiovascular diseases (I00-I78)	161.7	192.5	200.3	217.6
Heart disease (I00-I09, I11, I13, I20-I51)	115.9	143.7	146.0	159.4
Hypertensive heart disease (I11)	4.3	8.2	7.5	*
Ischemic heart disease (I20-I25)	64.6	82.3	85.5	100.0
Myocardial infarction (I21-I22)	22.2	18.7	28.8	28.4
Chronic ischemic heart disease (I20, I25)	42.1	62.8	55.9	70.8
Atherosclerotic cardiovascular dis. (I25.0) ²	2.3	*	*	6.5
Heart failure (I50)	14.7	11.0	14.3	18.6
Hypertension & hyp. renal disease (I10, I12, I15)	8.6	9.4	7.3	12.1
Cerebrovascular disease (I60-I69) ²	30.8	33.3	39.3	37.4
Atherosclerosis (I70)	1.3	*	*	*
Aortic aneurysm & dissection (I71)	2.6	*	2.9	*
Influenza & pneumonia (J09-J18)	7.3	10.8	9.4	7.1
Chronic lower respiratory disease (J40-J47) ²	29.4	35.4	48.3	60.9
Emphysema (J43)	2.4	*	4.2	4.4
Other CLRD (J44, J47)	25.7	29.8	42.4	54.5
Chronic liver disease & cirrhosis (K70, K73-K74) ²	7.5	11.3	14.0	18.5
Alcoholic liver disease (K70) ²	4.8	8.7	10.0	13.8
Nephritis (N00-N07, N17-N19, N25-N27) ²	7.7	6.5	8.6	9.5
Symptoms & signs NEC (R00-R99) ²	10.2	7.9	17.2	18.2
Unintentional injuries (V01-X59, Y85-Y86)	25.8	34.0	48.6	55.2
Transport accidents (V01-V99, Y85)	5.2	7.9	13.5	18.6
Motor vehicle accidents (many codes) ²	4.5	7.9	11.5	14.2
Nontransport accidents (W00-X59, Y86)	20.6	26.1	35.1	36.6
Falls (W00-W19)	11.2	8.6	11.0	15.1
Poisoning (X40-X49) ²	5.0	11.2	14.8	11.0
Suicide (X60-X84, Y87.0)	15.4	17.8	18.1	29.2
Homicide (X85-Y09, Y87.1)	1.8	*	*	*
Alcohol-induced (many codes) ²	8.6	12.4	16.5	21.0
Drug-induced (many codes) ²	9.5	13.2	20.3	18.8
Injury by firearms (many codes) ²	7.9	13.5	13.5	18.5

See footnotes at end of table.

TABLE 6-47t. Age-adjusted Death Rates¹ for Selected Causes by County/Geographic Region, Oregon Residents, 2010-2012 — Continued

Cause of Death	Mid Valley: Benton, Polk	North Central: Crook, Gilliam, Hood River, Jefferson, Sherman, Wasco, Wheeler	South Central: Klamath, Lake	Eastern Oregon: Baker, Grant, Harney, Malheur, Morrow, Umatilla, Union, Wallowa
Total	634.0	753.0	828.4	744.9
Infectious & parasitic disease (A00-B99)	9.9	10.9	18.4	13.6
Septicemia (A40-A41)	*	*	*	5.4
Malignant neoplasms (C00-C97)	172.9	165.9	173.1	170.6
Esophagus (C15)	4.9	*	*	5.3
Colon, rectum & anus (C18-C21)	14.0	16.8	17.7	16.0
Pancreas (C25)	12.5	12.9	8.9	10.4
Trachea, bronchus & lung (C33-C34)	39.8	47.2	43.1	42.6
Breast (C50)	13.5	10.7	12.7	11.7
Ovary (C56)	4.6	5.5	*	3.5
Prostate (C61)	10.5	8.0	8.0	8.4
Brain, etc. (C70-C72) ²	5.9	5.5	*	4.3
Lymphoid & hematopoietic (C81-C96)	20.7	13.0	18.4	17.8
Non-Hodgkin's lymphoma (C82-C85)	8.3	5.7	6.8	7.1
Leukemia (C91-C95)	7.0	5.3	*	6.0
Diabetes mellitus (E10-E14)	20.7	26.6	27.5	28.0
Parkinson's disease (G20-G21)	6.5	8.0	*	8.3
Alzheimer's disease (G30)	24.9	20.5	33.8	22.2
Major cardiovascular diseases (I00-I78)	172.7	207.4	206.1	205.4
Heart disease (I00-I09, I11, I13, I20-I51)	118.1	137.6	148.5	144.4
Hypertensive heart disease (I11)	3.5	6.7	*	4.1
Ischemic heart disease (I20-I25)	62.1	71.3	90.0	91.8
Myocardial infarction (I21-I22)	20.5	21.9	26.2	31.6
Chronic ischemic heart disease (I20, I25)	41.0	48.5	63.9	59.5
Atherosclerotic cardiovascular dis. (I25.0) ²	3.5	*	10.6	12.2
Heart failure (I50)	16.4	17.8	12.3	14.9
Hypertension & hyp. renal disease (I10, I12, I15)	9.3	12.0	9.4	10.5
Cerebrovascular disease (I60-I69) ²	39.4	39.4	40.1	41.8
Atherosclerosis (I70)	*	12.4	*	*
Aortic aneurysm & dissection (I71)	*	*	*	4.7
Influenza & pneumonia (J09-J18)	9.0	7.8	12.8	10.0
Chronic lower respiratory disease (J40-J47) ²	31.7	52.5	52.5	48.9
Emphysema (J43)	*	8.3	*	4.6
Other CLRD (J44, J47)	28.2	40.9	47.5	42.0
Chronic liver disease & cirrhosis (K70, K73-K74) ²	9.5	16.9	18.0	10.4
Alcoholic liver disease (K70) ²	5.8	14.4	15.6	7.6
Nephritis (N00-N07, N17-N19, N25-N27) ²	6.5	7.6	7.4	9.6
Symptoms & signs NEC (R00-R99) ²	11.4	10.9	29.9	23.1
Unintentional injuries (V01-X59, Y85-Y86)	29.9	48.7	45.7	45.6
Transport accidents (V01-V99, Y85)	9.3	18.2	14.7	17.0
Motor vehicle accidents (many codes) ²	8.5	17.3	14.2	14.7
Nontransport accidents (W00-X59, Y86)	20.5	30.5	31.0	28.6
Falls (W00-W19)	9.2	14.5	12.6	11.1
Poisoning (X40-X49) ²	6.7	*	11.9	7.6
Suicide (X60-X84, Y87.0)	12.8	20.9	27.3	16.9
Homicide (X85-Y09, Y87.1)	*	*	*	4.3
Alcohol-induced (many codes) ²	12.2	21.2	26.9	11.8
Drug-induced (many codes) ²	6.9	7.5	18.2	10.5
Injury by firearms (many codes) ²	6.6	17.0	21.5	15.7

¹ Age-adjusted rates are per 100,000 population based on the US year 2000 standard; calculations use Portland State University Center for Population Research age and sex population estimates.

² See footnote for this cause in Table 6-6.

* Age-adjusted rates are not calculated when fewer than 20 deaths were recorded, as the rate would be unreliable.

TABLE 6-47m. Age-adjusted Death Rates¹ for Selected Causes by County/Geographic Region, Oregon Resident Males, 2010-2012

Cause of Death	State	Clackamas	Deschutes	Douglas	Jackson
Total	843.4	796.2	777.3	958.9	874.7
Infectious & parasitic disease (A00-B99)	16.6	15.1	9.9	23.4	16.1
Septicemia (A40-A41)	4.9	4.9	*	*	*
Malignant neoplasms (C00-C97)	202.6	188.0	194.4	223.5	216.3
Esophagus (C15)	7.6	5.7	*	*	8.1
Colon, rectum & anus (C18-C21)	17.4	15.6	10.5	17.8	16.5
Pancreas (C25)	12.9	11.2	18.2	11.9	12.6
Trachea, bronchus & lung (C33-C34)	53.4	52.9	41.9	71.3	54.9
Breast (C50)	*	*	—	—	—
Ovary (C56)	—	—	—	—	—
Prostate (C61)	22.4	21.3	22.8	18.4	25.3
Brain, etc. (C70-C72) ²	5.9	5.7	*	*	7.2
Lymphoid & hematopoietic (C81-C96)	22.9	20.9	26.8	26.0	27.0
Non-Hodgkin's lymphoma (C82-C85)	8.4	6.5	9.6	10.7	10.1
Leukemia (C91-C95)	9.2	8.6	10.9	12.2	10.0
Diabetes mellitus (E10-E14)	30.2	28.1	23.6	43.6	26.7
Parkinson's disease (G20-G21)	12.2	13.5	13.8	9.1	12.7
Alzheimer's disease (G30)	23.4	23.9	21.2	27.4	26.4
Major cardiovascular diseases (I00-I78)	234.1	227.3	207.0	263.0	232.2
Heart disease (I00-I09, I11, I13, I20-I51)	173.6	169.5	153.6	199.5	170.7
Hypertensive heart disease (I11)	4.6	4.9	*	*	*
Ischemic heart disease (I20-I25)	108.9	97.0	94.7	135.4	102.3
Myocardial infarction (I21-I22)	31.4	23.1	26.3	42.2	21.7
Chronic ischemic heart disease (I20, I25)	76.9	73.1	67.8	91.9	80.0
Atherosclerotic cardiovascular dis. (I25.0) ²	5.9	4.5	9.1	*	6.0
Heart failure (I50)	17.8	19.6	13.6	13.5	22.6
Hypertension & hyp. renal disease (I10, I12, I15)	10.0	7.2	*	12.8	10.7
Cerebrovascular disease (I60-I69) ²	40.9	42.4	34.5	39.8	44.2
Atherosclerosis (I70)	1.9	*	*	*	—
Aortic aneurysm & dissection (I71)	4.7	5.0	*	*	*
Influenza & pneumonia (J09-J18)	10.2	8.8	10.1	*	10.7
Chronic lower respiratory disease (J40-J47) ²	48.8	40.8	50.5	65.9	53.1
Emphysema (J43)	4.7	4.2	*	*	7.4
Other CLRD (J44, J47)	43.1	35.6	46.8	61.9	43.6
Chronic liver disease & cirrhosis (K70, K73-K74) ²	15.2	10.0	15.2	18.5	20.5
Alcoholic liver disease (K70) ²	11.7	7.1	13.9	14.3	17.5
Nephritis (N00-N07, N17-N19, N25-N27) ²	9.8	9.8	*	11.9	9.9
Symptoms & signs NEC (R00-R99) ²	13.6	10.0	11.6	10.9	14.5
Unintentional injuries (V01-X59, Y85-Y86)	50.4	45.5	40.4	68.1	60.1
Transport accidents (V01-V99, Y85)	14.1	12.5	14.3	23.3	14.1
Motor vehicle accidents (many codes) ²	12.5	11.8	13.3	22.3	13.2
Nontransport accidents (W00-X59, Y86)	36.4	33.0	26.1	44.7	46.0
Falls (W00-W19)	14.4	14.6	8.6	11.2	16.7
Poisoning (X40-X49) ²	12.9	9.4	10.8	15.1	19.1
Suicide (X60-X84, Y87.0)	27.0	23.5	33.9	31.4	29.1
Homicide (X85-Y09, Y87.1)	3.7	*	*	*	*
Alcohol-induced (many codes) ²	20.5	13.5	22.2	22.9	23.9
Drug-induced (many codes) ²	17.4	15.5	13.4	20.5	28.7
Injury by firearms (many codes) ²	19.1	16.2	22.5	29.0	22.5

See footnotes at end of table.

TABLE 6-47m. Age-adjusted Death Rates¹ for Selected Causes by County/Geographic Region, Oregon Resident Males, 2010-2012 — Continued

Cause of Death	Josephine	Lane	Linn	Marion	Multnomah
Total	964.7	839.0	876.6	852.7	910.4
Infectious & parasitic disease (A00-B99)	21.4	17.9	14.2	19.8	19.1
Septicemia (A40-A41)	*	6.7	*	5.4	5.2
Malignant neoplasms (C00-C97)	244.8	194.0	222.2	200.6	214.6
Esophagus (C15)	*	8.7	*	10.5	6.8
Colon, rectum & anus (C18-C21)	17.1	17.9	16.8	15.2	20.0
Pancreas (C25)	20.2	11.9	14.6	12.6	13.0
Trachea, bronchus & lung (C33-C34)	63.0	49.2	64.2	53.9	54.5
Breast (C50)	—	—	—	*	*
Ovary (C56)	—	—	—	—	—
Prostate (C61)	28.9	19.4	24.9	22.7	22.2
Brain, etc. (C70-C72) ²	*	6.1	*	5.1	5.6
Lymphoid & hematopoietic (C81-C96)	26.3	22.2	32.6	19.3	22.0
Non-Hodgkin's lymphoma (C82-C85)	*	7.7	10.9	7.2	8.8
Leukemia (C91-C95)	11.8	10.6	14.0	8.0	8.4
Diabetes mellitus (E10-E14)	31.2	24.7	39.1	40.4	33.9
Parkinson's disease (G20-G21)	12.6	10.8	*	14.1	13.5
Alzheimer's disease (G30)	25.0	29.4	25.8	20.0	25.2
Major cardiovascular diseases (I00-I78)	255.4	216.1	263.5	234.0	262.8
Heart disease (I00-I09, I11, I13, I20-I51)	181.7	158.2	187.3	171.0	194.5
Hypertensive heart disease (I11)	*	*	*	*	7.0
Ischemic heart disease (I20-I25)	116.9	96.5	116.0	106.2	121.3
Myocardial infarction (I21-I22)	31.1	29.9	45.1	26.7	34.8
Chronic ischemic heart disease (I20, I25)	85.3	66.1	71.0	78.9	86.1
Atherosclerotic cardiovascular dis. (I25.0) ²	*	*	*	*	5.5
Heart failure (I50)	15.3	19.0	22.6	13.9	20.1
Hypertension & hyp. renal disease (I10, I12, I15)	10.3	12.4	12.9	8.2	12.4
Cerebrovascular disease (I60-I69) ²	52.0	37.0	50.0	44.7	46.3
Atherosclerosis (I70)	*	*	*	*	*
Aortic aneurysm & dissection (I71)	*	5.0	*	5.3	5.0
Influenza & pneumonia (J09-J18)	*	7.5	11.8	12.2	11.7
Chronic lower respiratory disease (J40-J47) ²	51.4	56.2	50.5	44.3	49.8
Emphysema (J43)	*	4.2	*	4.4	4.9
Other CLRD (J44, J47)	42.4	51.2	45.9	39.5	43.8
Chronic liver disease & cirrhosis (K70, K73-K74) ²	17.1	14.9	10.4	17.9	16.2
Alcoholic liver disease (K70) ²	14.8	11.6	8.8	12.9	11.9
Nephritis (N00-N07, N17-N19, N25-N27) ²	12.4	8.7	12.7	6.8	10.6
Symptoms & signs NEC (R00-R99) ²	24.1	14.0	14.5	11.7	12.3
Unintentional injuries (V01-X59, Y85-Y86)	76.8	55.6	52.1	49.8	54.0
Transport accidents (V01-V99, Y85)	29.8	13.9	15.9	14.5	9.5
Motor vehicle accidents (many codes) ²	24.5	11.8	12.9	13.4	8.4
Nontransport accidents (W00-X59, Y86)	47.0	41.6	36.2	35.3	44.5
Falls (W00-W19)	16.5	18.0	15.3	13.9	17.7
Poisoning (X40-X49) ²	*	14.1	11.1	12.6	18.5
Suicide (X60-X84, Y87.0)	35.6	28.0	22.3	25.7	23.5
Homicide (X85-Y09, Y87.1)	*	4.2	*	*	4.9
Alcohol-induced (many codes) ²	23.2	21.7	16.7	24.5	22.3
Drug-induced (many codes) ²	19.5	18.7	15.0	14.6	24.2
Injury by firearms (many codes) ²	26.8	19.6	15.0	17.3	14.5

See footnotes at end of table.

TABLE 6-47m. Age-adjusted Death Rates¹ for Selected Causes by County/Geographic Region, Oregon Resident Males, 2010-2012 — Continued

Cause of Death	Washington	Yamhill	North Coast: Clatsop, Columbia, Lincoln, Tillamook	South Coast: Coos, Curry
Total	728.3	862.8	863.2	985.7
Infectious & parasitic disease (A00-B99)	14.0	18.3	14.2	20.5
Septicemia (A40-A41)	4.6	*	*	*
Malignant neoplasms (C00-C97)	176.5	200.2	217.2	235.7
Esophagus (C15)	6.0	*	7.9	9.3
Colon, rectum & anus (C18-C21)	14.7	18.0	15.5	24.1
Pancreas (C25)	12.4	13.3	12.6	12.3
Trachea, bronchus & lung (C33-C34)	41.8	50.7	62.8	71.9
Breast (C50)	*	*	*	—
Ovary (C56)	—	—	—	—
Prostate (C61)	22.1	25.5	27.1	25.8
Brain, etc. (C70-C72) ²	6.0	*	*	*
Lymphoid & hematopoietic (C81-C96)	22.4	26.4	19.9	21.2
Non-Hodgkin's lymphoma (C82-C85)	9.2	*	6.9	*
Leukemia (C91-C95)	7.9	13.8	9.6	*
Diabetes mellitus (E10-E14)	21.3	38.5	28.4	33.6
Parkinson's disease (G20-G21)	12.3	17.5	14.0	10.3
Alzheimer's disease (G30)	23.7	24.1	18.4	19.6
Major cardiovascular diseases (I00-I78)	204.1	241.2	239.4	265.7
Heart disease (I00-I09, I11, I13, I20-I51)	152.3	186.2	184.8	206.3
Hypertensive heart disease (I11)	3.7	*	8.3	*
Ischemic heart disease (I20-I25)	96.1	117.9	117.5	142.5
Myocardial infarction (I21-I22)	30.2	26.8	39.6	37.0
Chronic ischemic heart disease (I20, I25)	65.4	91.1	77.3	104.6
Atherosclerotic cardiovascular dis. (I25.0) ²	3.8	*	*	10.9
Heart failure (I50)	16.5	16.0	15.3	19.2
Hypertension & hyp. renal disease (I10, I12, I15)	7.5	*	7.5	12.2
Cerebrovascular disease (I60-I69) ²	34.9	37.9	37.8	38.6
Atherosclerosis (I70)	*	—	*	*
Aortic aneurysm & dissection (I71)	3.8	*	*	*
Influenza & pneumonia (J09-J18)	8.8	*	13.6	*
Chronic lower respiratory disease (J40-J47) ²	35.5	36.9	50.8	69.6
Emphysema (J43)	*	*	*	*
Other CLRD (J44, J47)	31.8	33.2	44.5	61.3
Chronic liver disease & cirrhosis (K70, K73-K74) ²	9.6	16.4	18.8	23.9
Alcoholic liver disease (K70) ²	6.4	14.4	13.4	17.3
Nephritis (N00-N07, N17-N19, N25-N27) ²	12.3	*	12.5	9.9
Symptoms & signs NEC (R00-R99) ²	11.5	*	14.6	19.0
Unintentional injuries (V01-X59, Y85-Y86)	35.9	47.4	59.7	66.4
Transport accidents (V01-V99, Y85)	7.5	*	17.8	28.0
Motor vehicle accidents (many codes) ²	6.3	*	14.0	21.1
Nontransport accidents (W00-X59, Y86)	28.4	35.6	41.9	38.5
Falls (W00-W19)	15.1	*	13.1	13.4
Poisoning (X40-X49) ²	7.0	14.9	18.9	*
Suicide (X60-X84, Y87.0)	24.5	29.5	27.0	46.3
Homicide (X85-Y09, Y87.1)	*	*	*	*
Alcohol-induced (many codes) ²	13.0	19.1	23.9	30.3
Drug-induced (many codes) ²	10.7	15.0	23.9	21.9
Injury by firearms (many codes) ²	14.1	24.5	21.0	32.7

See footnotes at end of table.

TABLE 6-47m. Age-adjusted Death Rates¹ for Selected Causes by County/Geographic Region, Oregon Resident Males, 2010-2012 — Continued

Cause of Death	Mid Valley: Benton, Polk	North Central: Crook, Gilliam, Hood River, Jefferson, Sherman, Wasco, Wheeler	South Central: Klamath, Lake	Eastern Oregon: Baker, Grant, Harney, Malheur, Morrow, Umatilla, Union, Wallowa
Total	736.7	844.9	935.1	845.6
Infectious & parasitic disease (A00-B99)	14.3	11.7	17.0	17.3
Septicemia (A40-A41)	*	*	*	*
Malignant neoplasms (C00-C97)	199.6	185.3	200.4	193.1
Esophagus (C15)	9.5	*	*	8.3
Colon, rectum & anus (C18-C21)	21.5	24.8	19.8	18.0
Pancreas (C25)	14.7	14.1	*	11.2
Trachea, bronchus & lung (C33-C34)	45.6	50.9	46.4	51.2
Breast (C50)	—	—	—	—
Ovary (C56)	—	—	—	—
Prostate (C61)	24.9	18.6	17.3	18.9
Brain, etc. (C70-C72) ²	*	*	*	*
Lymphoid & hematopoietic (C81-C96)	23.4	15.3	25.3	22.8
Non-Hodgkin's lymphoma (C82-C85)	10.0	*	*	8.8
Leukemia (C91-C95)	*	*	*	7.8
Diabetes mellitus (E10-E14)	24.2	31.1	30.4	33.9
Parkinson's disease (G20-G21)	9.9	*	*	12.0
Alzheimer's disease (G30)	20.7	20.0	22.1	15.9
Major cardiovascular diseases (I00-I78)	212.6	217.1	240.0	246.9
Heart disease (I00-I09, I11, I13, I20-I51)	153.5	155.1	182.8	184.9
Hypertensive heart disease (I11)	*	*	*	*
Ischemic heart disease (I20-I25)	90.6	92.5	124.7	128.8
Myocardial infarction (I21-I22)	30.1	23.7	35.6	45.7
Chronic ischemic heart disease (I20, I25)	60.0	67.1	89.0	82.4
Atherosclerotic cardiovascular dis. (I25.0) ²	*	*	*	16.0
Heart failure (I50)	19.9	16.5	*	18.3
Hypertension & hyp. renal disease (I10, I12, I15)	9.3	11.9	*	10.8
Cerebrovascular disease (I60-I69) ²	41.1	32.5	36.8	42.7
Atherosclerosis (I70)	*	12.5	*	*
Aortic aneurysm & dissection (I71)	*	*	*	*
Influenza & pneumonia (J09-J18)	10.2	*	18.5	12.3
Chronic lower respiratory disease (J40-J47) ²	28.6	56.9	56.2	53.5
Emphysema (J43)	*	*	*	*
Other CLRD (J44, J47)	26.2	45.7	51.1	47.0
Chronic liver disease & cirrhosis (K70, K73-K74) ²	13.1	20.1	25.6	14.9
Alcoholic liver disease (K70) ²	7.9	17.9	22.9	11.4
Nephritis (N00-N07, N17-N19, N25-N27) ²	*	*	*	8.8
Symptoms & signs NEC (R00-R99) ²	10.6	*	28.8	21.1
Unintentional injuries (V01-X59, Y85-Y86)	39.6	58.6	56.1	57.2
Transport accidents (V01-V99, Y85)	14.3	27.3	21.3	22.2
Motor vehicle accidents (many codes) ²	12.5	26.3	20.4	19.9
Nontransport accidents (W00-X59, Y86)	25.3	31.2	34.8	35.0
Falls (W00-W19)	9.2	14.2	*	12.9
Poisoning (X40-X49) ²	9.9	*	*	9.8
Suicide (X60-X84, Y87.0)	20.3	34.3	42.5	27.9
Homicide (X85-Y09, Y87.1)	*	*	*	*
Alcohol-induced (many codes) ²	18.4	27.6	42.3	17.3
Drug-induced (many codes) ²	10.1	*	21.6	11.9
Injury by firearms (many codes) ²	10.3	30.3	37.3	26.7

¹ Age-adjusted rates are per 100,000 population based on the US year 2000 standard; calculations use Portland State University Center for Population Research age and sex population estimates.

² See footnote for this cause in Table 6-6.

* Age-adjusted rates are not calculated when fewer than 20 deaths were recorded, as the rate would be unreliable.

— Quantity is zero.

TABLE 6-47f. Age-adjusted Death Rates¹ for Selected Causes by County/Geographic Region, Oregon Resident Females, 2010-2012

Cause of Death	State	Clackamas	Deschutes	Douglas	Jackson
Total	622.7	605.7	592.1	694.8	640.5
Infectious & parasitic disease (A00-B99)	11.4	9.4	*	16.7	8.2
Septicemia (A40-A41)	4.1	3.7	*	*	*
Malignant neoplasms (C00-C97)	150.4	147.7	136.9	172.7	147.6
Esophagus (C15)	1.7	*	*	*	*
Colon, rectum & anus (C18-C21)	13.1	13.6	11.7	12.6	11.9
Pancreas (C25)	9.8	9.5	12.4	11.4	9.4
Trachea, bronchus & lung (C33-C34)	40.9	39.7	36.8	57.2	40.0
Breast (C50)	21.4	21.9	16.8	16.7	23.3
Ovary (C56)	9.2	9.4	8.9	10.1	9.2
Prostate (C61)	—	—	—	—	—
Brain, etc. (C70-C72) ²	3.9	3.8	*	*	*
Lymphoid & hematopoietic (C81-C96)	12.9	13.6	14.6	18.1	10.9
Non-Hodgkin's lymphoma (C82-C85)	4.8	5.7	*	6.8	*
Leukemia (C91-C95)	5.1	4.7	6.2	*	4.1
Diabetes mellitus (E10-E14)	19.7	18.1	15.0	21.1	18.2
Parkinson's disease (G20-G21)	5.4	5.7	*	7.3	4.5
Alzheimer's disease (G30)	31.7	34.8	26.0	42.0	41.4
Major cardiovascular diseases (I00-I78)	158.8	155.0	154.5	183.6	165.5
Heart disease (I00-I09, I11, I13, I20-I51)	104.6	103.1	102.6	123.5	105.1
Hypertensive heart disease (I11)	4.9	5.2	8.0	*	3.8
Ischemic heart disease (I20-I25)	48.8	45.5	45.7	62.8	47.2
Myocardial infarction (I21-I22)	16.6	15.1	15.2	24.4	12.4
Chronic ischemic heart disease (I20, I25)	31.8	30.2	30.0	37.7	33.8
Atherosclerotic cardiovascular dis. (I25.0) ²	2.5	*	7.4	*	*
Heart failure (I50)	14.2	14.2	13.6	13.1	16.1
Hypertension & hyp. renal disease (I10, I12, I15)	9.6	8.9	8.5	12.9	12.5
Cerebrovascular disease (I60-I69) ²	38.6	37.3	38.4	41.2	44.3
Atherosclerosis (I70)	1.3	*	*	*	*
Aortic aneurysm & dissection (I71)	2.3	*	*	*	*
Influenza & pneumonia (J09-J18)	7.9	6.7	6.4	8.6	8.1
Chronic lower respiratory disease (J40-J47) ²	41.9	35.1	45.7	53.0	48.6
Emphysema (J43)	3.7	3.6	*	*	*
Other CLRD (J44, J47)	36.4	30.1	39.3	47.0	44.3
Chronic liver disease & cirrhosis (K70, K73-K74) ²	8.4	6.7	9.4	10.8	11.5
Alcoholic liver disease (K70) ²	5.7	4.5	*	*	7.9
Nephritis (N00-N07, N17-N19, N25-N27) ²	6.3	5.3	*	8.1	5.3
Symptoms & signs NEC (R00-R99) ²	13.4	15.3	13.5	10.3	13.1
Unintentional injuries (V01-X59, Y85-Y86)	28.3	29.9	28.5	24.4	26.0
Transport accidents (V01-V99, Y85)	5.3	5.8	*	*	*
Motor vehicle accidents (many codes) ²	4.9	5.4	*	*	*
Nontransport accidents (W00-X59, Y86)	22.9	24.1	21.9	17.0	22.7
Falls (W00-W19)	11.3	12.6	13.0	9.3	11.1
Poisoning (X40-X49) ²	7.0	6.0	*	*	6.8
Suicide (X60-X84, Y87.0)	7.4	7.0	9.5	*	7.5
Homicide (X85-Y09, Y87.1)	1.9	*	*	*	*
Alcohol-induced (many codes) ²	8.2	6.9	8.8	*	10.0
Drug-induced (many codes) ²	11.4	9.5	9.9	*	11.0
Injury by firearms (many codes) ²	3.2	*	*	*	*

See footnotes at end of table.

TABLE 6-47f. Age-adjusted Death Rates¹ for Selected Causes by County/Geographic Region, Oregon Resident Females, 2010-2012 — Continued

Cause of Death	Josephine	Lane	Linn	Marion	Multnomah
Total	721.5	632.4	695.3	642.6	626.0
Infectious & parasitic disease (A00-B99)	14.8	12.9	14.1	13.0	14.0
Septicemia (A40-A41)	*	4.8	*	3.7	5.7
Malignant neoplasms (C00-C97)	181.1	151.0	173.4	145.8	152.2
Esophagus (C15)	*	*	*	*	*
Colon, rectum & anus (C18-C21)	17.7	14.1	13.7	13.2	12.9
Pancreas (C25)	10.0	10.0	11.0	9.5	10.7
Trachea, bronchus & lung (C33-C34)	55.7	40.9	47.7	41.6	41.7
Breast (C50)	28.4	19.8	27.7	19.6	20.8
Ovary (C56)	*	12.0	7.9	9.6	9.3
Prostate (C61)	—	—	—	—	—
Brain, etc. (C70-C72) ²	*	3.1	*	4.3	3.8
Lymphoid & hematopoietic (C81-C96)	16.7	12.6	14.3	11.2	13.1
Non-Hodgkin's lymphoma (C82-C85)	*	5.3	8.5	3.5	4.8
Leukemia (C91-C95)	10.6	5.9	*	4.9	4.8
Diabetes mellitus (E10-E14)	23.9	18.5	26.0	26.2	18.9
Parkinson's disease (G20-G21)	*	5.1	*	4.6	6.1
Alzheimer's disease (G30)	22.2	36.4	35.6	23.2	32.9
Major cardiovascular diseases (I00-I78)	178.1	148.2	181.8	162.2	160.8
Heart disease (I00-I09, I11, I13, I20-I51)	113.7	98.2	117.0	105.3	105.3
Hypertensive heart disease (I11)	*	4.5	*	3.4	5.8
Ischemic heart disease (I20-I25)	59.3	42.4	62.5	45.8	45.6
Myocardial infarction (I21-I22)	19.7	14.3	31.0	15.9	14.8
Chronic ischemic heart disease (I20, I25)	38.5	28.0	31.5	29.8	30.4
Atherosclerotic cardiovascular dis. (I25.0) ²	*	*	*	*	*
Heart failure (I50)	16.2	14.6	12.9	13.8	14.5
Hypertension & hyp. renal disease (I10, I12, I15)	11.0	9.0	12.1	7.7	9.3
Cerebrovascular disease (I60-I69) ²	49.2	36.8	45.1	42.4	39.5
Atherosclerosis (I70)	*	*	—	*	*
Aortic aneurysm & dissection (I71)	*	*	*	*	1.8
Influenza & pneumonia (J09-J18)	*	8.1	10.2	10.0	8.2
Chronic lower respiratory disease (J40-J47) ²	61.3	46.9	40.4	43.6	40.1
Emphysema (J43)	*	3.6	*	3.8	3.0
Other CLRD (J44, J47)	52.4	41.1	33.1	36.8	35.9
Chronic liver disease & cirrhosis (K70, K73-K74) ²	11.9	11.5	*	8.8	7.2
Alcoholic liver disease (K70) ²	*	8.4	*	6.3	4.8
Nephritis (N00-N07, N17-N19, N25-N27) ²	*	6.5	*	8.4	5.5
Symptoms & signs NEC (R00-R99) ²	19.4	11.3	8.1	16.2	10.6
Unintentional injuries (V01-X59, Y85-Y86)	28.1	32.2	31.4	29.6	29.3
Transport accidents (V01-V99, Y85)	*	5.5	*	6.0	3.2
Motor vehicle accidents (many codes) ²	*	5.1	*	5.4	2.9
Nontransport accidents (W00-X59, Y86)	18.9	26.7	26.2	23.6	26.1
Falls (W00-W19)	11.9	14.9	9.3	8.3	12.6
Poisoning (X40-X49) ²	*	7.6	12.8	9.8	8.8
Suicide (X60-X84, Y87.0)	*	9.8	*	5.5	6.6
Homicide (X85-Y09, Y87.1)	*	*	*	*	2.0
Alcohol-induced (many codes) ²	*	10.5	*	8.9	8.2
Drug-induced (many codes) ²	*	13.6	16.8	13.3	13.3
Injury by firearms (many codes) ²	*	4.2	*	*	2.2

See footnotes at end of table.

TABLE 6-47f. Age-adjusted Death Rates¹ for Selected Causes by County/Geographic Region, Oregon Resident Females, 2010-2012 — Continued

Cause of Death	Washington	Yamhill	North Coast: Clatsop, Columbia, Lincoln, Tillamook	South Coast: Coos, Curry
Total	515.8	623.3	635.7	714.2
Infectious & parasitic disease (A00-B99)	9.0	11.8	11.1	14.8
Septicemia (A40-A41)	3.4	*	*	*
Malignant neoplasms (C00-C97)	129.2	170.9	153.1	158.6
Esophagus (C15)	*	*	*	*
Colon, rectum & anus (C18-C21)	12.4	*	15.3	13.6
Pancreas (C25)	8.5	11.4	7.1	*
Trachea, bronchus & lung (C33-C34)	30.0	40.1	46.5	50.3
Breast (C50)	19.7	28.0	22.6	22.9
Ovary (C56)	8.2	12.5	8.4	*
Prostate (C61)	—	—	—	—
Brain, etc. (C70-C72) ²	4.0	*	*	*
Lymphoid & hematopoietic (C81-C96)	11.8	11.4	10.2	8.9
Non-Hodgkin's lymphoma (C82-C85)	3.9	*	*	*
Leukemia (C91-C95)	4.7	*	*	*
Diabetes mellitus (E10-E14)	16.6	18.0	17.5	23.7
Parkinson's disease (G20-G21)	6.8	*	*	*
Alzheimer's disease (G30)	28.0	31.3	29.9	33.6
Major cardiovascular diseases (I00-I78)	131.1	152.2	166.3	172.9
Heart disease (I00-I09, I11, I13, I20-I51)	89.8	109.7	113.3	116.7
Hypertensive heart disease (I11)	4.3	8.9	6.6	*
Ischemic heart disease (I20-I25)	42.7	54.8	58.8	61.9
Myocardial infarction (I21-I22)	16.6	12.8	19.5	20.1
Chronic ischemic heart disease (I20, I25)	25.9	40.7	38.2	41.0
Atherosclerotic cardiovascular dis. (I25.0) ²	*	*	*	*
Heart failure (I50)	13.4	*	14.0	17.8
Hypertension & hyp. renal disease (I10, I12, I15)	8.8	*	6.6	11.6
Cerebrovascular disease (I60-I69) ²	27.9	29.3	40.0	36.2
Atherosclerosis (I70)	*	*	*	*
Aortic aneurysm & dissection (I71)	*	*	*	*
Influenza & pneumonia (J09-J18)	6.6	11.0	6.9	*
Chronic lower respiratory disease (J40-J47) ²	25.7	34.2	46.6	53.3
Emphysema (J43)	*	*	*	*
Other CLRD (J44, J47)	21.8	26.6	41.0	48.7
Chronic liver disease & cirrhosis (K70, K73-K74) ²	5.8	*	9.5	13.7
Alcoholic liver disease (K70) ²	3.4	*	6.9	*
Nephritis (N00-N07, N17-N19, N25-N27) ²	4.9	*	5.9	9.3
Symptoms & signs NEC (R00-R99) ²	9.0	*	18.6	17.5
Unintentional injuries (V01-X59, Y85-Y86)	17.6	21.6	37.6	44.0
Transport accidents (V01-V99, Y85)	3.0	*	9.6	*
Motor vehicle accidents (many codes) ²	2.8	*	9.2	*
Nontransport accidents (W00-X59, Y86)	14.6	17.8	28.0	34.5
Falls (W00-W19)	8.6	*	9.0	16.2
Poisoning (X40-X49) ²	3.0	*	10.5	*
Suicide (X60-X84, Y87.0)	6.9	*	9.7	*
Homicide (X85-Y09, Y87.1)	*	*	*	*
Alcohol-induced (many codes) ²	4.6	*	9.6	12.2
Drug-induced (many codes) ²	8.5	*	16.5	15.5
Injury by firearms (many codes) ²	*	*	*	*

See footnotes at end of table.

TABLE 6-47f. Age-adjusted Death Rates¹ for Selected Causes by County/Geographic Region, Oregon Resident Females, 2010-2012 — Continued

Cause of Death	Mid Valley: Benton, Polk	North Central: Crook, Gilliam, Hood River, Jefferson, Sherman, Wasco, Wheeler	South Central: Klamath, Lake	Eastern Oregon: Baker, Grant, Harney, Malheur, Morrow, Umatilla, Union, Wallowa
Total	549.9	670.5	727.5	647.5
Infectious & parasitic disease (A00-B99)	*	*	19.5	9.7
Septicemia (A40-A41)	*	*	*	*
Malignant neoplasms (C00-C97)	154.0	149.9	150.4	152.8
Esophagus (C15)	*	*	—	*
Colon, rectum & anus (C18-C21)	8.2	9.8	16.4	14.8
Pancreas (C25)	10.5	12.1	*	9.4
Trachea, bronchus & lung (C33-C34)	35.7	44.1	39.6	35.2
Breast (C50)	25.0	20.3	24.7	22.9
Ovary (C56)	8.5	10.4	*	6.9
Prostate (C61)	—	—	—	—
Brain, etc. (C70-C72) ²	*	*	*	*
Lymphoid & hematopoietic (C81-C96)	18.7	10.8	*	13.1
Non-Hodgkin's lymphoma (C82-C85)	7.0	*	*	5.2
Leukemia (C91-C95)	6.7	*	*	*
Diabetes mellitus (E10-E14)	17.9	22.4	24.8	22.7
Parkinson's disease (G20-G21)	*	*	*	5.6
Alzheimer's disease (G30)	27.3	21.5	42.1	26.7
Major cardiovascular diseases (I00-I78)	140.4	197.9	173.3	166.6
Heart disease (I00-I09, I11, I13, I20-I51)	89.7	122.3	116.7	107.4
Hypertensive heart disease (I11)	*	*	*	*
Ischemic heart disease (I20-I25)	39.6	54.1	58.8	58.8
Myocardial infarction (I21-I22)	12.2	19.4	18.0	18.8
Chronic ischemic heart disease (I20, I25)	26.7	34.3	40.8	39.3
Atherosclerotic cardiovascular dis. (I25.0) ²	*	*	*	8.6
Heart failure (I50)	13.8	18.8	12.6	12.2
Hypertension & hyp. renal disease (I10, I12, I15)	9.3	11.5	*	9.8
Cerebrovascular disease (I60-I69) ²	37.7	44.3	41.7	40.8
Atherosclerosis (I70)	*	12.4	—	*
Aortic aneurysm & dissection (I71)	*	*	*	*
Influenza & pneumonia (J09-J18)	8.2	*	*	8.5
Chronic lower respiratory disease (J40-J47) ²	34.3	49.9	50.5	45.3
Emphysema (J43)	*	*	*	*
Other CLRD (J44, J47)	29.8	37.8	45.6	37.9
Chronic liver disease & cirrhosis (K70, K73-K74) ²	*	13.8	*	*
Alcoholic liver disease (K70) ²	*	*	*	*
Nephritis (N00-N07, N17-N19, N25-N27) ²	*	*	*	10.6
Symptoms & signs NEC (R00-R99) ²	12.2	11.8	31.0	23.5
Unintentional injuries (V01-X59, Y85-Y86)	20.4	37.9	34.0	32.7
Transport accidents (V01-V99, Y85)	*	*	*	11.2
Motor vehicle accidents (many codes) ²	*	*	*	9.0
Nontransport accidents (W00-X59, Y86)	15.7	29.1	25.9	21.5
Falls (W00-W19)	8.9	13.9	14.4	9.4
Poisoning (X40-X49) ²	*	*	*	*
Suicide (X60-X84, Y87.0)	*	*	*	*
Homicide (X85-Y09, Y87.1)	*	*	*	*
Alcohol-induced (many codes) ²	*	14.9	*	*
Drug-induced (many codes) ²	*	*	*	8.7
Injury by firearms (many codes) ²	*	*	*	*

¹ Age-adjusted rates are per 100,000 population based on the US year 2000 standard; calculations use Portland State University Center for Population Research age and sex population estimates.

² See footnote for this cause in Table 6-6.

* Age-adjusted rates are not calculated when fewer than 20 deaths were recorded, as the rate would be unreliable.

— Quantity is zero.