

TABLE 6-3. Selected Leading Causes of Death with Rates, Oregon Residents, 1993-2012

| Year | Total | Cancer | Major Cardiovascular Diseases | | | | CLRD | Alzheimer's Disease | Diabetes Mellitus |
|-----------------------------|--------|--------|-------------------------------|-------|------|-------------------|-------|---------------------|-------------------|
| | | | Heart Disease | CeVD | HBP | Arterio-sclerosis | | | |
| Number of Deaths | | | | | | | | | |
| 1993 | 27,596 | 6,684 | 7,539 | 2,313 | 210 | 329 | 1,661 | 550 | 654 |
| 1994 | 27,361 | 6,660 | 7,307 | 2,514 | 219 | 290 | 1,529 | 599 | 675 |
| 1995 | 28,190 | 6,887 | 7,418 | 2,608 | 215 | 288 | 1,520 | 688 | 719 |
| 1996 | 28,900 | 6,847 | 7,562 | 2,764 | 217 | 247 | 1,745 | 740 | 753 |
| 1997 | 28,750 | 6,853 | 7,389 | 2,712 | 256 | 229 | 1,716 | 718 | 832 |
| 1998 | 29,346 | 7,072 | 7,168 | 2,768 | 224 | 220 | 1,705 | 806 | 887 |
| 1999 | 29,356 | 6,903 | 7,252 | 2,817 | 246 | 198 | 1,762 | 868 | 855 |
| 2000 | 29,541 | 6,989 | 7,104 | 2,567 | 225 | 230 | 1,696 | 905 | 847 |
| 2001 | 30,128 | 7,091 | 7,086 | 2,604 | 312 | 195 | 1,743 | 1,038 | 1,033 |
| 2002 | 31,082 | 7,232 | 7,245 | 2,639 | 353 | 210 | 1,842 | 1,125 | 1,034 |
| 2003 | 30,813 | 7,217 | 7,008 | 2,548 | 345 | 205 | 1,818 | 1,149 | 1,032 |
| 2004 | 30,201 | 7,227 | 6,687 | 2,322 | 358 | 174 | 1,770 | 1,263 | 1,072 |
| 2005 | 30,854 | 7,277 | 6,721 | 2,268 | 429 | 191 | 1,822 | 1,231 | 1,131 |
| 2006 | 31,304 | 7,295 | 6,588 | 1,973 | 362 | 118 | 1,820 | 1,228 | 1,139 |
| 2007 | 31,433 | 7,398 | 6,632 | 1,833 | 361 | 124 | 1,886 | 1,195 | 1,114 |
| 2008 | 32,020 | 7,484 | 6,516 | 1,909 | 406 | 92 | 1,950 | 1,299 | 1,030 |
| 2009 | 31,547 | 7,470 | 6,226 | 1,900 | 424 | 79 | 1,935 | 1,212 | 1,069 |
| 2010 | 31,899 | 7,630 | 6,191 | 1,787 | 442 | 69 | 1,973 | 1,297 | 1,052 |
| 2011 | 32,731 | 7,768 | 6,215 | 1,906 | 449 | 88 | 2,031 | 1,325 | 1,114 |
| 2012 | 32,475 | 7,761 | 6,109 | 1,745 | 500 | 53 | 1,901 | 1,320 | 1,122 |
| Rate per 100,000 Population | | | | | | | | | |
| 1993 | 908.4 | 220.0 | 248.1 | 76.1 | 6.9 | 10.8 | 54.7 | 18.1 | 21.5 |
| 1994 | 887.8 | 216.1 | 237.1 | 81.6 | 7.1 | 9.4 | 49.6 | 19.4 | 21.9 |
| 1995 | 900.1 | 219.9 | 236.8 | 83.3 | 6.9 | 9.2 | 48.5 | 22.0 | 22.9 |
| 1996 | 908.5 | 215.2 | 237.7 | 86.9 | 6.8 | 7.8 | 54.9 | 23.3 | 23.7 |
| 1997 | 893.7 | 213.0 | 229.7 | 84.3 | 7.9 | 7.1 | 53.3 | 22.3 | 25.9 |
| 1998 | 898.1 | 216.4 | 219.4 | 84.7 | 6.9 | 6.7 | 52.2 | 24.7 | 27.1 |
| 1999 | 889.4 | 209.1 | 219.7 | 85.3 | 7.5 | 6.0 | 53.4 | 26.3 | 25.9 |
| 2000 | 859.6 | 203.4 | 206.7 | 74.7 | 6.5 | 6.7 | 49.3 | 26.3 | 24.6 |
| 2001 | 867.8 | 204.3 | 204.1 | 75.0 | 9.0 | 5.6 | 50.2 | 29.9 | 29.8 |
| 2002 | 886.9 | 206.4 | 206.7 | 75.3 | 10.1 | 6.0 | 52.6 | 32.1 | 29.5 |
| 2003 | 870.1 | 203.8 | 197.9 | 71.9 | 9.7 | 5.8 | 51.3 | 32.4 | 29.1 |
| 2004 | 843.0 | 201.7 | 186.7 | 64.8 | 10.0 | 4.9 | 49.4 | 35.3 | 29.9 |
| 2005 | 849.6 | 200.4 | 185.1 | 62.5 | 11.8 | 5.3 | 50.2 | 33.9 | 31.1 |
| 2006 | 848.2 | 197.7 | 178.5 | 53.5 | 9.8 | 3.2 | 49.3 | 33.3 | 30.9 |
| 2007 | 839.2 | 197.5 | 177.1 | 48.9 | 9.6 | 3.3 | 50.4 | 31.9 | 29.7 |
| 2008 | 844.6 | 197.4 | 171.9 | 50.4 | 10.7 | 2.4 | 51.4 | 34.3 | 27.2 |
| 2009 | 825.1 | 195.4 | 162.8 | 49.7 | 11.1 | 2.1 | 50.6 | 31.7 | 28.0 |
| 2010 | 829.8 | 198.5 | 161.0 | 46.5 | 11.5 | 1.8 | 51.3 | 33.7 | 27.4 |
| 2011 | 848.5 | 201.4 | 161.1 | 49.4 | 11.6 | 2.3 | 52.6 | 34.3 | 28.9 |
| 2012 | 836.2 | 199.8 | 157.3 | 44.9 | 12.9 | 1.4 | 48.9 | 34.0 | 28.9 |

Note: Beginning in 1999, causes of death were classified using the rubrics and methodology of the tenth revision of the International Classification of Disease (which supplanted the ninth revision). Final comparability ratios have been applied to death rates for all causes except alcohol-induced deaths, Alzheimer's disease, and firearms, where they were not available/apposite to Oregon data. See the Technical Notes in Appendix B for further information. See annual reports prior to 2003 for unadjusted figures.

TABLE 6-3. Selected Leading Causes of Death with Rates, Oregon Residents, 1993-2012

| Year | Alcohol-induced | Pneumonia & Influenza | Parkinson's Disease | HIV | External Cause | | | |
|-----------------------------|-----------------|-----------------------|---------------------|------|------------------------|---------|-----------------------|----------|
| | | | | | Unintentional Injuries | Suicide | Firearms (Any Manner) | Homicide |
| Number of Deaths | | | | | | | | |
| 1993 | 363 | 707 | 171 | 330 | 1,215 | 473 | 392 | 142 |
| 1994 | 352 | 617 | 195 | 357 | 1,217 | 526 | 447 | 180 |
| 1995 | 358 | 627 | 234 | 360 | 1,325 | 527 | 439 | 154 |
| 1996 | 419 | 660 | 238 | 241 | 1,328 | 534 | 430 | 143 |
| 1997 | 382 | 634 | 216 | 101 | 1,313 | 539 | 428 | 125 |
| 1998 | 380 | 704 | 278 | 77 | 1,371 | 570 | 441 | 134 |
| 1999 | 304 | 684 | 256 | 73 | 1,144 | 499 | 391 | 109 |
| 2000 | 383 | 637 | 278 | 62 | 1,211 | 502 | 378 | 93 |
| 2001 | 431 | 576 | 293 | 64 | 1,257 | 524 | 360 | 107 |
| 2002 | 442 | 661 | 306 | 87 | 1,382 | 517 | 376 | 106 |
| 2003 | 518 | 633 | 310 | 91 | 1,388 | 589 | 393 | 91 |
| 2004 | 510 | 554 | 321 | 65 | 1,423 | 555 | 383 | 112 |
| 2005 | 536 | 606 | 298 | 55 | 1,427 | 559 | 400 | 103 |
| 2006 | 473 | 522 | 346 | 50 | 1,579 | 573 | 381 | 111 |
| 2007 | 542 | 481 | 327 | 55 | 1,643 | 604 | 387 | 80 |
| 2008 | 540 | 519 | 352 | 39 | 1,694 | 581 | 387 | 99 |
| 2009 | 571 | 509 | 344 | 46 | 1,577 | 640 | 413 | 102 |
| 2010 | 571 | 419 | 356 | 47 | 1,557 | 685 | 458 | 114 |
| 2011 | 644 | 396 | 349 | 38 | 1,705 | 639 | 417 | 107 |
| 2012 | 670 | 379 | 362 | 57 | 1,659 | 717 | 442 | 110 |
| Rate per 100,000 Population | | | | | | | | |
| 1993 | 11.9 | 23.3 | 5.6 | 10.9 | 40.0 | 15.6 | 12.9 | 4.7 |
| 1994 | 11.4 | 20.0 | 6.3 | 11.6 | 39.5 | 17.1 | 14.5 | 5.9 |
| 1995 | 11.4 | 20.0 | 7.5 | 11.5 | 42.3 | 16.8 | 14.0 | 4.9 |
| 1996 | 13.2 | 20.7 | 7.5 | 7.6 | 41.7 | 16.8 | 13.5 | 4.5 |
| 1997 | 11.9 | 19.7 | 6.7 | 3.1 | 40.8 | 16.8 | 13.3 | 3.9 |
| 1998 | 11.6 | 21.6 | 8.5 | 2.4 | 41.9 | 17.5 | 13.5 | 4.1 |
| 1999 | 9.2 | 20.7 | 7.8 | 2.2 | 34.7 | 15.1 | 11.8 | 3.3 |
| 2000 | 11.1 | 18.5 | 8.1 | 1.8 | 35.2 | 14.6 | 11.0 | 2.7 |
| 2001 | 12.4 | 16.6 | 8.4 | 1.8 | 36.2 | 15.1 | 10.4 | 3.1 |
| 2002 | 12.6 | 18.9 | 8.7 | 2.5 | 39.4 | 14.8 | 10.7 | 3.0 |
| 2003 | 14.6 | 17.9 | 8.8 | 2.6 | 39.2 | 16.6 | 11.1 | 2.6 |
| 2004 | 14.2 | 15.5 | 9.0 | 1.8 | 39.7 | 15.5 | 10.7 | 3.1 |
| 2005 | 14.8 | 16.7 | 8.2 | 1.5 | 39.3 | 15.4 | 11.0 | 2.8 |
| 2006 | 12.8 | 14.1 | 9.4 | 1.4 | 42.8 | 15.5 | 10.3 | 3.0 |
| 2007 | 14.5 | 12.8 | 8.7 | 1.5 | 43.9 | 16.1 | 10.3 | 2.1 |
| 2008 | 14.2 | 13.7 | 9.3 | 1.0 | 44.7 | 15.3 | 10.2 | 2.6 |
| 2009 | 14.9 | 13.3 | 9.0 | 1.2 | 41.2 | 16.7 | 10.8 | 2.7 |
| 2010 | 14.9 | 10.9 | 9.3 | 1.2 | 40.5 | 17.8 | 11.9 | 3.0 |
| 2011 | 16.7 | 10.3 | 9.0 | 1.0 | 44.2 | 16.6 | 10.8 | 2.8 |
| 2012 | 17.3 | 9.8 | 9.3 | 1.5 | 42.7 | 18.5 | 11.4 | 2.8 |

Note: Beginning in 1999, causes of death were classified using the rubrics and methodology of the tenth revision of the International Classification of Disease (which supplanted the ninth revision). Final comparability ratios have been applied to death rates for all causes except alcohol-induced deaths, Alzheimer's disease, and firearms, where they were not available/apposite to Oregon data. See the Technical Notes in Appendix B for further information. See annual reports prior to 2003 for unadjusted figures.