

**TABLE 6-34. Fatal Overdoses and Poisonings by Manner, Type, Sex, Age Groups, Race/Ethnicity, and Selected Counties of Residence, Oregon Residents, 2012**

Manner and Type of Substance <sup>1</sup>	Total	M	F	Age Groups					
				0-4	5-14	15-24	25-34	35-44	45-54
<b>Total</b> .....	844	542	302	–	1	46	101	131	230
<b>Mental and behavioral disorders due to psychoactive substance use</b> .....	312	235	77	–	–	5	8	25	68
Alcohol <sup>2</sup> .....	231	179	52	–	–	–	6	16	55
Opioids .....	17	11	6	–	–	3	1	4	2
Cannabinoids .....	–	–	–	–	–	–	–	–	–
Sedatives and hypnotics .....	–	–	–	–	–	–	–	–	–
Cocaine .....	2	2	–	–	–	–	–	–	–
Other stimulants .....	8	5	3	–	–	–	–	1	5
Hallucinogens .....	–	–	–	–	–	–	–	–	–
Tobacco <sup>3</sup> .....	38	25	13	–	–	–	–	1	2
Volatile solvents .....	–	–	–	–	–	–	–	–	–
Other (multiple) psychoactive substances .....	16	13	3	–	–	2	1	3	4
<b>Unintentional overdoses/poisoning</b> .....	356	228	128	–	1	38	69	81	105
Nonopioid analgesics, antipyretics, etc. ....	3	2	1	–	–	–	–	1	1
Psychotropic, sedative-hypnotic drugs .....	31	20	11	–	–	1	5	10	11
Narcotics and hallucinogens <sup>4</sup> .....	219	145	74	–	–	28	48	53	63
Other and unspecified drugs <sup>5</sup> .....	74	40	34	–	1	7	13	15	22
Alcohol .....	22	16	6	–	–	2	–	1	7
Organic solvents & halogenated HC <sup>6</sup> .....	–	–	–	–	–	–	–	–	–
Carbon monoxide & other gases .....	4	2	2	–	–	–	3	1	–
Pesticides .....	–	–	–	–	–	–	–	–	–
Other chemicals & substances .....	3	3	–	–	–	–	–	–	1
<b>Intentional self-poisoning</b> .....	129	59	70	–	–	1	15	19	43
Nonopioid analgesics, antipyretics, etc. ....	2	1	1	–	–	–	–	1	–
Psychotropic, sedative-hypnotic drugs .....	21	9	12	–	–	1	2	6	5
Narcotics and hallucinogens <sup>4</sup> .....	35	13	22	–	–	–	5	3	14
Other and unspecified drugs <sup>5</sup> .....	52	21	31	–	–	–	5	7	19
Alcohol .....	–	–	–	–	–	–	–	–	–
Organic solvents & halogenated HC <sup>6</sup> .....	3	2	1	–	–	–	–	1	–
Carbon monoxide & other gases .....	16	13	3	–	–	–	3	1	5
Pesticides .....	–	–	–	–	–	–	–	–	–
Other chemicals & substances .....	–	–	–	–	–	–	–	–	–
<b>Assault by poisoning</b> .....	–	–	–	–	–	–	–	–	–
<b>Undetermined intent</b> .....	47	20	27	–	–	2	9	6	14
Nonopioid analgesics, antipyretics, etc. ....	1	–	1	–	–	–	–	–	–
Psychotropic, sedative-hypnotic drugs .....	3	–	3	–	–	–	–	–	1
Narcotics and hallucinogens <sup>4</sup> .....	31	14	17	–	–	2	6	4	10
Other and unspecified drugs <sup>5</sup> .....	8	4	4	–	–	–	2	1	1
Alcohol .....	1	–	1	–	–	–	–	1	–
Organic solvents & halogenated HC <sup>6</sup> .....	–	–	–	–	–	–	–	–	–
Carbon monoxide & other gases .....	3	2	1	–	–	–	1	–	2
Pesticides .....	–	–	–	–	–	–	–	–	–
Other chemicals & substances .....	–	–	–	–	–	–	–	–	–

<sup>1</sup> The distinction between deaths classified as mental/behavioral disorders due to psychoactive substance use versus injury deaths is somewhat factitious. Deaths attributed to drug toxicity are classified to the former category while deaths attributed to poisoning are classified as injury deaths. If the certifying physician notes that a death is due to chronic drug abuse, then the death is classified to mental/behavioral disorders, but this may not be done in all applicable cases. Other "natural" causes, such as drug-induced hypopituitarism, are not included here but are included in tables 6-6, 6-7, 6-17 and 6-18, among others.

<sup>2</sup> Most deaths involving abusive alcohol use are attributed to other organ systems (e.g., alcoholic cirrhosis of the liver). See "Alcohol-induced deaths" in other tables, such as 6-6, 6-7, 6-17, and 6-18, for a more inclusive count. Note these figures, too, are undercounts, as they do not include injury deaths in which alcohol played a critical role (e.g., motor vehicle crashes, homicides).

**TABLE 6-34. Fatal Overdoses and Poisonings by Manner, Type, Sex, Age Groups, Race/Ethnicity, and Selected Counties of Residence, Oregon Residents, 2012— Continued**

Age Groups				Race/Ethnicity					Residence County			
55-64	65-74	75-84	85+	White	Black	Am. Indian	Other <sup>7</sup>	Hisp <sup>8</sup>	Clack	Lane	Mult	Wash
192	88	31	24	787	13	10	18	16	60	78	208	81
104	66	21	15	293	4	2	9	4	26	26	79	22
81	44	16	13	218	2	1	6	4	20	22	53	16
6	1	—	—	17	—	—	—	—	—	—	11	2
—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—
2	—	—	—	1	1	—	—	—	—	—	2	—
2	—	—	—	8	—	—	—	—	—	1	2	2
—	—	—	—	—	—	—	—	—	—	—	—	—
9	20	4	2	36	1	—	1	—	3	3	6	2
—	—	—	—	—	—	—	—	—	—	—	—	—
4	1	1	—	13	—	1	2	—	3	—	5	—
45	9	4	4	327	7	7	6	9	22	39	102	28
1	—	—	—	2	—	—	1	—	1	—	—	—
4	—	—	—	30	—	—	1	—	—	2	9	1
24	3	—	—	196	7	5	3	8	18	21	72	15
8	3	2	3	72	—	—	1	1	3	12	17	10
8	1	2	1	20	—	2	—	—	—	2	3	2
—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	4	—	—	—	—	—	1	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—
—	2	—	—	3	—	—	—	—	—	1	1	—
30	11	5	5	124	1	—	2	2	9	10	22	23
—	—	1	—	2	—	—	—	—	—	—	—	—
7	—	—	—	19	1	—	1	—	1	2	4	6
8	3	1	1	35	—	—	—	—	4	3	6	5
11	5	2	3	50	—	—	—	2	2	3	9	11
—	—	—	—	—	—	—	—	—	—	—	—	—
1	1	—	—	2	—	—	1	—	—	1	1	—
3	2	1	1	16	—	—	—	—	2	1	2	1
—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—
13	2	1	—	43	1	1	1	1	3	3	5	8
1	—	—	—	1	—	—	—	—	—	—	—	—
2	—	—	—	2	—	1	—	—	—	1	1	—
7	2	—	—	30	1	—	—	—	3	2	3	7
3	—	1	—	7	—	—	—	1	—	—	—	—
—	—	—	—	1	—	—	—	—	—	—	1	—
—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	2	—	—	1	—	—	—	—	1
—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—

<sup>3</sup> Most deaths resulting from tobacco use were attributed to other organ systems (e.g., lung cancer, emphysema, heart disease). See tables 6-19 through 6-21 for a more complete account of tobacco-linked deaths.

<sup>4</sup> Includes other drugs acting on the autonomic nervous system.

<sup>5</sup> Includes deaths due to poisoning from multiple substances in more than one category.

<sup>6</sup> HC = hydrocarbons.

<sup>7</sup> Includes Asian, Pacific Islander, other, unknown, and multiple races.

<sup>8</sup> Hispanic decedents may be of any race but have been removed from all race categories in this table.

— Quantity is zero.