

TABLE 7-18. Neonatal, postneonatal and infant death rates by maternal characteristics, Oregon residents, birth cohort 2012-2014

Selected maternal characteristics	Neonatal ¹		Postneonatal ²		Infant ³	
	No.	Rate	No.	Rate	No.	Rate
Total⁴	483	3.6	221	1.6	704	5.2
Marital status						
Married	280	3.2	92	1.1	372	4.3
Unmarried	197	4.1	127	2.6	324	6.7
Age of mother						
10-14	2	*	1	*	3	*
15-19	37	4.7	26	3.3	63	8.0
20-24	89	3.1	65	2.3	154	5.4
25-29	119	3.0	67	1.7	186	4.8
30-34	126	3.3	36	1.0	162	4.3
35-39	72	3.9	20	1.1	92	5.0
40-44	34	8.7	5	1.3	39	10.0
45+	2	*	1	*	3	*
Non-Hispanic race						
White	321	3.4	139	1.5	460	4.9
Black	18	6.5	6	2.2	24	8.6
American Indian	9	5.9	7	4.6	16	10.6
Asian ⁵	16	2.5	15	2.3	31	4.8
Pacific Islander ⁶	3	*	1	*	4	*
Other & not stated	10	19.5	2	*	12	23.4
Multiple races	15	3.2	10	2.1	25	5.3
Total Hispanic	91	3.6	41	1.6	132	5.2
Education						
8th grade or less	25	5.0	7	1.4	32	6.4
9th-12th grade, no diploma	55	3.5	49	3.1	104	6.7
High school/GED	111	3.7	60	2.0	171	5.6
More than high school	268	3.2	102	1.2	370	4.4
Start of prenatal care						
Any trimester	403	3.1	199	1.5	602	4.7
1st trimester	325	3.2	123	1.2	448	4.4
2nd trimester	73	3.2	62	2.7	135	5.9
3rd trimester	5	1.0	14	2.9	19	3.9
No prenatal care	22	23.7	6	6.5	28	30.2
Tobacco use						
Pre-pregnancy only	16	5.4	7	2.4	23	7.8
During pregnancy	67	4.8	68	4.9	135	9.7
No tobacco use	388	3.3	144	1.2	532	4.5
Multiple birth						
Yes	103	22.4	18	3.9	121	26.3
No	380	2.9	203	1.5	583	4.4

— Quantity is zero.

¹ Neonatal deaths include infant deaths of less than 28 days.

² Postneonatal deaths occur from day 28 through 364 after birth.

³ Infant deaths occur in the first year of life.

⁴ Due to unreported items, the sum of all categories may not equal the total.

⁵ Includes Asian Indian, Chinese, Filipino, Japanese, Korean, Vietnamese and other Asian.

⁶ Includes Guamanian, Hawaiian, Samoan and other Pacific Islander.

* Rates are not calculated when there are fewer than five deaths in a category.

NOTE: All rates per 1,000 live births.