

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2016

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total*	35,799	211	40	56	357	551	776	1,966	4,540	6,956	8,216	12,130
Male	18,380	121	17	36	252	385	495	1,198	2,705	4,055	4,299	4,817
Female	17,418	89	23	20	105	166	281	768	1,835	2,901	3,917	7,313
Infections & parasitic disease (A00-B99)	713	2	3	2	4	6	11	66	170	150	135	164
Male	385	—	1	2	2	4	7	43	103	91	66	66
Female	328	2	2	—	2	2	4	23	67	59	69	98
Tuberculosis (A16-A19)	2	—	—	—	—	—	—	—	—	1	—	1
Male	2	—	—	—	—	—	—	—	—	1	—	1
Female	—	—	—	—	—	—	—	—	—	—	—	—
Meningococcal infection (A39)	1	—	—	—	—	—	—	—	—	1	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	1	—	—	—	—	—	—	—	—	1	—	—
Septicemia (A40-A41)	265	1	3	—	3	4	3	13	54	52	63	69
Male	132	—	1	—	2	2	1	6	30	28	32	30
Female	133	1	2	—	1	2	2	7	24	24	31	39
Syphilis (A50-A53)	1	—	—	—	—	—	—	—	—	—	—	1
Male	1	—	—	—	—	—	—	—	—	—	—	1
Female	—	—	—	—	—	—	—	—	—	—	—	—
Creutzfeldt-Jacob disease (A81.0)	9	—	—	—	—	—	—	—	—	5	4	—
Male	6	—	—	—	—	—	—	—	—	4	2	—
Female	3	—	—	—	—	—	—	—	—	1	2	—
Viral hepatitis (B15-B19)	159	—	—	—	—	—	—	28	81	38	12	—
Male	103	—	—	—	—	—	—	23	50	23	7	—
Female	56	—	—	—	—	—	—	5	31	15	5	—
HIV/AIDS (B20-B24) ²	38	—	—	—	—	2	3	12	14	6	1	—
Male	33	—	—	—	—	2	3	8	13	6	1	—
Female	5	—	—	—	—	—	—	4	1	—	—	—
Malignant neoplasms (C00-C97)	8,076	—	3	6	15	49	126	478	1,477	2,375	2,100	1,447
Male	4,287	—	2	5	9	27	45	228	796	1,330	1,109	736
Female	3,789	—	1	1	6	22	81	250	681	1,045	991	711
Lip, oral cavity & pharynx (C00-C14)	161	—	—	—	—	—	1	16	34	53	38	19
Male	107	—	—	—	—	—	1	11	25	39	22	9
Female	54	—	—	—	—	—	—	5	9	14	16	10
Digestive organs (C15-C26)	2,165	—	—	1	2	9	39	159	455	631	531	338
Male	1,284	—	—	1	1	6	19	100	307	407	286	157
Female	881	—	—	—	1	3	20	59	148	224	245	181
Esophagus (C15)	226	—	—	—	—	1	—	16	43	78	55	33
Male	181	—	—	—	—	1	—	12	37	64	43	24
Female	45	—	—	—	—	—	—	4	6	14	12	9

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2016 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Stomach (C16)	141	—	—	—	—	—	10	15	24	42	26	24
Male	91	—	—	—	—	—	6	10	18	28	13	16
Female	50	—	—	—	—	—	4	5	6	14	13	8
Colon, rectum & anus (C18-C21)	681	—	—	1	—	6	16	59	110	156	185	148
Male	363	—	—	1	—	4	7	36	66	97	96	56
Female	318	—	—	—	—	2	9	23	44	59	89	92
Colon (C18)	486	—	—	1	—	4	8	40	67	103	148	115
Male	253	—	—	1	—	2	4	24	37	64	79	42
Female	233	—	—	—	—	2	4	16	30	39	69	73
Rectosigmoid junction (C19)	41	—	—	—	—	—	2	5	9	13	9	3
Male	29	—	—	—	—	—	—	3	7	12	5	2
Female	12	—	—	—	—	—	2	2	2	1	4	1
Rectum (C20)	130	—	—	—	—	2	5	11	29	33	27	23
Male	76	—	—	—	—	2	3	8	21	20	12	10
Female	54	—	—	—	—	—	2	3	8	13	15	13
Liver & intrahepatic bile ducts (C22)	382	—	—	—	1	1	3	31	127	115	74	30
Male	252	—	—	—	—	—	2	21	98	84	33	14
Female	130	—	—	—	1	1	1	10	29	31	41	16
Pancreas (C25)	595	—	—	—	—	—	8	34	117	197	157	82
Male	324	—	—	—	—	—	4	21	69	111	81	38
Female	271	—	—	—	—	—	4	13	48	86	76	44
Respiratory, intrathoracic organs (C30-C39) ...	1,956	—	—	—	—	2	7	80	364	653	560	290
Male	1,036	—	—	—	—	1	4	38	192	363	291	147
Female	920	—	—	—	—	1	3	42	172	290	269	143
Larynx (C32)	54	—	—	—	—	—	—	2	8	28	12	4
Male	44	—	—	—	—	—	—	1	4	24	11	4
Female	10	—	—	—	—	—	—	1	4	4	1	—
Trachea, bronchus & lung (C33-C34)	1,891	—	—	—	—	2	7	77	352	623	547	283
Male	985	—	—	—	—	1	4	36	185	338	279	142
Female	906	—	—	—	—	1	3	41	167	285	268	141
Bronchus & lung (C34)	1,891	—	—	—	—	2	7	77	352	623	547	283
Male	985	—	—	—	—	1	4	36	185	338	279	142
Female	906	—	—	—	—	1	3	41	167	285	268	141
Skin (C43-C44)	166	—	—	—	—	2	5	11	37	37	39	35
Male	110	—	—	—	—	2	2	7	27	28	22	22
Female	56	—	—	—	—	—	3	4	10	9	17	13
Melanoma of skin (C43)	112	—	—	—	—	2	4	10	29	23	28	16
Male	72	—	—	—	—	2	2	7	19	15	15	12
Female	40	—	—	—	—	—	2	3	10	8	13	4

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2016 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Mesothelioma (C45)	32	—	—	—	—	—	—	—	7	12	6	7
Male	28	—	—	—	—	—	—	—	7	10	6	5
Female	4	—	—	—	—	—	—	—	—	2	—	2
Breast (C50)	591	—	—	—	—	7	25	63	128	151	122	95
Male	6	—	—	—	—	—	—	1	—	4	1	—
Female	585	—	—	—	—	7	25	62	128	147	121	95
Female genital organs (C51-C58)	461	—	—	—	—	5	10	39	96	160	92	59
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	461	—	—	—	—	5	10	39	96	160	92	59
Cervix uteri (C53)	52	—	—	—	—	1	7	5	17	14	6	2
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	52	—	—	—	—	1	7	5	17	14	6	2
Corpus uteri (C54-C55) ³	147	—	—	—	—	—	1	11	35	52	33	15
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	147	—	—	—	—	—	1	11	35	52	33	15
Ovary (C56)	224	—	—	—	—	4	1	19	39	81	47	33
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	224	—	—	—	—	4	1	19	39	81	47	33
Male genital organs (C60-C63)	486	—	—	—	—	1	—	9	40	117	141	178
Male	486	—	—	—	—	1	—	9	40	117	141	178
Female	—	—	—	—	—	—	—	—	—	—	—	—
Prostate (C61)	475	—	—	—	—	—	—	7	39	115	141	173
Male	475	—	—	—	—	—	—	7	39	115	141	173
Female	—	—	—	—	—	—	—	—	—	—	—	—
Kidney & renal pelvis (C64-C65)	179	—	—	—	—	2	3	11	29	51	49	34
Male	117	—	—	—	—	2	2	7	20	34	34	18
Female	62	—	—	—	—	—	1	4	9	17	15	16
Bladder (C67)	235	—	—	—	—	—	2	4	28	50	81	70
Male	175	—	—	—	—	—	1	3	23	39	60	49
Female	60	—	—	—	—	—	1	1	5	11	21	21
Brain, etc. (C70-C72) ⁴	211	—	2	3	1	4	6	16	60	67	36	16
Male	122	—	1	2	1	2	—	9	38	41	19	9
Female	89	—	1	1	—	2	6	7	22	26	17	7
Thyroid/endocrine gland (C73-C75)	41	—	—	1	—	—	2	1	6	13	10	8
Male	19	—	—	1	—	—	1	1	4	9	1	2
Female	22	—	—	—	—	—	1	—	2	4	9	6
Lymphoid & hematopoietic (C81-C96)	792	—	1	1	8	14	17	38	91	203	244	175
Male	484	—	1	1	4	11	10	21	59	132	152	93
Female	308	—	—	—	4	3	7	17	32	71	92	82

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2016 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Hodgkin's disease (C81)	16	—	—	—	2	2	—	—	4	3	1	4
Male	9	—	—	—	—	2	—	—	3	2	—	2
Female	7	—	—	—	2	—	—	—	1	1	1	2
Non-Hodgkin's lymphoma (C82-C85)	293	—	—	—	—	5	8	11	29	73	96	71
Male	183	—	—	—	—	5	7	5	18	47	62	39
Female	110	—	—	—	—	—	1	6	11	26	34	32
Leukemia (C91-C95)	317	—	1	1	6	7	8	17	41	78	91	67
Male	196	—	1	1	4	4	3	9	27	51	60	36
Female	121	—	—	—	2	3	5	8	14	27	31	31
Lymphoid leukemia (C91)	96	—	—	1	5	4	—	1	9	16	29	31
Male	61	—	—	1	3	3	—	1	7	10	19	17
Female	35	—	—	—	2	1	—	—	2	6	10	14
Myeloid leukemia (C92)	177	—	—	—	1	3	6	12	28	47	55	25
Male	109	—	—	—	1	1	2	8	18	29	36	14
Female	68	—	—	—	—	2	4	4	10	18	19	11
Multiple myeloma (C88, C90) ⁵	164	—	—	—	—	—	1	10	17	49	56	31
Male	95	—	—	—	—	—	—	7	11	32	30	15
Female	69	—	—	—	—	—	1	3	6	17	26	16
Neoplas. not specif. as malign. (D00-D48)⁶ ...	237	—	1	—	—	—	2	8	31	53	66	76
Male	127	—	—	—	—	—	2	6	15	30	38	36
Female	110	—	1	—	—	—	—	2	16	23	28	40
Myelodysplastic syndromes (D46)	102	—	—	—	—	—	—	2	9	20	33	38
Male	57	—	—	—	—	—	—	2	3	13	22	17
Female	45	—	—	—	—	—	—	—	6	7	11	21
Diseases of the blood (D50-89)⁷	131	—	1	3	2	2	4	6	12	23	29	49
Male	57	—	—	2	2	1	1	4	2	10	15	20
Female	74	—	1	1	—	1	3	2	10	13	14	29
Anemias (D50-D64)	70	—	—	1	—	—	—	—	3	10	14	42
Male	33	—	—	1	—	—	—	—	1	5	8	18
Female	37	—	—	—	—	—	—	—	2	5	6	24
Endocrine & nutritional dis. (E00-E88)⁸	1,840	4	—	2	10	16	37	135	303	447	389	497
Male	987	2	—	1	3	11	23	78	173	260	224	212
Female	853	2	—	1	7	5	14	57	130	187	165	285
Diabetes mellitus (E10-E14)	1,240	—	—	—	4	11	22	94	212	325	282	290
Male	731	—	—	—	2	7	16	60	136	202	170	138
Female	509	—	—	—	2	4	6	34	76	123	112	152
Nutritional deficiencies (E40-E64)	119	—	—	1	—	—	—	1	12	17	19	69
Male	46	—	—	—	—	—	—	1	5	7	7	26
Female	73	—	—	1	—	—	—	—	7	10	12	43

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2016 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Malnutrition (E40-E46)	117	—	—	1	—	—	—	1	12	17	17	69
Male	44	—	—	—	—	—	—	1	5	7	5	26
Female	73	—	—	1	—	—	—	—	7	10	12	43
Mental disorders (F01-F99)⁹	2,429	—	—	1	1	17	28	93	171	225	496	1,397
Male	1,008	—	—	—	1	10	20	65	122	126	240	424
Female	1,421	—	—	1	—	7	8	28	49	99	256	973
Organic dementia (F01, F03) ¹⁰	1,945	—	—	—	—	—	—	—	16	120	454	1,355
Male	682	—	—	—	—	—	—	—	8	57	213	404
Female	1,263	—	—	—	—	—	—	—	8	63	241	951
Due to alcohol (F10) ¹¹	251	—	—	—	—	5	14	56	98	54	16	8
Male	191	—	—	—	—	3	11	42	74	44	11	6
Female	60	—	—	—	—	2	3	14	24	10	5	2
Due to psychoactive substance (F11-F19)	148	—	—	—	1	12	12	32	37	36	15	3
Male	99	—	—	—	1	7	8	21	29	20	11	2
Female	49	—	—	—	—	5	4	11	8	16	4	1
Nervous system disease (G00-G99)	2,979	—	1	3	11	16	15	57	141	343	807	1,585
Male	1,185	—	1	1	9	12	11	31	65	164	384	507
Female	1,794	—	—	2	2	4	4	26	76	179	423	1,078
Meningitis (G00, G03)	6	—	—	—	—	—	—	1	2	1	2	—
Male	3	—	—	—	—	—	—	1	1	—	1	—
Female	3	—	—	—	—	—	—	—	1	1	1	—
Amyotrophic lateral sclerosis (G12.2)	113	—	—	—	—	1	1	7	23	47	28	6
Male	62	—	—	—	—	1	1	4	14	23	16	3
Female	51	—	—	—	—	—	—	3	9	24	12	3
Parkinson's disease (G20-G21)	452	—	—	—	—	—	—	1	6	57	181	207
Male	281	—	—	—	—	—	—	—	4	39	121	117
Female	171	—	—	—	—	—	—	1	2	18	60	90
Alzheimer's disease (G30)	1,786	—	—	—	—	—	—	1	15	95	453	1,222
Male	547	—	—	—	—	—	—	1	4	39	169	334
Female	1,239	—	—	—	—	—	—	—	11	56	284	888
Multiple sclerosis (G35)	84	—	—	—	—	—	—	10	23	28	17	6
Male	23	—	—	—	—	—	—	4	2	12	4	1
Female	61	—	—	—	—	—	—	6	21	16	13	5
Epilepsy (G40-G41)	28	—	—	—	3	7	2	1	4	5	3	3
Male	19	—	—	—	2	4	2	1	4	4	2	—
Female	9	—	—	—	1	3	—	—	—	1	1	3
Ear & mastoid process dis. (H60-H95)	1	—	—	—	—	—	—	—	—	—	—	1
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	1	—	—	—	—	—	—	—	—	—	—	1

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2016 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Circulatory system diseases (I00-I99)	9,832	3	1	—	14	29	108	319	945	1,596	2,349	4,468
Male	5,102	2	—	—	8	19	82	239	645	1,036	1,305	1,766
Female	4,730	1	1	—	6	10	26	80	300	560	1,044	2,702
Major cardiovascular disease (I00-I78)	9,788	2	1	—	13	29	104	316	937	1,587	2,338	4,461
Male	5,076	1	—	—	7	19	80	237	641	1,030	1,296	1,765
Female	4,712	1	1	—	6	10	24	79	296	557	1,042	2,696
Heart disease (I00-I09, I11, I13, I20-I51)	6,972	2	1	—	8	23	74	243	682	1,139	1,654	3,146
Male	3,825	1	—	—	4	15	58	184	483	774	966	1,340
Female	3,147	1	1	—	4	8	16	59	199	365	688	1,806
Rheumatic heart disease (I00-I09)¹²	84	—	—	—	—	—	—	1	7	13	24	39
Male	29	—	—	—	—	—	—	1	2	4	8	14
Female	55	—	—	—	—	—	—	—	5	9	16	25
Hypertensive heart disease (I11)	247	—	—	—	—	—	5	6	11	25	57	143
Male	96	—	—	—	—	—	5	5	5	11	29	41
Female	151	—	—	—	—	—	—	1	6	14	28	102
Hypertensive heart & renal dis. (I13)	75	—	—	—	—	—	—	—	4	5	19	47
Male	29	—	—	—	—	—	—	—	1	4	11	13
Female	46	—	—	—	—	—	—	—	3	1	8	34
Ischemic heart disease (I20-I25)	3,481	1	—	—	1	5	41	145	444	705	874	1,265
Male	2,275	1	—	—	1	5	34	114	334	526	601	659
Female	1,206	—	—	—	—	—	7	31	110	179	273	606
Myocardial infarction (I21-I22)	1,072	1	—	—	—	1	9	49	150	256	242	364
Male	673	1	—	—	—	1	8	34	116	175	159	179
Female	399	—	—	—	—	—	1	15	34	81	83	185
Other acute ischemic hrt. dis. (I24)	23	—	—	—	—	—	—	3	4	4	3	9
Male	14	—	—	—	—	—	—	2	2	3	3	4
Female	9	—	—	—	—	—	—	1	2	1	—	5
Chronic isch. heart dis. (I20, I25)	2,386	—	—	—	1	4	32	93	290	445	629	892
Male	1,588	—	—	—	1	4	26	78	216	348	439	476
Female	798	—	—	—	—	—	6	15	74	97	190	416
Atheroscler. cardiovascular dis.¹³ ...	143	—	—	—	—	1	3	10	27	35	31	36
Male	106	—	—	—	—	1	—	9	20	32	23	21
Female	37	—	—	—	—	—	3	1	7	3	8	15
Other chr. ischemic heart dis.¹⁴	2,243	—	—	—	1	3	29	83	263	410	598	856
Male	1,482	—	—	—	1	3	26	69	196	316	416	455
Female	761	—	—	—	—	—	3	14	67	94	182	401
Nonrheumatic mitral valve dis. (I34)	62	—	—	—	—	—	1	2	2	6	17	34
Male	23	—	—	—	—	—	1	1	2	3	7	9
Female	39	—	—	—	—	—	—	1	—	3	10	25

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2016 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Nonrheumatic aortic valve dis. (I35)	488	—	—	—	—	—	1	4	15	33	113	322
Male	198	—	—	—	—	—	1	3	11	18	38	127
Female	290	—	—	—	—	—	—	1	4	15	75	195
Cardiomyopathy (I42)	236	—	—	—	1	8	6	23	39	45	54	60
Male	144	—	—	—	1	5	6	17	25	27	36	27
Female	92	—	—	—	—	3	—	6	14	18	18	33
Heart failure (I50)	1,029	—	—	—	1	2	5	18	53	129	214	607
Male	474	—	—	—	—	2	1	14	39	80	104	234
Female	555	—	—	—	1	—	4	4	14	49	110	373
Congestive heart failure (I50.0)	799	—	—	—	—	—	4	11	35	95	166	488
Male	359	—	—	—	—	—	1	9	25	59	82	183
Female	440	—	—	—	—	—	3	2	10	36	84	305
Left ventricular heart failure (I50.1)	13	—	—	—	—	—	—	—	—	—	4	9
Male	5	—	—	—	—	—	—	—	—	—	3	2
Female	8	—	—	—	—	—	—	—	—	—	1	7
Heart failure, unspecified (I50.9)	217	—	—	—	1	2	1	7	18	34	44	110
Male	110	—	—	—	—	2	—	5	14	21	19	49
Female	107	—	—	—	1	—	1	2	4	13	25	61
HBP (I10, I12, I15) ¹⁵	557	—	—	—	—	2	4	24	75	96	100	256
Male	260	—	—	—	—	2	2	20	49	53	50	84
Female	297	—	—	—	—	—	2	4	26	43	50	172
Cerebrovascular disease (I60-I69) ¹⁰	1,944	—	—	—	4	4	19	39	148	274	500	956
Male	817	—	—	—	3	2	15	26	88	150	235	298
Female	1,127	—	—	—	1	2	4	13	60	124	265	658
Subarachnoid hemorrhage (I60)	72	—	—	—	3	2	5	6	19	13	11	13
Male	35	—	—	—	3	—	4	6	9	6	6	1
Female	37	—	—	—	—	2	1	—	10	7	5	12
Intracerebral hemorrhage (I61-I62) ¹⁶	386	—	—	—	—	1	8	12	50	67	106	142
Male	178	—	—	—	—	1	6	8	26	36	47	54
Female	208	—	—	—	—	—	2	4	24	31	59	88
Cerebral infarction (I63)	146	—	—	—	—	—	1	2	17	20	34	72
Male	60	—	—	—	—	—	1	2	11	9	13	24
Female	86	—	—	—	—	—	—	—	6	11	21	48
Stroke (type not specified) (I64)	816	—	—	—	—	1	1	10	39	112	219	434
Male	329	—	—	—	—	1	1	6	26	63	109	123
Female	487	—	—	—	—	—	—	4	13	49	110	311
Atherosclerosis (I70)	49	—	—	—	—	—	2	—	5	13	13	16
Male	26	—	—	—	—	—	2	—	4	8	5	7
Female	23	—	—	—	—	—	—	—	1	5	8	9

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2016 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Aortic aneurysm & dissection (I71)	128	—	—	—	1	—	—	7	13	36	34	37
Male	76	—	—	—	—	—	—	6	9	23	22	16
Female	52	—	—	—	1	—	—	1	4	13	12	21
Diseases of arteries (I72-I78) ¹⁷	138	—	—	—	—	—	5	3	14	29	37	50
Male	72	—	—	—	—	—	3	1	8	22	18	20
Female	66	—	—	—	—	—	2	2	6	7	19	30
Respiratory system diseases (J00-J99)	3,131	5	4	3	9	13	28	95	345	788	926	915
Male	1,580	4	1	2	5	6	15	51	177	433	452	434
Female	1,551	1	3	1	4	7	13	44	168	355	474	481
Influenza & pneumonia (J09-J18)	452	1	3	1	2	4	14	21	51	80	91	184
Male	218	1	1	1	2	1	9	11	30	46	39	77
Female	234	—	2	—	—	3	5	10	21	34	52	107
Influenza (J09-J11)	92	—	2	—	1	1	8	10	12	22	15	21
Male	45	—	1	—	1	—	4	5	6	14	5	9
Female	47	—	1	—	—	1	4	5	6	8	10	12
Pneumonia (J12-J18)	360	1	1	1	1	3	6	11	39	58	76	163
Male	173	1	—	1	1	1	5	6	24	32	34	68
Female	187	—	1	—	—	2	1	5	15	26	42	95
Other acute lower resp. infect'ns (J20-J22)	3	—	—	—	—	—	—	—	—	1	—	2
Male	2	—	—	—	—	—	—	—	—	1	—	1
Female	1	—	—	—	—	—	—	—	—	—	—	1
Acute bronchitis (J20-J21) ¹⁸	1	—	—	—	—	—	—	—	—	—	—	1
Male	1	—	—	—	—	—	—	—	—	—	—	1
Female	—	—	—	—	—	—	—	—	—	—	—	—
Chronic lower respiratory dis. (J40-J47) ¹⁹	2,081	—	—	—	3	6	11	56	234	595	672	504
Male	1,013	—	—	—	2	2	3	30	114	312	315	235
Female	1,068	—	—	—	1	4	8	26	120	283	357	269
Bronchitis, chronic & unspec. (J40-J42)	5	—	—	—	—	—	—	—	—	2	2	1
Male	4	—	—	—	—	—	—	—	—	2	1	1
Female	1	—	—	—	—	—	—	—	—	—	1	—
Emphysema (J43)	156	—	—	—	—	—	1	3	19	42	57	34
Male	89	—	—	—	—	—	1	2	7	30	31	18
Female	67	—	—	—	—	—	—	1	12	12	26	16
Asthma (J45-J46)	75	—	—	—	3	6	8	9	14	9	11	15
Male	31	—	—	—	2	2	1	6	6	4	5	5
Female	44	—	—	—	1	4	7	3	8	5	6	10
Other CLRD (J44, J47)	1,845	—	—	—	—	—	2	44	201	542	602	454
Male	889	—	—	—	—	—	1	22	101	276	278	211
Female	956	—	—	—	—	—	1	22	100	266	324	243

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2016 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Bronchiectasis (J47)	23	—	—	—	—	—	—	—	—	7	9	7
Male	6	—	—	—	—	—	—	—	—	—	4	2
Female	17	—	—	—	—	—	—	—	—	7	5	5
Pneumoconioses (J60-J66, J68) ²⁰	21	—	—	—	—	—	—	—	1	6	8	6
Male	21	—	—	—	—	—	—	—	1	6	8	6
Female	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonitis due to solids & liquids (J69)	142	1	—	—	1	1	1	3	15	23	26	71
Male	87	1	—	—	—	1	1	2	9	19	12	42
Female	55	—	—	—	1	—	—	1	6	4	14	29
Digestive system diseases (K00-K92)	1,618	—	—	—	2	15	53	195	354	342	262	395
Male	861	—	—	—	—	11	33	115	223	206	128	145
Female	757	—	—	—	2	4	20	80	131	136	134	250
Peptic ulcer (K25-K28)	75	—	—	—	—	—	—	—	11	19	17	28
Male	39	—	—	—	—	—	—	—	6	13	7	13
Female	36	—	—	—	—	—	—	—	5	6	10	15
Diseases of the appendix (K35-K38)	7	—	—	—	—	—	—	3	2	—	1	1
Male	3	—	—	—	—	—	—	2	—	—	1	—
Female	4	—	—	—	—	—	—	1	2	—	—	1
Appendicitis (K35-K37)	7	—	—	—	—	—	—	3	2	—	1	1
Male	3	—	—	—	—	—	—	2	—	—	1	—
Female	4	—	—	—	—	—	—	1	2	—	—	1
Hernia (K40-K46)	64	—	—	—	—	—	1	1	8	6	12	36
Male	31	—	—	—	—	—	1	1	5	2	7	15
Female	33	—	—	—	—	—	—	—	3	4	5	21
Vascular disorders of the intestine (K55)	118	—	—	—	—	—	2	3	14	29	30	40
Male	42	—	—	—	—	—	1	1	4	14	10	12
Female	76	—	—	—	—	—	1	2	10	15	20	28
Chronic liver disease (K70, K73-K74) ²¹	605	—	—	—	1	11	42	143	221	124	47	16
Male	397	—	—	—	—	7	26	85	152	84	33	10
Female	208	—	—	—	1	4	16	58	69	40	14	6
Alcoholic liver disease (K70) ²²	507	—	—	—	1	11	41	134	205	88	23	4
Male	340	—	—	—	—	7	25	79	139	65	22	3
Female	167	—	—	—	1	4	16	55	66	23	1	1
Cholelithiasis (K80-K82) ²³	65	—	—	—	—	—	—	3	2	11	19	30
Male	27	—	—	—	—	—	—	3	2	4	9	9
Female	38	—	—	—	—	—	—	—	—	7	10	21
Diseases of the skin (L00-L98)²⁴	68	—	—	—	—	1	1	6	10	14	13	23
Male	31	—	—	—	—	—	—	3	7	6	7	8
Female	37	—	—	—	—	1	1	3	3	8	6	15

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2016 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Musculoskeletal disease (M00-M99)²⁵	241	—	—	—	2	3	2	11	27	40	65	91
Male	93	—	—	—	—	2	1	4	9	18	30	29
Female	148	—	—	—	2	1	7	18	22	35	62	62
Genitourinary system dis. (N00-N99)	637	1	—	—	1	3	6	28	50	126	154	268
Male	300	—	—	—	1	1	5	9	21	53	77	133
Female	337	1	—	—	—	2	1	19	29	73	77	135
Nephritis (N00-N07, N17-N19, N25-N27) ²⁶	399	1	—	—	—	1	5	19	31	92	97	153
Male	207	—	—	—	—	1	4	7	16	45	50	84
Female	192	1	—	—	—	—	1	12	15	47	47	69
Acute nephrotic syndr. (N00-N01, N04) ²⁷ ..	7	—	—	—	—	—	—	—	1	—	2	4
Male	3	—	—	—	—	—	—	—	—	—	1	2
Female	4	—	—	—	—	—	—	—	1	—	1	2
Chr. nephritis (N02-N03, N05-N07, N26) ²⁸	14	—	—	—	—	—	—	1	1	5	6	1
Male	10	—	—	—	—	—	—	1	—	4	5	—
Female	4	—	—	—	—	—	—	—	1	1	1	1
Renal failure (N17-N19)	378	1	—	—	—	1	5	18	29	87	89	148
Male	194	—	—	—	—	1	4	6	16	41	44	82
Female	184	1	—	—	—	—	1	12	13	46	45	66
Kidney infect'ns (N10-N12, N13.6, N15.1)	14	—	—	—	—	—	—	1	2	4	6	1
Male	6	—	—	—	—	—	—	—	—	2	3	1
Female	8	—	—	—	—	—	—	1	2	2	3	—
Urinary tract infection (N39.0)	148	—	—	—	—	1	—	4	10	18	34	81
Male	45	—	—	—	—	—	—	—	1	2	13	29
Female	103	—	—	—	—	1	—	4	9	16	21	52
Hyperplasia of prostate (N40)	13	—	—	—	—	—	—	—	—	1	3	9
Male	13	—	—	—	—	—	—	—	—	1	3	9
Female	—	—	—	—	—	—	—	—	—	—	—	—
Female pelvic inflam. dis. (N70-N76) ²⁹	4	—	—	—	—	—	—	—	—	2	1	1
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	4	—	—	—	—	—	—	—	—	2	1	1
Pregnancy & childbirth (O00-O99)³⁰	8	—	—	—	—	6	2	—	—	—	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	8	—	—	—	—	6	2	—	—	—	—	—
Pregnancy with abortive outcome (O00-O07)	1	—	—	—	—	1	—	—	—	—	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	1	—	—	—	—	1	—	—	—	—	—	—
Perinatal conditions (P00-P96)	101	100	—	—	—	—	—	—	—	—	—	1
Male	56	55	—	—	—	—	—	—	—	—	—	1
Female	45	45	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2016 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Congenital malformations (Q00-Q99)³¹	134	55	3	–	1	6	11	5	22	8	14	9
Male	77	34	1	–	–	4	6	3	13	5	7	4
Female	56	20	2	–	1	2	5	2	9	3	7	5
Malformation of the heart (Q20-Q24)	36	11	2	–	–	2	8	1	5	1	3	3
Male	20	5	1	–	–	2	5	1	3	1	2	–
Female	16	6	1	–	–	–	3	–	2	–	1	3
Other malf. of the circul. sys. (Q25-Q28)	10	4	–	–	–	–	–	1	–	2	2	1
Male	5	2	–	–	–	–	–	–	–	2	–	1
Female	5	2	–	–	–	–	–	1	–	–	2	–
Malf. of the respiratory system (Q30-Q34)	10	8	–	–	–	–	1	–	–	–	–	1
Male	9	8	–	–	–	–	–	–	–	–	–	1
Female	1	–	–	–	–	–	1	–	–	–	–	–
Symptoms & signs (R00-R99)³²	488	24	1	1	4	12	11	25	64	81	79	186
Male	240	15	1	1	4	9	7	17	40	46	41	59
Female	248	9	–	–	–	3	4	8	24	35	38	127
Senility (R54)	29	–	–	–	–	–	–	–	–	–	4	25
Male	7	–	–	–	–	–	–	–	–	–	1	6
Female	22	–	–	–	–	–	–	–	–	–	3	19
Sudden infant death syndrome (R95)	21	21	–	–	–	–	–	–	–	–	–	–
Male	12	12	–	–	–	–	–	–	–	–	–	–
Female	9	9	–	–	–	–	–	–	–	–	–	–
External causes of death (V01-Y89)	3,135	17	22	35	281	357	331	439	418	345	332	558
Male	2,004	9	10	22	208	268	237	302	294	241	176	237
Female	1,131	8	12	13	73	89	94	137	124	104	156	321
Accidents (V01-X59, Y85-Y86)	2,108	11	19	23	154	223	176	254	252	225	259	512
Male	1,258	7	8	14	119	164	118	174	172	156	122	204
Female	850	4	11	9	35	59	58	80	80	69	137	308
Transport accidents (V01-V99, Y85)	573	–	4	14	86	91	64	90	88	61	45	30
Male	395	–	2	9	60	62	43	68	59	46	26	20
Female	178	–	2	5	26	29	21	22	29	15	19	10
Motor vehicle acc. (Many codes)³³	524	–	4	14	81	86	58	79	80	54	40	28
Male	353	–	2	9	55	58	37	58	53	40	23	18
Female	171	–	2	5	26	28	21	21	27	14	17	10
Motor veh. traf. acc. (Many codes)³⁴ ...	504	–	3	13	81	84	57	75	76	50	37	28
Male	337	–	1	8	55	57	36	55	50	36	21	18
Female	167	–	2	5	26	27	21	20	26	14	16	10
Other land trans. acc. (Many codes)³⁵	12	–	–	–	2	2	1	1	3	–	1	2
Male	11	–	–	–	2	2	1	1	2	–	1	2
Female	1	–	–	–	–	–	–	–	1	–	–	–

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2016 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Water transport accidents (V90-V94)	19	—	—	—	1	2	3	5	3	4	1	—
Male	18	—	—	—	1	2	3	5	2	4	1	—
Female	1	—	—	—	—	—	—	—	1	—	—	—
Air transport accidents (V95-V97)	4	—	—	—	2	1	—	1	—	—	—	—
Male	3	—	—	—	2	—	—	1	—	—	—	—
Female	1	—	—	—	—	1	—	—	—	—	—	—
Nontransport accidents (W00-X59,Y86)	1,535	11	15	9	68	132	112	164	164	164	214	482
Male	863	7	6	5	59	102	75	106	113	110	96	184
Female	672	4	9	4	9	30	37	58	51	54	118	298
Falls (W00-W19)	717	—	—	—	4	12	8	14	23	76	166	414
Male	316	—	—	—	3	12	6	10	17	44	71	153
Female	401	—	—	—	1	—	2	4	6	32	95	261
Firearms (W32-W34)	7	—	—	—	2	1	1	1	1	—	1	—
Male	5	—	—	—	2	—	1	1	1	—	—	—
Female	2	—	—	—	—	1	—	—	—	—	1	—
Drowning & submersion (W65-W74)	81	—	5	6	12	8	8	11	13	9	6	3
Male	60	—	—	3	12	7	7	9	8	7	6	1
Female	21	—	5	3	—	1	1	2	5	2	—	2
Exposure to smoke & fire (X00-X09)	32	—	1	1	—	2	1	4	12	8	2	1
Male	24	—	1	1	—	1	—	3	11	6	—	1
Female	8	—	—	—	—	1	1	1	1	2	2	—
Poisoning (X40-X49) ³⁶	454	—	2	1	43	90	86	106	84	26	7	9
Male	302	—	2	—	35	69	54	60	56	18	4	4
Female	152	—	—	1	8	21	32	46	28	8	3	5
Suicide (X60-X84, Y87.0)	771	—	—	9	89	95	120	143	137	94	54	30
Male	581	—	—	6	65	76	91	100	100	71	46	26
Female	190	—	—	3	24	19	29	43	37	23	8	4
Poisoning (X60-X69)	117	—	—	—	10	12	17	31	23	18	4	2
Male	57	—	—	—	5	7	8	14	10	8	3	2
Female	60	—	—	—	5	5	9	17	13	10	1	—
Hanging/suffocation (X70)	184	—	—	5	34	33	35	32	26	12	3	4
Male	131	—	—	2	23	24	28	24	16	10	1	3
Female	53	—	—	3	11	9	7	8	10	2	2	1
Firearm discharge (X72-X74)	412	—	—	3	38	47	56	66	73	61	45	23
Male	353	—	—	3	32	42	47	52	63	53	41	20
Female	59	—	—	—	6	5	9	14	10	8	4	3
Homicide (X85-Y09, Y87.1)	129	2	2	3	31	28	18	22	12	4	6	1
Male	92	1	1	2	19	21	15	17	11	3	2	—
Female	37	1	1	1	12	7	3	5	1	1	4	1

See footnotes at end of table.

TABLE 6-6. Number of deaths from selected causes by age and sex, Oregon residents, 2016 — Continued

Causes of death (and their ICD-10 codes) ¹	Total	Age at death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Firearm discharge (X93-X95)	77	—	—	2	19	20	11	13	9	—	3	—
Male	62	—	—	2	15	18	9	9	8	—	1	—
Female	15	—	—	—	4	2	2	4	1	—	2	—
Legal intervention (Y35, Y89.0) ³⁷	11	—	—	—	2	2	4	2	—	1	—	—
Male	11	—	—	—	2	2	4	2	—	1	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	62	2	1	—	5	8	12	12	10	6	4	2
Male	37	1	1	—	3	4	9	5	7	2	3	2
Female	25	1	—	—	2	4	3	7	3	4	1	—
War and its sequelae (Y36, Y89.1) ³⁸	1	—	—	—	—	—	—	—	—	1	—	—
Male	1	—	—	—	—	—	—	—	—	1	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Medical care complica'ns (Y40-Y84, Y88)	53	2	—	—	—	1	1	6	7	14	9	13
Male	24	—	—	—	—	1	—	4	4	7	3	5
Female	29	2	—	—	—	—	1	2	3	7	6	8
Injury by firearms (Many codes) ³⁹	510	—	—	5	63	70	72	83	83	62	49	23
Male	434	—	—	5	53	62	61	65	72	54	42	20
Female	76	—	—	—	10	8	11	18	11	8	7	3
Alcohol-induced deaths (Many codes) ^{40,41}	829	—	—	—	2	24	66	205	326	148	45	13
Male	583	—	—	—	1	15	42	129	234	114	38	10
Female	246	—	—	—	1	9	24	76	92	34	7	3
Drug-induced deaths (Many codes) ^{42,43}	649	—	2	—	48	104	101	153	130	74	23	14
Male	403	—	2	—	37	74	61	81	84	41	15	8
Female	246	—	—	—	11	30	40	72	46	33	8	6
Injury at work ⁴⁴	57	—	—	—	1	12	7	13	13	6	3	2
Male	52	—	—	—	1	11	6	12	12	6	2	2
Female	5	—	—	—	—	1	1	1	1	—	1	—

— Quantity is zero.

* Includes unknown sex.

1 International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

2 Human immunodeficiency virus/ acquired immune deficiency syndrome.

3 Includes uterus, part unspecified.

4 Includes meninges and other parts of the central nervous system.

5 Includes immunoproliferative neoplasms.

6 Includes in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.

7 Includes diseases of the blood forming-organs and disorders involving the immune mechanism.

8 Includes metabolic diseases.

9 Includes behavioral disorders.

10 In 2005, the National Center for Health Statistics changed the ICD-10 codes to which certain brain disorders were coded. In prior years, "multi-infarct dementia" was coded to I63.9 (cerebral infarction, unspecified) and "vascular dementia" as I67.9 (cerebrovascular disease, unspecified). Beginning in 2005, "multi-infarct dementia" is assigned to code F01.1 and "vascular dementia" to F01.9. Therefore, certain deaths formerly attributed to the cerebrovascular

- disease rubric are now counted as forms of organic dementia.
- 11 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
 - 12 Includes acute rheumatic fever.
 - 13 The ICD-10 code is I25.0.
 - 14 Includes angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
 - 15 Hypertension with/without renal disease.
 - 16 Includes other intracranial hemorrhages.
 - 17 Includes diseases of the arterioles and capillaries.
 - 18 Includes acute bronchiolitis.
 - 19 Formerly chronic obstructive pulmonary disease (COPD).
 - 20 Includes respiratory conditions due to inhalation of chemicals, gases, fumes, and vapors.
 - 21 Includes liver cirrhosis.
 - 22 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
 - 23 Includes other diseases of the gallbladder.
 - 24 Includes subcutaneous tissues.
 - 25 Includes connective tissue.
 - 26 Includes nephrotic syndrome and nephrosis.
 - 27 Includes acute and rapidly progressive nephritic and nephrotic syndrome.
 - 28 Includes chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
 - 29 Inflammatory diseases of female pelvic organs.
 - 30 Includes the puerperium.
 - 31 Includes congenital deformations and chromosomal abnormalities.
 - 32 Includes abnormal clinical and laboratory findings not elsewhere classified.
 - 33 Includes the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
 - 34 Includes the following ICD-10 codes: V02-V04(.1,.9), V09.2, V12-V14(.3-.9), V19(.4-.6), V20-V28(.3-.9), V29(.4-.9), V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80(.3-.5), V81.1, V82.1, V83-V86(.0-.3), V87(.0-.8), V89.2.
 - 35 Includes the following ICD-10 codes: V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9.
 - 36 Includes exposure to noxious substances.
 - 37 Legal intervention is the intentional or unintentional death of a person resulting from the actions of a law enforcement agent. This figure may not include all such deaths if the certifying medical examiner failed to note (on the death certificate) the involvement of a law enforcement agent.
 - 38 Includes late effects of injuries sustained in war. (The deaths of Oregon residents who died outside the U.S. while on active-duty are not reported to Oregon's Center for Health Statistics by the U.S. Department of Defense.)
 - 39 Includes accidental, suicidal, homicidal, and undetermined intent gunshot deaths (ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0). Note this category includes injuries included in other cause of death categories.
 - 40 Includes: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent. Note disorders included here are also included in other cause of death categories.
 - 41 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K85.2, K86.0, R78.0, X45, X65, and Y15. respectively. (Components of this category were revised beginning in 2004, resulting in the inclusion of additional codes/deaths.)
 - 42 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Other conditions, such as drug-induced hypoglycemia and drug-induced Parkinsonism are also included here. Note disorders included here are also included in other cause of death categories.
 - 43 The ICD-10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14. (Components of this category were revised beginning in 2004 resulting in the inclusion of additional codes/deaths.)
 - 44 Recorded as a separate item on the death certificate by the medical examiner.