

TABLE 7-18. Neonatal, postneonatal and infant death rates by maternal characteristics, Oregon residents, birth cohort 2013-2015

Selected maternal characteristics	Neonatal ¹		Postneonatal ²		Infant ³	
	No.	Rate	No.	Rate	No.	Rate
Total⁴	471	3.5	211	1.5	682	5.0
Marital status						
Married	274	3.1	94	1.1	368	4.2
Unmarried	190	3.9	115	2.4	305	6.3
Age of mother						
10-14	2	*	1	*	3	*
15-19	37	5.1	17	2.3	54	7.4
20-24	81	2.9	65	2.4	146	5.3
25-29	122	3.1	64	1.6	186	4.7
30-34	112	2.9	34	0.9	146	3.8
35-39	79	4.2	22	1.2	101	5.3
40-44	34	8.6	7	1.8	41	10.3
45+	2	*	1	*	3	*
Non-Hispanic race						
White	317	3.4	144	1.5	461	4.9
Black	24	8.3	9	3.1	33	11.4
American Indian	4	*	6	4.1	10	6.9
Asian ⁵	18	2.7	12	1.8	30	4.6
Pacific Islander ⁶	2	*	1	*	3	*
Other & not stated	9	19.1	1	*	10	21.2
Multiple races	15	3.0	9	1.8	24	4.8
Total Hispanic	82	3.2	29	1.1	111	4.4
Education						
8th grade or less	19	4.2	7	1.5	26	5.8
9th-12th grade, no diploma	52	3.4	38	2.5	90	5.9
High school/GED	114	3.8	69	2.3	183	6.1
More than high school	260	3.0	94	1.1	354	4.1
Start of prenatal care						
Any trimester	397	3.0	186	1.4	583	4.5
1st trimester	326	3.2	124	1.2	450	4.4
2nd trimester	67	2.9	49	2.2	116	5.1
3rd trimester	4	*	13	2.6	17	3.4
No prenatal care	28	29.2	7	7.3	35	36.5
Tobacco use						
Pre-pregnancy only	11	3.4	10	3.1	21	6.6
During pregnancy	62	4.5	62	4.5	124	9.0
No tobacco use	384	3.2	138	1.2	522	4.4
Multiple birth						
Yes	93	19.8	25	5.3	118	25.1
No	378	2.9	186	1.4	564	4.3

- Quantity is zero.

¹ Neonatal deaths include infant deaths of less than 28 days.

² Postneonatal deaths occur from day 28 through 364 after birth.

³ Infant deaths occur in the first year of life.

⁴ Due to unreported items, the sum of all categories may not equal the total.

⁵ Includes Asian Indian, Chinese, Filipino, Japanese, Korean, Vietnamese and other Asian.

⁶ Includes Guamanian, Hawaiian, Samoan and other Pacific Islander.

* Rates are not calculated when there are fewer than five deaths in a category.

NOTE: All rates per 1,000 live births.