

TABLE 6-3. Selected leading causes of death with rates, Oregon residents, 1998-2017

Year	Total	Cancer	Major cardiovascular diseases				CLRD	Alzheimer's disease	Diabetes mellitus
			Heart disease	CeVD	HBP	Arterio-sclerosis			
Number of deaths									
1998	29,346	7,072	7,168	2,768	224	220	1,705	806	887
1999	29,356	6,903	7,252	2,817	246	198	1,762	868	855
2000	29,541	6,989	7,104	2,567	225	230	1,696	905	847
2001	30,128	7,091	7,086	2,604	312	195	1,743	1,038	1,033
2002	31,082	7,232	7,245	2,639	353	210	1,842	1,125	1,034
2003	30,813	7,217	7,008	2,548	345	205	1,818	1,149	1,032
2004	30,201	7,227	6,687	2,322	358	174	1,770	1,263	1,072
2005	30,854	7,277	6,721	2,268	429	191	1,822	1,231	1,131
2006	31,304	7,295	6,588	1,973	362	118	1,820	1,228	1,139
2007	31,433	7,398	6,632	1,833	361	124	1,886	1,195	1,114
2008	32,020	7,484	6,516	1,909	406	92	1,950	1,299	1,030
2009	31,547	7,470	6,226	1,900	424	79	1,935	1,212	1,069
2010	31,899	7,630	6,191	1,787	442	69	1,973	1,297	1,052
2011	32,731	7,768	6,215	1,906	449	88	2,031	1,325	1,114
2012	32,475	7,761	6,109	1,745	500	53	1,901	1,320	1,122
2013	33,931	7,798	6,497	1,769	523	59	2,025	1,311	1,111
2014	34,160	7,862	6,523	1,821	499	41	1,958	1,412	1,083
2015	35,709	8,094	6,858	1,869	567	47	2,118	1,650	1,149
2016	35,799	8,076	6,972	1,944	557	49	2,081	1,786	1,240
2017	36,640	8,084	6,945	2,066	561	31	2,088	1,850	1,243
Rate per 100,000 population									
1998	898.1	216.4	219.4	84.7	6.9	6.7	52.2	24.7	27.1
1999	889.4	209.1	219.7	85.3	7.5	6.0	53.4	26.3	25.9
2000	859.6	203.4	206.7	74.7	6.5	6.7	49.3	26.3	24.6
2001	867.8	204.3	204.1	75.0	9.0	5.6	50.2	29.9	29.8
2002	886.9	206.4	206.7	75.3	10.1	6.0	52.6	32.1	29.5
2003	870.1	203.8	197.9	71.9	9.7	5.8	51.3	32.4	29.1
2004	843.0	201.7	186.7	64.8	10.0	4.9	49.4	35.3	29.9
2005	849.6	200.4	185.1	62.5	11.8	5.3	50.2	33.9	31.1
2006	848.2	197.7	178.5	53.5	9.8	3.2	49.3	33.3	30.9
2007	839.2	197.5	177.1	48.9	9.6	3.3	50.4	31.9	29.7
2008	844.6	197.4	171.9	50.4	10.7	2.4	51.4	34.3	27.2
2009	825.1	195.4	162.8	49.7	11.1	2.1	50.6	31.7	28.0
2010	829.8	198.5	161.0	46.5	11.5	1.8	51.3	33.7	27.4
2011	848.5	201.4	161.1	49.4	11.6	2.3	52.6	34.3	28.9
2012	836.2	199.8	157.3	44.9	12.9	1.4	48.9	34.0	28.9
2013	865.8	199.0	165.8	45.1	13.3	1.5	51.7	33.5	28.3
2014	862.0	198.4	164.6	46.0	12.6	1.0	49.4	35.6	27.3
2015	889.6	201.7	170.9	46.6	14.1	1.2	52.8	41.1	28.6
2016	878.2	198.1	171.0	47.7	13.7	1.2	51.1	43.8	30.4
2017	884.8	195.2	167.7	49.9	13.5	0.7	50.4	44.7	30.0

Abbreviations: CeVD = Cerebrovascular disease; HBP = Hypertensive blood pressure; CLRD = Chronic lower respiratory disease.

Note: Beginning in 1999, causes of death were classified using the rubrics and methodology of the tenth revision of the International Classification of Disease (which supplanted the ninth revision). Final comparability ratios have been applied to death rates for all causes except alcohol-induced deaths, Alzheimer's disease, and firearms, where they were not available/apposite to Oregon data. See the Technical Notes in Appendix B for further information. See annual reports prior to 2003 for unadjusted figures.

TABLE 6-3. Selected leading causes of death with rates, Oregon residents, 1998-2017

Year	Alcohol-induced	Pneumonia & influenza	Parkinson's disease	Viral hepatitis	External cause			
					Unintentional injuries	Suicide	Firearms (any manner)	Homicide
Number of deaths								
1998	380	704	278	76	1,371	570	441	134
1999	304	684	256	45	1,144	499	391	109
2000	383	637	278	77	1,211	502	378	93
2001	431	576	293	92	1,257	524	360	107
2002	442	661	306	128	1,382	517	376	106
2003	518	633	310	95	1,388	589	393	91
2004	510	554	321	107	1,423	555	383	112
2005	536	606	298	93	1,427	559	400	103
2006	473	522	346	90	1,579	573	381	111
2007	542	481	327	183	1,643	604	387	80
2008	540	519	352	169	1,694	581	387	99
2009	571	509	344	175	1,577	640	413	102
2010	571	419	356	179	1,557	685	458	114
2011	644	396	349	184	1,705	639	417	107
2012	670	379	362	160	1,659	717	442	110
2013	713	501	394	234	1,732	697	461	90
2014	760	449	381	210	1,796	781	497	99
2015	894	453	428	182	1,987	761	486	139
2016	829	452	452	159	2,108	771	510	129
2017	878	573	465	139	2,073	825	529	128
Rate per 100,000 population								
1998	11.6	21.6	8.5	2.3	41.9	17.5	13.5	4.1
1999	9.2	20.7	7.8	1.4	34.7	15.1	11.8	3.3
2000	11.1	18.5	8.1	2.2	35.2	14.6	11.0	2.7
2001	12.4	16.6	8.4	2.6	36.2	15.1	10.4	3.1
2002	12.6	18.9	8.7	3.7	39.4	14.8	10.7	3.0
2003	14.6	17.9	8.8	2.7	39.2	16.6	11.1	2.6
2004	14.2	15.5	9.0	3.0	39.7	15.5	10.7	3.1
2005	14.8	16.7	8.2	2.6	39.3	15.4	11.0	2.8
2006	12.8	14.1	9.4	2.4	42.8	15.5	10.3	3.0
2007	14.5	12.8	8.7	4.9	43.9	16.1	10.3	2.1
2008	14.2	13.7	9.3	4.5	44.7	15.3	10.2	2.6
2009	14.9	13.3	9.0	4.6	41.2	16.7	10.8	2.7
2010	14.9	10.9	9.3	4.7	40.5	17.8	11.9	3.0
2011	16.7	10.3	9.0	4.8	44.2	16.6	10.8	2.8
2012	17.3	9.8	9.3	4.1	42.7	18.5	11.4	2.8
2013	18.2	12.8	10.1	6.0	44.2	17.8	11.8	2.3
2014	19.2	11.3	9.6	5.3	45.3	19.7	12.5	2.5
2015	22.3	11.3	10.7	4.5	49.5	19.0	12.1	3.5
2016	20.3	11.1	11.1	3.9	51.7	18.9	12.5	3.2
2017	21.2	13.8	11.2	3.4	50.1	19.9	12.8	3.1

Abbreviations: CeVD = Cerebrovascular disease; HBP = Hypertensive blood pressure; CLRD = Chronic lower respiratory disease.

Note: Beginning in 1999, causes of death were classified using the rubrics and methodology of the tenth revision of the International Classification of Disease (which supplanted the ninth revision). Final comparability ratios have been applied to death rates for all causes except alcohol-induced deaths, Alzheimer's disease, and firearms, where they were not available/apposite to Oregon data. See the Technical Notes in Appendix B for further information. See annual reports prior to 2003 for unadjusted figures.