

TABLE 7-18. Neonatal, postneonatal, and infant death rates by maternal characteristics, Oregon residents, birth cohort 2014-2016

Selected maternal characteristics	Neonatal ¹		Postneonatal ²		Infant ³	
	No.	Rate	No.	Rate	No.	Rate
Total⁴	459	3.4	208	1.5	667	4.9
Marital status						
Married	247	2.8	95	1.1	342	3.9
Unmarried	207	4.2	111	2.3	318	6.5
Age of mother						
10-14	2	*	1	*	3	*
15-19	35	5.2	16	2.4	51	7.6
20-24	85	3.2	60	2.3	145	5.5
25-29	119	3.0	62	1.6	181	4.5
30-34	113	2.9	36	0.9	149	3.8
35-39	73	3.7	26	1.3	99	5.0
40-44	28	6.7	6	1.4	34	8.2
45+	3	*	1	*	4	*
Non-Hispanic race						
White	302	3.2	139	1.5	441	4.7
Black	22	7.5	9	3.1	31	10.6
American Indian	1	*	2	*	3	*
Asian ⁵	17	2.5	11	1.6	28	4.1
Pacific Islander ⁶	1	*	3	*	4	*
Other & not stated	11	22.3	1	*	12	24.3
Multiple races	17	3.2	11	2.1	28	5.3
Total Hispanic	88	3.5	32	1.3	120	4.7
Education						
8th grade or less	15	3.6	4	*	19	4.5
9th-12th grade, no diploma	57	3.9	28	1.9	85	5.8
High school/GED	121	4.0	76	2.5	197	6.6
More than high school	234	2.7	99	1.1	333	3.8
Start of prenatal care						
Any trimester	391	3.0	187	1.4	578	4.4
1st trimester	318	3.0	133	1.3	451	4.3
2nd trimester	69	3.1	40	1.8	109	5.0
3rd trimester	4	*	14	2.7	18	3.5
No prenatal care	35	33.2	6	5.7	41	38.9
Tobacco use						
Pre-pregnancy only	12	3.5	16	4.7	28	8.3
During pregnancy	65	4.8	55	4.1	120	8.9
No tobacco use	370	3.1	136	1.1	506	4.2
Multiple birth						
Yes	88	18.6	20	4.2	108	22.8
No	371	2.8	188	1.4	559	4.2

— Quantity is zero.

¹ Neonatal deaths include infant deaths of less than 28 days.

² Postneonatal deaths occur from day 28 through 364 after birth.

³ Infant deaths occur in the first year of life.

⁴ Due to unreported items, the sum of all categories may not equal the total.

⁵ Includes Asian Indian, Chinese, Filipino, Japanese, Korean, Vietnamese and other Asian.

⁶ Includes Guamanian, Hawaiian, Samoan and other Pacific Islander.

* Rates are not calculated when there are fewer than five deaths in a category.

NOTE: All rates per 1,000 live births.