

TABLE 3. Leading causes of death for males and females by rank order, number, rate, percent, and median age at death, Oregon residents, 2018

Cause of death in rank order	Rank	No.	Rate ¹	Pct.	Median age
Males					
Total		18,673	903.5	100.0	74
Malignant neoplasms	1	4,349	210.4	23.3	73
Diseases of the heart	2	3,723	180.1	19.9	79
Unintended injuries	3	1,263	61.1	6.8	59
Chronic lower respiratory disease	4	900	43.5	4.8	77
Cerebrovascular disease	5	864	41.8	4.6	80
Diabetes mellitus	6	723	35.0	3.9	71
Alcohol-induced	7	643	31.1	3.4	60
Suicide	8	631	30.5	3.4	48
Alzheimer's disease	9	580	28.1	3.1	86
Parkinson's disease	10	309	15.0	1.7	82
Hypertension & hyp. renal disease	11	300	14.5	1.6	73
Influenza & pneumonia	12	243	11.8	1.3	81
Nephritis, nephrotic syndrome, etc.	13	201	9.7	1.1	78
Neoplasms not known to be malignant	14	124	6.0	0.7	78
Septicemia	15	117	5.7	0.6	71
Pneumonitis due to solids & liquids	16	87	4.2	0.5	81
Aortic aneurysm	17	86	4.2	0.5	72
Homicide	18	78	3.8	0.4	36
Viral hepatitis	19	76	3.7	0.4	63
Amyotrophic lateral sclerosis	20	72	3.5	0.4	69
Females					
Total		17,517	822.9	100.0	81
Malignant neoplasms	1	3,812	179.1	21.8	73
Diseases of the heart	2	3,091	145.2	17.6	86
Alzheimer's disease	3	1,287	60.5	7.3	89
Cerebrovascular disease	4	1,163	54.6	6.6	86
Chronic lower respiratory disease	5	1,019	47.9	5.8	77
Unintended injuries	6	804	37.8	4.6	75
Diabetes mellitus	7	501	23.5	2.9	75
Hypertension & hyp. renal disease	8	307	14.4	1.8	86
Alcohol-induced	9	287	13.5	1.6	57
Influenza & pneumonia	10	285	13.4	1.6	83
Suicide	11	212	10.0	1.2	48
Nephritis, nephrotic syndrome, etc.	12	194	9.1	1.1	80
Parkinson's disease	13	173	8.1	1.0	84
Neoplasms not known to be malignant	14	100	4.7	0.6	81
Septicemia	14	100	4.7	0.6	76
Nutritional deficiencies	16	82	3.9	0.5	85
Amyotrophic lateral sclerosis	17	71	3.3	0.4	69
Aortic aneurysm	18	69	3.2	0.4	82
Congenital malformations	19	58	2.7	0.3	44
Pneumonitis due to solids & liquids	20	45	2.1	0.3	82

¹ All rates per 100,000 population.